SikaTop[®]-586 Seal



Revision Date: 20.11.2024 Date of last issue: - Version 1.0

Print Date 28.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaTop[®]-586 Seal

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Ireland Ltd
		Sika House
		Ballymun Industrial Estate
		Dublin 11
Telephone	:	+353 1862 0709
E-mail address of person	:	EHS@UK.Sika.com
responsible for the SDS		

1.4 Emergency telephone number

National Poisons Information Centre (NPIC) (01) 809 2166 (available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

2

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTop[®]-586 Seal



Revision Date: 20.11.2024 Date of last issue: -	١	/ersion 1.0	Print Date 28.03.2025
Hazard statements :	H318 Ca	uses skin irritation. uses serious eye damage. ly cause respiratory irritation.	
Precautionary statements :	P101 P102	If medical advice is needed, hav container or label at hand. Keep out of reach of children.	e product
	Prevention:		
	P271	Use only outdoors or in a well-ve	entilated ar-
	P280	Wear protective gloves/ eye prot protection.	ection/ face
	Response:		
	P305 + P351 +	P338 + P310 IF IN EYES: Rinse with water for several minutes. R tact lenses, if present and easy t tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	accordance

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SikaTop®-586 Seal



Revision Date: 20.11.2024 Date of last issue: - Version 1.0

Print Date 28.03.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Componenta			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		. ,
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 3 - < 5
	215-137-3	Eye Dam. 1; H318	
	01-2119475151-45-	STOT SE 3; H335	
	XXXX	(Respiratory system)	
Substances with a workplace expo	sure limit :		
Quartz (SiO2)	14808-60-7		>= 60 - < 80
	238-878-4		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

SikaTop[®]-586 Seal



Revision Date: 20.11.2024Version 1.0Print Date 28.03.2025Date of last issue: -

4.2 Most important symptoms and effects, both acute and delayed

			· ·
	Symptoms	:	Cough
			Respiratory disorder
			Excessive lachrymation
			Erythema
			Dermatitis
			See Section 11 for more detailed information on health effects
			and symptoms.
	Risks	:	Causes skin irritation.
			Causes serious eye damage.
			May cause respiratory irritation.
			irritant effects
4.3	Indication of any immediate i	me	dical attention and special treatment needed
	Treatment	:	Treat symptomatically.
		-	

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media :	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from the	he	substance or mixture
Hazardous combustion prod- : ucts	-	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment : for firefighters	-	In the event of fire, wear self-contained breathing apparatus.
Further information :		Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protectiv	e equipment and emergency procedures
Personal precautions :	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions :	Try to prevent the material from entering drains or water courses.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTop[®]-586 Seal



Revision Date: 20.11.2024	Version 1.0	Print Date 28.03.2025
Date of last issue: -		

No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products Advice on protection against : Avoid dust formation. Provide appropriate exhaust ventilation fire and explosion at places where dust is formed. Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage Keep container tightly closed in a dry and well-ventilated areas and containers place. Store in accordance with local regulations. Further information on stor-: Keep in a dry place. age stability No decomposition if stored and applied as directed. 7.3 Specific end use(s) Specific use(s) Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
------------	---------	------------------	-----------------	---------

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SikaTop[®]-586 Seal

Revision Date: 20.11.2024 Date of last issue: - Version 1.0

Print Date 28.03.2025

		of exposure)	ters *	
Quartz (SiO2)	14808-60-7	OELV - 8 hrs (TWA) (Respira- ble dust)	0,1 mg/m3 (Silica)	IE OEL
		ation: Carcinogenic, res and Processes	see List of Carci	nogenic Sub-
Cement (chromium reduced)	65997-15-1	OELV - 8 hrs (TWA) (Respira- ble dust)	1 mg/m3	IE OEL
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU
	Further informa	ation: Indicative		
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU
		OELV - 8 hrs (TWA) (respirable)	1 mg/m3	IE OEL
***		OELV - 15 min (STEL) (respirab- le)	4 mg/m3	IE OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
Respirable dust		OELV - 8 hrs (TWA)	4 mg/m3	IE OEL
inhalable dust		OELV - 8 hrs (TWA)	10 mg/m3	IE OEL

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.



Revision Date: 20.11.2024 Version 1.0 Print Date 28.03.2025 Date of last issue: -Respiratory protection In case of inadequate ventilation wear respiratory protection. : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. **Environmental exposure controls**

General advice	:	Try to prevent the material from entering drains or water
		courses.
		No special environmental precautions required.

SECTION 9: Physical and chemical properties

SikaTop[®]-586 Seal

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder grey
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o	exp	losive limits
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTop[®]-586 Seal



Revision Date: 20.11.2024 Date of last issue: -		Version 1.0	Print Date 28.03.2025
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	> 11 Concentration: 50 %	
Viscosity			
Viscosity, kinematic	:	Not applicable	
Solubility(ies) Water solubility		No data available	
Water solubility	:	NO data avaliable	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	No data available	
Bulk density	:	1.800 - 2.400 kg/m3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTop[®]-586 Seal



Revision Date: 20.11.2024 Date of last issue: -	Version 1.0	Print Date 28.03.2025
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition	products	
	: No hazardous decomposition products	are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure Not classified due to lack of data.

Aspiration toxicity Not classified due to lack of data.

SikaTop[®]-586 Seal



Revision Date: 20.11.2024 Date of last issue: - Version 1.0

Print Date 28.03.2025

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SikaTop[®]-586 Seal



Revision Date: 20.11.2024 Date of last issue: - Version 1.0

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

:	The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way. Dispose of surplus and non-recyclable products via a licensed
	waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
44 E Environmental herende		

14.5 Environmental hazards

Not regulated as a dangerous good

SikaTop[®]-586 Seal



Revision Date: 20.11.2024 Date of last issue: -	Version	1.0	Print Date 28.03	3.20
4.6 Special precautions for use	er			
Not applicable				
4.7 Maritime transport in bulk	according to IMO instrum	ents		
Not applicable for product as	supplied.			
SECTION 15: Regulatory info	ormation			
5.1 Safety, health and environ	mental regulations/legisla	ation	specific for the substance or mixture	•
International Chemical Weap Schedules of Toxic Chemical	ons Convention (CWC)		Not applicable	
REACH Information:	All substances contai - registered by our up - registered by us, an - excluded from the re - exempted from the re	ostrea d/or egulat	m suppliers, and/or tion, and/or	
REACH - Restrictions on the the market and use of certain mixtures and articles (Annex	dangerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 47: Cement (chromi- um reduced)	
REACH - Candidate List of S Concern for Authorisation (A		:	None of the components are listed (=> 0.1 %).	
REACH - List of substances ((Annex XIV)	subject to authorisation	:	Not applicable	
Regulation (EC) on substanc layer	tion (EC) on substances that deplete the ozone		Not applicable	
Regulation (EU) 2019/1021 c tants (recast)	Regulation (EU) 2019/1021 on persistent organic pollu- ants (recast)		Not applicable	
Regulation (EU) No 649/2012 ment and the Council concer		:	Not applicable	

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

SikaTop[®]-586 Seal



Revision Date: 20.11.2024 Date of last issue: -	Version 1.0	Print Date 28.03.2025
Volatile organic compounds :	Law on the incentive tax for volatile organic com (VOCV) no VOC duties	pounds
	Directive 2010/75/EU of 24 November 2010 on i emissions (integrated pollution prevention and c Not applicable	
If other regulatory information app Sheet, then it is described in this	blies that is not already provided elsewhere in the subsection.	Safety Data
Health, safety and environ- mental regulation/legislation specific for the substance or	Environmental Protection Act 1990 & Subsidiary Health and Safety at Work Act 1974 & Subsidiar Control of Substances Hazardous to Health Reg	y Regulations

May be subject to the Control of Major Accident Hazards

Regulations (COMAH), and amendments.

Other regulations:

mixture:

This product contains cement. Wet cement or mortar may cause alkali burns if in direct and/or prolonged contact with the skin. Wear protective clothing at all times when working with cement based products.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

(COSHH)

SECTION 16: Other information

Full text of H-Statements	
	 Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
Full text of other abbreviation	S
Skin Irrit. STOT SE	 Serious eye damage Skin irritation Specific target organ toxicity - single exposure Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
IE OEL	 Ireland. List of Chemical Agents and Carcinogens with Occu- pational Exposure Limit Values - Code of Practice, Schedule 1 and 2
	 Short term exposure limit Limit Value - eight hours Occupational exposure limit value (8-hour reference period) Occupational exposure limit value (15-minute reference period)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaTop[®]-586 Seal



Revision Date: 20.11.2024 Version 1.0 Print Date 28.03.2025 Date of last issue: -ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road CAS Chemical Abstracts Service Derived no-effect level DNEL Half maximal effective concentration EC50 GHS **Globally Harmonized System** IATA International Air Transport Association IMDG International Maritime Code for Dangerous Goods LD50 Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) LC50 : Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) MARPOL International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 OEL **Occupational Exposure Limit** : PBT Persistent, bioaccumulative and toxic PNEC Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament REACH and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency SVHC Substances of Very High Concern vPvB Very persistent and very bioaccumulative **Further information** Classification of the mixture: **Classification procedure:** Skin Irrit. 2 H315 Calculation method Eye Dam. 1 H318 Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Calculation method

Changes as compared to previous version !

H335

IE / EN

STOT SE 3