

Version 2.0

Print Date 28.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikadur[®]-31 DW Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Ireland Ltd
		Sika House
		Ballymun Industrial Estate
		Dublin 11
Telephone	:	+353 1862 0709
E-mail address of person	:	EHS@UK.Sika.com
responsible for the SDS		

1.4 Emergency telephone number

National Poisons Information Centre (NPIC) (01) 809 2166 (available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Sikadur[®]-31 DW Part A



Revision Date: 18.10.2024 Version 2.0 Print Date 28.03.2025 Date of last issue: 27.09.2023 Hazard pictograms 2 Signal word Danger 1 H315 Causes skin irritation. Hazard statements May cause an allergic skin reaction. H317 H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects. Prevention: Precautionary statements • P261 Avoid breathing mist or vapours. Wash skin thoroughly after handling. P264 Avoid release to the environment. P273 Wear protective gloves/ eye protection/ face P280 protection. Response: P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

Hazardous components which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane 1,4-bis(2,3 epoxypropoxy)butane

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-
tion (EU) 2020/878
Sikadur [®] -31 DW Part A



Version 2.0

Print Date 28.03.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
bis-[4-(2,3- epoxipropoxi)phenyl]propane	1675-54-3 216-823-5 01-2119456619-26- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 	>= 10 - < 20
1,4-bis(2,3 epoxypropoxy)butane	2425-79-8 219-371-7 01-2119494060-45- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 3; H412 Acute toxicity esti- mate Acute oral toxicity: 1.163 mg/kg	>= 3 - < 5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air.



Sikadur®-31 DW Part A

ate of last issue: 27.09.2023	Version 2.0	Print Date 28.03.202
	Consult a physician after s	significant exposure.
In case of skin contact	: Take off contaminated clo Wash off with soap and pl If symptoms persist, call a	
In case of eye contact	sue damage and blindnes	eyes, rinse immediately with plenty I advice. ing transport to hospital.
If swallowed	: Do not induce vomiting with Rinse mouth with water.	thout medical advice.
	Do not give milk or alcoho	lic beverages. outh to an unconscious person.
.2 Most important symptoms	Do not give milk or alcoho	outh to an unconscious person.
2 Most important symptoms Symptoms	Do not give milk or alcoho Never give anything by mo and effects, both acute and de : Allergic reactions Excessive lachrymation Erythema Dermatitis	outh to an unconscious person.
	Do not give milk or alcoho Never give anything by mo and effects, both acute and de : Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more d	outh to an unconscious person. Iayed
Symptoms	Do not give milk or alcoho Never give anything by mo and effects, both acute and de : Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more d and symptoms. : irritant effects	buth to an unconscious person. Iayed Ietailed information on health effects
Symptoms	Do not give milk or alcoho Never give anything by mo and effects, both acute and de : Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more d and symptoms. : irritant effects sensitising effects Causes skin irritation. May cause an allergic skir	buth to an unconscious person. layed detailed information on health effects in reaction. lige.

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known ucts

Sikadur®-31 DW Part A



Revision Date: 18.10.2024 Date of last issue: 27.09.2023		Version 2.0	Print Date 28.03.2025
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing	j apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	ie I	neasures	
6.1 Personal precautions, protec	tiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or du respective authorities.	
6.3 Methods and material for con	ntai	nment and cleaning up	
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	silica gel,

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products 	
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.	
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety	
\sim	untry IE 000000010004		F (1

Sikadur®-31 DW Part A



Revision Date: 18.10.2024 Date of last issue: 27.09.2023		Version 2.0	Print Date 28.03.2025
		practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the er	
7.2 Conditions for safe storage, i	nc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ve place. Store in accordance with local regulations	
Further information on stor- age stability	:	No decomposition if stored and applied as direct	ed.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheet p use.	rior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

·				
Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipme	nt .
Eye/face protection	 Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.



Odour

Revision Date: 18.10.2024 Date of last issue: 27.09.2023	Version 2.0	Print Date 28.03.2025
Respiratory protection	: No special measures required.	
Environmental exposure	controls	
General advice	: Do not flush into surface water or san If the product contaminates rivers and respective authorities.	
SECTION 9: Physical and c	hemical properties	
9.1 Information on basic phys	ical and chemical properties	
Physical state Appearance Colour	: liquid : paste : white	

Melting point/ range / Freez- ing point	:	No data available

: odourless

Boiling point/boiling range		No data available

Flammability (solid, gas) : No data available

Upper/lower flammability or explosive limits

Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 7,5 (20 °C) Concentration: 50 %
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)

Sikadur[®]-31 DW Part A



Revision Date: 18.10.2024 Date of last issue: 27.09.2023	Version 2.0	Version 2.0 Print Date 28.03.2025	
Solubility(ies) Water solubility	insoluble		
Partition coefficient: n- octanol/water	No data available		
Vapour pressure	< 0,0093 hPa (20 °C)		
Density	ca. 2 g/cm3 (20 °C)		
Relative vapour density	No data available		
Particle characteristics	No data available		

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



Version 2.0

Print Date 28.03.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

i	
bis-[4-(2,3-epoxipropoxi)p	henyl]propane:
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 5.000 mg/kg
1,4-bis(2,3 epoxypropoxy)	
Acute oral toxicity	: LD50 Oral (Rat): 1.163 mg/kg
Skin corrosion/irritation Causes skin irritation.	
Serious eye damage/eye i Causes serious eye damag	
Respiratory or skin sensit	isation
Skin sensitisation	
May cause an allergic skin i	reaction.
Respiratory sensitisation	
Not classified based on ava	ilable information.
Germ cell mutagenicity	
Not classified based on ava	ilable information.
Carcinogenicity	ilable information
Not classified based on ava	liable information.
Reproductive toxicity Not classified based on ava	ilable information
STOT - single exposure	
Not classified based on ava	ilable information.
STOT - repeated exposure	•
Not classified based on ava	ilable information.
Aspiration toxicity	
Not classified based on ava	ilable information.



Version 2.0

Print Date 28.03.2025

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h
Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): 1,8 mg/l

aquatic invertebrates Exposure time: 48 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
	levels of 0.1% or higher.



Revision Date: 18.10.2024	Version 2.0	Print Date 28.03.2025
Date of last issue: 27.09.2023		

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a license waste disposal contractor. Disposal of this product, solutions and any by-products shou at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact wit soil, waterways, drains and sewers. 	ed uld
European Waste Catalogue	: 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances	;
Contaminated packaging	 15 01 10* packaging containing residues of or contaminated by dangerous substances 	I

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2	UN proper shipping name		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3	Transport hazard class(es)		
	ADR	:	Not regulated as a dangerous good

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikadur[®]-31 DW Part A



Revision Date: 18.10.2024 Date of last issue: 27.09.2023 Version 2.0

Print Date 28.03.2025

IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.4 Packing group	
ADR	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA (Cargo)	: Not regulated as a dangerous good
IATA (Passenger)	: Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

- All substances contained in our Products are registered by our upstream suppliers, and/or
- registered by us, and/or
 - excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on Conditions of restriction for the fol-: the market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 3 REACH - Candidate List of Substances of Very High : None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation ÷ Not applicable (Annex XIV) Regulation (EC) on substances that deplete the ozone : Not applicable

layer



Revision Date: 18.10.2024 Date of last issue: 27.09.2023	Version 2.0	Print Date 28.03.2025		
Regulation (EU) 2019/1021 on pettants (recast)	ersistent organic pollu- : Not applicable			
Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals				
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable				
Volatile organic compounds :	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties			
	Directive 2010/75/EU of 24 November 2010 emissions (integrated pollution prevention a Volatile organic compounds (VOC) content	and control)		

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ-	: Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation	Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or	Control of Substances Hazardous to Health Regulations
mixture:	(COSHH)
	May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H302 :	Harmful if swallowed.
H312 :	Harmful in contact with skin.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H319 :	Causes serious eye irritation.
H332 :	Harmful if inhaled.
H411 :	Toxic to aquatic life with long lasting effects.
H412 :	Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Sikadur®-31 DW Part A



Revision Date: 18.10.2024 Date of last issue: 27.09.2023 Version 2.0

Print Date 28.03.2025

Acute Tox. Aquatic Chronic Eye Irrit. Skin Irrit. Skin Sens. ADR		Acute toxicity Long-term (chronic) aquatic hazard Eye irritation Skin irritation Skin sensitisation European Agreement concerning the International Carriage of
CAS	:	Dangerous Goods by Road Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

IE / EN

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikadur®-31 DW Part A

Revision Date: 18.10.2024 Date of last issue: 27.09.2023

Version 2.0

Print Date 28.03.2025

