## Sika<sup>®</sup> Aktivator PRO



Revision Date: 10.03.2025 Date of last issue: 25.09.2024 Version 5.0

Print Date 28.03.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sika<sup>®</sup> Aktivator PRO

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Pretreatment agent

### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Ireland Ltd
		Sika House
		Ballymun Industrial Estate
		Dublin 11
Telephone	:	+353 1862 0709
E-mail address of person responsible for the SDS	:	EHS@UK.Sika.com

### **1.4 Emergency telephone number**

National Poisons Information Centre (NPIC) (01) 809 2166 (available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2	H225: Highly flammable liquid and vapour.
Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters air- ways.
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika<sup>®</sup> Aktivator PRO



Revision Date: 10.03.2025 Date of last issue: 25.09.2024 Version 5.0

Print Date 28.03.2025

### 2.2 Label elements

Labelling (REGULATION (	EC)	No 1272/200	8)
Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H225 H304 H315 H318 H336 H411	Highly flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye damage. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention	:
	-	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P273 P280	Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response:	
		P301 + P31	0 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
		P305 + P35	1 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.
		P331 P370 + P37	
		P391	alcohol-resistant foam to extinguish. Collect spillage.

## Hazardous components which must be listed on the label:

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics bis(trimethoxysilylpropyl)amine

### **Additional Labelling**

EUH208 Contains 3-trimethoxysilylpropane-1-thiol. May produce an allergic reaction.

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Revision Date: 10.03.2025 Date of last issue: 25.09.2024 Version 5.0

Print Date 28.03.2025

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics Contains: cyclohexane 2%	Not Assigned 927-510-4 01-2119475515-33- XXXX	Flam. Liq. 2; H225 Skin Irrit. 2; H315 STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>=80
bis(trimethoxysilylpropyl)amine Contains: methanol <= 0,3 %	82985-35-1 280-084-5 01-2119969956-12- XXXX	Eye Dam. 1; H318	>= 3 - < 5
3-trimethoxysilylpropane-1-thiol Contains: methanol <= 0,99 %	4420-74-0 224-588-5 01-2120763539-41- XXXX	Acute Tox. 4; H302 Skin Sens. 1B; H317 Aquatic Chronic 2; H411 Acute toxicity esti- mate Acute oral toxicity:	>= 0,5 - < 1
		1.701 mg/kg	

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

4.1	Description	of	first	aid	measures
-----	-------------	----	-------	-----	----------

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
<b>a b b b b b b b b b b</b>	

Sika<sup>®</sup> Aktivator PRO



vision Date: 10.03.2025 te of last issue: 25.09.2024	Version 5.0	Print Date 28.03.20
In case of skin contact	: Take off contaminated clothing a Wash off with soap and plenty o If symptoms persist, call a physi	of water.
In case of eye contact	: Small amounts splashed into ey sue damage and blindness. In the case of contact with eyes of water and seek medical advic Continue rinsing eyes during tra Remove contact lenses. Keep eye wide open while rinsir	s, rinse immediately with plenty ce. ansport to hospital.
If swallowed	: Do not induce vomiting without i Rinse mouth with water. Do not give milk or alcoholic bey	
	Never give anything by mouth to	
2 Most important symptoi	Never give anything by mouth to	o an unconscious person.
2 Most important symptor Symptoms		o an unconscious person. I ry oedema and pneumonitis.
	Never give anything by mouth to as and effects, both acute and delayed : Aspiration may cause pulmonar Excessive lachrymation Erythema Dermatitis Loss of balance Vertigo See Section 11 for more detaile	o an unconscious person. I ry oedema and pneumonitis. ed information on health effects
Symptoms	Never give anything by mouth to as and effects, both acute and delayed : Aspiration may cause pulmonar Excessive lachrymation Erythema Dermatitis Loss of balance Vertigo See Section 11 for more detaile and symptoms. : Risk of serious damage to the lu	o an unconscious person. I ry oedema and pneumonitis. ed information on health effects ungs (by aspiration). nters airways.
Symptoms	<ul> <li>Never give anything by mouth to the solution of t</li></ul>	o an unconscious person. I ry oedema and pneumonitis. ed information on health effects ungs (by aspiration). nters airways.

5.1 Extinguishing media		
Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	Water High volume water jet

## Sika<sup>®</sup> Aktivator PRO



Revision Date: 10.03.2025 Version 5.0 Print Date 28.03.2025 Date of last issue: 25.09.2024 5.2 Special hazards arising from the substance or mixture Specific hazards during fire-Do not use a solid water stream as it may scatter and spread fighting fire. Do not allow run-off from fire fighting to enter drains or water courses. Hazardous combustion prod- : No hazardous combustion products are known ucts 5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters Further information Use water spray to cool unopened containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.
	Remove all sources of ignition.
	Deny access to unprotected persons.
	Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

## 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

## Sika<sup>®</sup> Aktivator PRO



Revision Date: 10.03.2025 Date of last issue: 25.09.2024		Version 5.0	Print Date 28.03.2025
Advice on safe handling	:	Avoid exceeding the given occupational expo section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be proh plication area. Take precautionary measures against static Open drum carefully as content may be under Take necessary action to avoid static electric (which might cause ignition of organic vapou Follow standard hygiene measures when had products	ibited in the ap- discharge. er pressure. ity discharge rs).
Advice on protection against fire and explosion	:	Use explosion-proof equipment. Keep away open flames/ hot surfaces. No smoking. Take measures against electrostatic discharges.	
Hygiene measures	:	Handle in accordance with good industrial hy practice. When using do not eat or drink. Wh smoke. Wash hands before breaks and at the	en using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Store in cool place. Containers which are ope carefully resealed and kept upright to preven in accordance with local regulations.	
Further information on stor- age stability	:	No decomposition if stored and applied as di	rected.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data She use.	et prior to any

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### **Occupational Exposure Limits**

Contains no substances with occupational exposure limit values.

## Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
methanol	67-56-1	TWA	200 ppm 260 mg/m3	2006/15/EC
	Further information cant uptake the	ation: Indicative, Ide rough the skin	entifies the possibi	lity of signifi-
		OELV - 8 hrs (TWA)	200 ppm 260 mg/m3	IE OEL

## Sika<sup>®</sup> Aktivator PRO



Revision Date: 10.03.2025 Date of last issue: 25.09.2024 Version 5.0

Print Date 28.03.2025

Further information: Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

## 8.2 Exposure controls

### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

## Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	No special measures required.
Environmental exposure co	ntro	ols
General advice	:	Prevent product from entering drains.

## ral advice : Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid colourless
Odour	:	hydrocarbon-like
Melting point/ range / Freez-	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika<sup>®</sup> Aktivator PRO



:	> 70 °C	
:	No data available	
or exp	plosive limits	
)- :	7,4 %(V)	
:	1,1 %(V)	
:	ca4 °C Method: closed cup	
:	No data available	
:	No data available	
:	Not applicable substance/mixture is non-soluble (in water)	
:	ca. 2 mPa.s (20 °C)	
:	< 20,5 mm2/s (40 °C)	
:	insoluble	
:	No data available	
:	34,6637 hPa	
:	ca. 0,7 g/cm3 (20 °C)	
:	No data available	
:	No data available	8 / 17
	; pr exp - : : : : : : : : : : : : : :	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable substance/mixture is non-soluble (in water)</li> <li>ca. 2 mPa.s (20 °C)</li> <li>&lt; 20,5 mm2/s (40 °C)</li> <li>insoluble</li> <li>No data available</li> <li>34,6637 hPa</li> <li>ca. 0,7 g/cm3 (20 °C)</li> <li>No data available</li> </ul>



Revision Date: 10.03.2025 Date of last issue: 25.09.2024

Sika<sup>®</sup> Aktivator PRO

Version 5.0

Print Date 28.03.2025

## 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.
---------------------	---	--

Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

## 10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

## 10.6 Hazardous decomposition products

Hazardous decomposition : methanol products

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Not classified due to lack of data.

## Components:

#### bis(trimethoxysilylpropyl)amine:

Acute oral toxicity : LD50 Oral (Rat): 3.780 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 11.865 mg/kg

## 3-trimethoxysilylpropane-1-thiol:

Acute oral toxicity : LD50 Oral (Rat): 1.701 mg/kg

## SAFETY DATA SHEET according to Regulation (EC) No. 1907

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika® Aktivator PRO



Revision Date: 10.03.2025 Date of last issue: 25.09.2024	Version 5.0	Print Date 28.03.2025
	Acute toxicity estimate: 1.701 mg/kg Method: Calculation method	
Acute dermal toxicity :	LD50 Dermal (Rat): 2.583 mg/kg	
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye irrita Causes serious eye damage.	tion	
Respiratory or skin sensitisati	ion	
Skin sensitisation Not classified due to lack of data Respiratory sensitisation		
Not classified due to lack of data Germ cell mutagenicity Not classified due to lack of data		
<b>Carcinogenicity</b> Not classified due to lack of data	1.	
<b>Reproductive toxicity</b> Not classified due to lack of data	a.	
STOT - single exposure May cause drowsiness or dizzin	ess.	
STOT - repeated exposure Not classified due to lack of data	1.	
Aspiration toxicity May be fatal if swallowed and er	nters airways.	
11.2 Information on other hazards		
Endocrine disrupting properti Not classified due to lack of data		
<u>Product:</u> Assessment :	The substance/mixture does not contain co ered to have endocrine disrupting propertie REACH Article 57(f) or Commission Deleg (EU) 2017/2100 or Commission Regulation levels of 0.1% or higher.	es according to ated regulation



Revision Date: 10.03.2025 Date of last issue: 25.09.2024 Version 5.0

Print Date 28.03.2025

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Components:

#### bis(trimethoxysilylpropyl)amine:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 130 mg/l Exposure time: 96 h			
		NOEC (Oncorhynchus mykiss (rainbow trout)): 100 mg/l			
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h			
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h			
3-trimethoxysilylpropane-1-thiol:					
Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 12,3 mg/l			

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 12,3 mg/l Exposure time: 96 h
Toxicity to daphnia and other	:	EC50 (Daphnia (water flea)): 6,7 mg/l

Exposure time: 48 h

#### 12.2 Persistence and degradability

No data available

aquatic invertebrates

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### **12.6 Endocrine disrupting properties**

#### Product:

Assessment	<ul> <li>The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher</li> </ul>
	levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika<sup>®</sup> Aktivator PRO



Revision Date: 10.03.2025Version 5.0Print Date 28.03.2025Date of last issue: 25.09.2024

### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Toxic to aquatic life with long lasting effects.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.</li> <li>Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.</li> <li>Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.</li> <li>Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.</li> </ul>
European Waste Catalogue	: 08 01 11* waste paint and varnish containing organic sol- vents or other dangerous substances
Contaminated packaging	<ul> <li>15 01 10* packaging containing residues of or contaminated by dangerous substances</li> </ul>

## **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADR	:	UN 1866
IMDG	:	UN 1866
ΙΑΤΑ	:	UN 1866
14.2 UN proper shipping name		
ADR	:	<b>RESIN SOLUTION</b>
IMDG	:	<b>RESIN SOLUTION</b>
ΙΑΤΑ	:	Resin solution

## 14.3 Transport hazard class(es)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika<sup>®</sup> Aktivator PRO



Revision Date: 10.03.2025 Date of last issue: 25.09.2024		Version 5.0		Print Date 28.03.2025		
		Class	Subsidiary risks			
ADR		3	Subsidiary lisks			
IMDG	:	3				
IATA	•	3				
14.4 Packing group	•	5				
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	:	II F1 33 3 (D/E)				
<b>IMDG</b> Packing group Labels EmS Code	:	ll 3 F-E, <u>S-E</u>				
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	:	364 Y341 II Flammable Liquids				
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	:					
14.5 Environmental hazards						
<b>ADR</b> Environmentally hazardous	:	yes				
IMDG Marine pollutant	:	yes				
IATA (Passenger) Environmentally hazardous	:	yes				
IATA (Cargo) Environmentally hazardous	:	yes				
14.6 Special precautions for user	r					
The transport classification(s) upon the properties of the unp						

upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## Sika<sup>®</sup> Aktivator PRO



Revision Date: 10.03.2025 Date of last issue: 25.09.2024 Version 5.0

Print Date 28.03.2025

## **SECTION 15: Regulatory information**

15.1	Safety, health and environment	al regulations/legislati	ion	specific for the substance or mixture	
	International Chemical Weapons Schedules of Toxic Chemicals an		:	Not applicable	
	REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	tream suppliers, and/or /or gulation, and/or		
	REACH - Restrictions on the man the market and use of certain dan mixtures and articles (Annex XVII	gerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3	
	REACH - Candidate List of Substa Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).	
	REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable	
	Regulation (EU) No 2024/590 on plete the ozone layer	substances that de-	:	Not applicable	
	Regulation (EU) 2019/1021 on petants (recast)	ersistent organic pollu-	:	Not applicable	
	Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals	•	:	Not applicable	
I	Seveso III: Directive 2012/18/EU jor-accident hazards involving dar P5c			and of the Council on the control of ma-	
I	E2	ENVIRONMENTAL HA	٨ZA	RDS	
	34	(including jet fuels), (c)	gas	asolines and naphthas, (b) kerosenes s oils (including diesel fuels, home ending streams),(d) heavy fuel oils (e)	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sika<sup>®</sup> Aktivator PRO



Revision Date: 10.03.2025 Date of last issue: 25.09.2024	Version 5.0	Print Date 28.03.2025
	alternative fuels serving the same purpo properties as regards flammability and e as the products referred to in points (a)	environmental hazards
Volatile organic compounds	<ul> <li>Law on the incentive tax for volatile orga (VOCV)</li> <li>Volatile organic compounds (VOC) cont</li> </ul>	
	Directive 2010/75/EU of 24 November 2 livestock rearing emissions (integrated p and control) Volatile organic compounds (VOC) cont	pollution prevention
II		

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	: Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH)	3
	May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.	

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

Full text of H-Statements	

H225	:	Highly flammable liquid and vapour.			
H302	:	Harmful if swallowed.			
H304	:	May be fatal if swallowed and enters airways.			
H315	:	Causes skin irritation.			
H317	:	May cause an allergic skin reaction.			
H318	:	Causes serious eye damage.			
H336	:	May cause drowsiness or dizziness.			
H411	:	Toxic to aquatic life with long lasting effects.			
Full text of other abbreviations					
Acute Tox.	:	Acute toxicity			
Aquatic Chronic	:	Long-term (chronic) aquatic hazard			
Asp. Tox.	:	Aspiration hazard			
Eye Dam.	:	Serious eye damage			
Flam. Liq.	:	Flammable liquids			
Skin Irrit.	:	Skin irritation			
Skin Sens.	:	Skin sensitisation			
STOT SE	:	Specific target organ toxicity - single exposure			
2006/15/EC	:	Europe. Indicative occupational exposure limit values			
IE OEL	:	Ireland. List of Chemical Agents and Carcinogens with Occu-			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika<sup>®</sup> Aktivator PRO



Revision Date: 10.03.2025 Version 5.0 Print Date 28.03.2025 Date of last issue: 25.09.2024 pational Exposure Limit Values - Code of Practice, Schedule 1 and 2 2006/15/EC / TWA Limit Value - eight hours IE OEL / OELV - 8 hrs (TWA) Occupational exposure limit value (8-hour reference period) European Agreement concerning the International Carriage of ADR Dangerous Goods by Road CAS **Chemical Abstracts Service** DNEL Derived no-effect level EC50 Half maximal effective concentration GHS Globally Harmonized System IATA International Air Transport Association : International Maritime Code for Dangerous Goods IMDG : LD50 Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) LC50 Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) MARPOL International Convention for the Prevention of Pollution from : Ships, 1973 as modified by the Protocol of 1978 OEL **Occupational Exposure Limit** Persistent, bioaccumulative and toxic PBT PNEC Predicted no effect concentration : : Regulation (EC) No 1907/2006 of the European Parliament REACH and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency SVHC : Substances of Very High Concern vPvB Very persistent and very bioaccumulative

## **Further information**

Classification of the m	ixture:	Classification procedure:	
Flam. Liq. 2	H225	Based on product data or assessment	
Skin Irrit. 2	H315	Calculation method	
Eye Dam. 1	H318	Calculation method	
STOT SE 3	H336	Calculation method	
Asp. Tox. 1	H304	Calculation method	
Aquatic Chronic 2	H411	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

# Sika<sup>®</sup> Aktivator PRO

Revision Date: 10.03.2025 Date of last issue: 25.09.2024

Version 5.0

Print Date 28.03.2025

IE / EN

