

Revision Date: 06.01.2025 Date of last issue: - Version 1.0

Print Date 29.04.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Ucrete[®]* Common (Formerly Ucrete) Part 2

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Ireland Ltd Sika House
		Ballymun Industrial Estate
		Dublin 11
Telephone	:	+353 1862 0709
E-mail address of person responsible for the SDS	:	EHS@UK.Sika.com

1.4 Emergency telephone number

National Poisons Information Centre (NPIC) (01) 809 2166 (available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.



Revision Date: 06.01.2025 Date of last issue: - Version 1.0

Print Date 29.04.2025

2.2 Label elements

Labelling (REGULATION (Hazard pictograms	EC) :	No 1272/2008)	
Signal word	:	Danger	
Hazard statements	:	H317 M H319 Ca H332 Ha H334 M H335 M H351 Su H373 M	auses skin irritation. ay cause an allergic skin reaction. auses serious eye irritation. armful if inhaled. ay cause allergy or asthma symptoms or breath- g difficulties if inhaled. ay cause respiratory irritation. uspected of causing cancer. ay cause damage to organs through prolonged repeated exposure if inhaled.
Precautionary statements	:	Prevention: P201 P260 P264 P280 Response: P304 + P340 + P342 + P311	Obtain special instructions before use. Do not breathe mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Diphenylmethanediisocyanate, isomeres and homologues 4,4'-methylenediphenyl diisocyanate

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®]* Common (Formerly Ucrete) Part 2



Revision Date: 06.01.2025 Date of last issue: - Version 1.0

Print Date 29.04.2025

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.


SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373Specific concentration limit Eye Irrit. 2; H319 >= 5 %specific concentration limit Resp. Sens. 1; H334 >= 0,1 %specific concentration limit 	>= 60 - < 80

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Revision Date: 06.01.2025 Version 1.0 Print Date 29.04.2025 Date of last issue: -4,4'-methylenediphenyl diisocya-101-68-8 Acute Tox. 4; H332 >= 40 - < 60 202-966-0 Skin Irrit, 2: H315 nate 01-2119457014-47-Eye Irrit. 2; H319 XXXX Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit STOT SE 3; H335 >= 5 % specific concentration limit Skin Irrit. 2; H315 >= 5 % specific concentration limit Resp. Sens. 1; H334 >= 0,1 % Acute toxicity estimate Acute inhalation toxicity (dust/mist): 1,5 mg/l

For explanation of abbreviations see section 16.

:

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.



vision Date: 06.01.2025 e of last issue: -		Version 1.0	Print Date 29.04.20
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	:	Take off contaminated clothing and shoes imn Wash off with soap and plenty of water. If symptoms persist, call a physician.	nediately.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscio	
Most important symptoms	s and e	effects, both acute and delayed	
Symptoms	:	Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information of and symptoms.	on health effects
Risks	:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breaties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolong exposure if inhaled.	-
		irritant effects sensitising effects	
Indication of any immedia	te meo	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	



Revision Date: 06.01.2025 Version 1.0 Date of last issue: - Print Date 29.04.2025

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
------------------------------	---	--

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- :	No hazardous combustion products are known
ucts	

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions Use personal protective equipment. Deny access to unprotected persons. 6.2 Environmental precautions Environmental precautions Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Avoid formation of aerosol.	
	Avoid exceeding the given occupational exposure limits (se	эе
	section 8).	
	Do not get in eyes, on skin, or on clothing.	
	For personal protection see section 8.	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®]* Common (Formerly Ucrete) Part 2



Revision Date: 06.01.2025 Date of last issue: -		Version 1.0	Print Date 29.04.2025		
		Persons with a history of skin sensitisation prob ma, allergies, chronic or recurrent respiratory dis not be employed in any process in which this mi used. Smoking, eating and drinking should be prohibit plication area. Provide sufficient air exchange and/or exhaust in Follow standard hygiene measures when handli products	sease should xture is being ed in the ap- n work rooms.		
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.			
Hygiene measures	:	Handle in accordance with good industrial hygie practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the e	using do not		
7.2 Conditions for safe storage, including any incompatibilities					
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-v place. Containers which are opened must be ca sealed and kept upright to prevent leakage. Stor ance with local regulations.	refully re-		
Further information on stor- age stability	:	No decomposition if stored and applied as direc	ted.		
7.3 Specific end use(s)					
Specific use(s)	:	Cleaning with aprotic polar solvents must be ave Consult most current local Product Data Sheet p use.			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	OELV - 8 hrs (TWA)	0,02 mg/m3 (NCO)	IE OEL
	Further information: Chemical agents which following exposure may cause sensitisation of the respiratory tract and lead to asth-			
	ma, rhinitis or extrinsic allergic alveolitis			
		OELV - 15 min (STEL)	0,07 mg/m3 (NCO)	IE OEL
		OELV - 8 hrs (TWA)	0,005 ppm (NCO)	IE OEL
4,4'-methylenediphenyl diisocyanate	101-68-8	OELV - 8 hrs (TWA)	0,005 ppm (NCO)	IE OEL

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®]* Common (Formerly Ucrete) Part 2



Revision Date: 06.01.2025 Date of last issue: - Version 1.0

Print Date 29.04.2025

Further information: Chemical agents which following exposure may cause sensitisation of the respiratory tract and lead to asth- ma, rhinitis or extrinsic allergic alveolitis			
The above mentioned values are in accordance with the legislation in effect at the date of the re-			

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas.

Environmental exposure controls

	General advice	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®]* Common (Formerly Ucrete) Part 2



Revision Date: 06.01.2025 Date of last issue: - Version 1.0

Print Date 29.04.2025

respective authorities.

SECTION 9: Physical and chemical properties

9.1	9.1 Information on basic physical and chemical properties						
	Physical state		liquid				
	Colour	-	brown				
	Odour	:	musty				
	Melting point/ range / Freez- ing point	:	No data available				
	Boiling point/boiling range	:	No data available				
	Flammability (solid, gas)	:	No data available				
	Upper/lower flammability or e	axe	losive limits				
	Upper explosion limit / Up- per flammability limit	-					
	Lower explosion limit / Lower flammability limit	:	No data available				
	Flash point	:	> 200 °C Method: closed cup				
	Auto-ignition temperature	:	No data available				
	Decomposition temperature	:	No data available				
	рН	:	substance/mixture reacts with water				
	Viscosity						
	Viscosity, dynamic	:	89 mPa.s				
	Viscosity, kinematic	:	No data available				
	Solubility(ies)						
	Water solubility	:	No data available				



Sika® Ucrete®* Common (Formerly Ucrete) Part 2

:

Revision Date: 06.01.2025 Date of last issue: -	Version 1.0	Print Date 29.04.2025
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 0,01 hPa	
Density	: 1,23 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
SECTION 10: Stability and r 10.1 Reactivity		
No dangerous reaction know 10.2 Chemical stability The product is chemically st	n under conditions of normal use.	
10.3 Possibility of hazardous r		
Hazardous reactions	: No hazards to be specially mention	ed.
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition		

No hazardous decomposition products are known.



Revision Date: 06.01.2025 Date of last issue: - Version 1.0

Print Date 29.04.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if inhaled.

Components:

Diphenylmethanediisocyana Acute oral toxicity	ate, :	isomeres and homologues: LD50 Oral (Rat): > 10.000 mg/kg			
Acute inhalation toxicity	:				
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 9.400 mg/kg			
4,4'-methylenediphenyl diiso	осу	anate:			
Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401			
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement			
		Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method			
Skin corrosion/irritation					
Causes skin irritation.	4-4				
Serious eye damage/eye irri Causes serious eye irritation.	tat				
Respiratory or skin sensitisation					
Skin sensitisation May cause an allergic skin reaction.					
Respiratory sensitisation May cause allergy or asthma symptoms or breathing difficulties if inhaled.					
Germ cell mutagenicity Not classified due to lack of data.					



Sika® Ucrete®* Common (Formerly Ucrete) Part 2

Revision Date: 06.01.2025 Date of last issue: - Version 1.0

Print Date 29.04.2025

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Sika

Sika[®] Ucrete[®]* Common (Formerly Ucrete) Part 2

Revision Date: 06.01.2025 Date of last issue: -	Version 1.0	Print Date 29.04.2025		
Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher			
12.6 Endocrine disrupting propert	ies			
Product:				
Assessment	Assessment : The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.			
12.7 Other adverse effects				
Product: Additional ecological infor- mation	There is no data available for this product.			

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good

14.2 UN proper shipping name

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®]* Common (Formerly Ucrete) Part 2

Revision Date: 06.01.2025 Date of last issue: -		Version 1.0	Print Date 29.04.2025
ADR	: Not regu	lated as a dangerous good	
IMDG	: Not regu	lated as a dangerous good	
ΙΑΤΑ	: Not regu	lated as a dangerous good	
14.3 Transport hazard class(s)		
ADR	: Not regu	lated as a dangerous good	
IMDG	: Not regu	lated as a dangerous good	
ΙΑΤΑ	: Not regu	lated as a dangerous good	
14.4 Packing group			
ADR	: Not regu	lated as a dangerous good	
IMDG	: Not regu	lated as a dangerous good	
IATA (Cargo)	: Not regu	llated as a dangerous good	
IATA (Passenger)	: Not regu	llated as a dangerous good	
14.5 Environmental hazards			
Not regulated as a danger	hoon au		

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are

: Not applicable

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

Number on list 56: Diphenylmethanediisocyanate, isomeres and homologues, 4,4'-methylenediphenyl diisocyanate





Revision Date: 06.01.2025 Version 1.0 Print Date 29.04.2025 Date of last issue: -Number on list 74: Diphenvlmethanediisocyanate, isomeres and homologues, 4,4'-methylenediphenyl diisocyanate Number on list 75: REACH - Candidate List of Substances of Very High None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable (Annex XIV) Regulation (EC) on substances that deplete the ozone Not applicable layer Regulation (EU) 2019/1021 on persistent organic pollu-• Not applicable tants (recast) Regulation (EU) No 649/2012 of the European Parlia-Not applicable ment and the Council concerning the export and import of dangerous chemicals Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable Volatile organic compounds Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection. Health, safety and environ-: Environmental Protection Act 1990 & Subsidiary Regulations mental regulation/legislation Health and Safety at Work Act 1974 & Subsidiary Regulations specific for the substance or Control of Substances Hazardous to Health Regulations mixture: (COSHH) May be subject to the Control of Major Accident Hazards

Regulations (COMAH), and amendments.

Sika® Ucrete®* Common (Formerly Ucrete) Part 2

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements	
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H334	: May cause allergy or asthma symptoms or breathing difficul-
11554	ties if inhaled.
H335	: May cause respiratory irritation.
H351	: Suspected of causing cancer.
H373	: May cause damage to organs through prolonged or repeated
	exposure if inhaled.
Full text of other abbreviation	IS
Acute Tox.	: Acute toxicity
Carc.	: Carcinogenicity
Eye Irrit.	: Eye irritation
Resp. Sens.	: Respiratory sensitisation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
IE OEL	: Ireland. List of Chemical Agents and Carcinogens with Occu-
	pational Exposure Limit Values - Code of Practice, Schedule 1
	and 2
IE OEL / OELV - 8 hrs (TWA)	: Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min	: Occupational exposure limit value (15-minute reference peri-
(STEL)	od)
ADR	: European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS	: Chemical Abstracts Service
DNEL	: Derived no-effect level
EC50	: Half maximal effective concentration
GHS	: Globally Harmonized System
IATA	: International Air Transport Association
IMDG	: International Maritime Code for Dangerous Goods
LD50	: Median lethal dosis (the amount of a material, given all at
LD30	
	once, which causes the death of 50% (one half) of a group of
LC50	test animals) : Median lethal concentration (concentrations of the chemical in
LC30	
	air that kills 50% of the test animals during the observation
	period)
MARPOL	: International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
ountry IE 000000724017	16 /



Version 1.0

Revision Date: 06.01.2025

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®]* Common (Formerly Ucrete) Part 2



Revision Date: 06.01.2025 Date of last issue: -		Version 1.0	Print Date 29.04.2025
PBT	: Pe	ersistent, bioaccumulative and toxic	
PNEC	: Pr	edicted no effect concentration	
REACH	an ist	egulation (EC) No 1907/2006 of the Euro of of the Council of 18 December 2006 of ration, Evaluation, Authorisation and Re Is (REACH), establishing a European C	concerning the Reg- estriction of Chemi-
SVHC	: Su	ubstances of Very High Concern	
vPvB		ery persistent and very bioaccumulative	

Further information

Classification of the mixture:		Classification procedure:
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

IE / EN