


SIKAPROOF A PIPE THROUGH RC SLAB GAS & WATERPROOFING


SIKASWELL-A 2005
adhered with SIKASWELL S-2
(min. 75mm cover)

*SIKADUR COMBIFLEX
ADHESIVE
40x40mm fillet
SIKAPROOF A
on suitable substrate



SIKASWELL-A 2005
adhered with SIKASWELL S-2
(min. 75mm cover)

*SIKAPROOF TAPE-150A
wrapped around pipe
SIKAPROOF A
on suitable substrate



*ALTERNATIVE SEALING METHOD

DRAWINGS MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION.

The information appearing herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory data which do not replace proper trials. In case of changes in the parameters of the application, such as changes in substrate etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information appearing herein does not release the user of the products from testing them for the intended application and purpose. All advice are subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, none of which will be accepted or assumed.

ALL DIMENSIONS ARE IN MM
UNLESS STATED
DO NOT SCALE FROM
DRAWING

THIS DRAWING IS THE
CONFIDENTIAL PROPERTY OF SIKA
LIMITED AND MUST NOT BE
REPRODUCED EITHER WHOLLY OR
PARTIALLY. ALL RIGHTS IN RESPECT OF
PATENTS, DESIGN AND COPYRIGHTS
ARE RESERVED. SIKALIMITED.
WWW.SIKALIMITED



Drawn by <i>A. C. J. J. J.</i>	Checked by <i>B. Bluff</i>	Approved by <i>A. Berman</i>	Date 28/06/18
Description SIKAPROOF A PIPE THROUGH RC SLAB GAS & WATERPROOFING			
Drawing No. SIPAZ9	Issue 8	Sheet 1 / 1	