SikaPaver® HC-1



Print Date 28.03.2025

Revision Date: 08.08.2024 Date of last issue: 26.04.2024 Version 6.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

SikaPaver[®] HC-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete admixtures

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Ireland Ltd
		Sika House
		Ballymun Industrial Estate
		Dublin 11
Telephone	:	+353 1862 0709
E-mail address of person	:	EHS@UK.Sika.com
responsible for the SDS		

1.4 Emergency telephone number

National Poisons Information Centre (NPIC) (01) 809 2166 (available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1 H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	L P	,
Signal word	:	Danger	
Hazard statements	:	H318	Causes serious eye damage.
Precautionary statements	:	Prevention	:

SikaPaver[®] HC-1



Revision Date: 08.08.2024 Date of last issue: 26.04.2024		Version 6.0	Print Date 28.03.2025
	P280	Wear eye protection/ fac	e protection.
	Respons	e:	
	P305 + P	351 + P338 + P310 IF IN EYE with water for several mi tact lenses, if present an tinue rinsing. Immediatel CENTER/ doctor.	nutes. Remove con- d easy to do. Con-

Hazardous components which must be listed on the label:

Alcohols,-C12-16,-ethoxylated

Additional Labelling

EUH208

Contains 1,2-benzisothiazol-3(2H)-one (BIT), mixture of: 5-chloro-2-methyl-4isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)), triisobutyl phosphate. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)), 55965-84-9. Please use treated articles responsibly.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Alcohols,-C12-16,-ethoxylated	68551-12-2	Acute Tox. 4; H302	>= 5 - < 10
	500-221-7	Eye Dam. 1; H318	
		Aquatic Chronic 3;	
		H412	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaPaver[®] HC-1

Revision Date: 08.08.2024 Date of last issue: 26.04.2024 Print Date 28.03.2025

triisobutyl phosphate	126-71-6 204-798-3 01-2119957118-32- XXXX	Skin Sens. 1B; H317	>= 0,1 - < 0,5
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,036 % Acute toxicity esti- mate Acute oral toxicity: 450 mg/kg Acute inhalation tox- icity (dust/mist): 0,21 mg/l	>= 0,025 - < 0,036



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaPaver[®] HC-1



Revision Date: 08.08.2024 Date of last issue: 26.04.2024	Version 6.0)	Print Date 28.03.2025
	Version 6.0	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Corr. 1C; H314 >= 0,6 % specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 % specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 % specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	Print Date 28.03.2025
		specific concentration limit Eye Dam. 1; H318 >= 0,6 %	

For explanation of abbreviations see section 16.



Revision Date: 08.08.2024 Date of last issue: 26.04.2024

Version 6.0

Print Date 28.03.2025

SECTION 4: First aid measures

4.1 Description of first aid measures General advice : Move out of dangerous area.

	•	Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	d e	effects, both acute and delayed
Symptoms	:	Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.
Risks	:	Causes serious eye damage.
		irritant effects
4.3 Indication of any immediate m	nec	dical attention and special treatment needed
Treatment	:	Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox-
		ide/sand/foam/alcohol resistant foam/chemical powder for
		extinction.

SikaPaver[®] HC-1



Date of last issue: 26.04.2024		Version 6.0	Print Date 28.03.2025
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing	ng apparatus.
Further information	:	Standard procedure for chemical fires.	
6.1 Personal precautions, protect	ctiv	e equipment and emergency procedures	
		e equipment and emergency procedures Use personal protective equipment.	
6.1 Personal precautions, protect Personal precautions		e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons.	
		Use personal protective equipment.	
Personal precautions		Use personal protective equipment. Deny access to unprotected persons. Try to prevent the material from entering drains	s or water
Personal precautions 6.2 Environmental precautions		Use personal protective equipment. Deny access to unprotected persons.	
Personal precautions 6.2 Environmental precautions	:	Use personal protective equipment. Deny access to unprotected persons. Try to prevent the material from entering drains courses. No special environmental precautions required	
Personal precautions 6.2 Environmental precautions Environmental precautions	:	Use personal protective equipment. Deny access to unprotected persons. Try to prevent the material from entering drains courses. No special environmental precautions required	ıd, silica gel,

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.

SikaPaver[®] HC-1



Revision Date: 08.08.2024 Date of last issue: 26.04.2024	Version 6.0	Print Date 28.03.2025
Hygiene measures :	Handle in accordance with good industrial hyg practice. When using do not eat or drink. Whe smoke. Wash hands before breaks and at the	n using do not
7.2 Conditions for safe storage, inc	luding any incompatibilities	
Requirements for storage : areas and containers	Keep container tightly closed in a dry and well place. Containers which are opened must be o sealed and kept upright to prevent leakage. So ance with local regulations.	carefully re-
Further information on stor- : age stability	No decomposition if stored and applied as dire	ected.
7.3 Specific end use(s) Specific use(s) :	Consult most current local Product Data Shee use.	t prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
triisobutyl phosphate	126-71-6	OELV - 8 hrs (TWA)	5 mg/m3	IE OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow man facturer specifications.	
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	



Revision Date: 08.08.2024 Date of last issue: 26.04.2024	Version 6.0	Print Date 28.03.2025
Skin and body protection	 Protective clothing (e.g. Safety shoes acc. long-sleeved working clothing, long trouse and protective boots are additionally recom and stirring work. 	rs). Rubber aprons
Respiratory protection	 In case of inadequate ventilation wear respective respecting respective respective respective respecting respecting res	own or anticipated ct and the safe work- 0000 ppm achieved by local n. (EN 689 - Meth- This applies in par- this is not sufficent pational exposure
Environmental exposure cont	trols	
General advice	: Try to prevent the material from entering d courses.	

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid colourless
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	exp	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaPaver[®] HC-1



Revision Date: 08.08.2024 Date of last issue: 26.04.2024		Version 6.0	Print Date 28.03.2025
Flash point	:	Not applicable	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	ca. 7 Concentration: 100 %	
Viscosity			
Viscosity, kinematic	:	> 7 mm2/s (40 °C)	
Solubility(ies)			
Water solubility	:	soluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	23 hPa	
Density	:	ca. 1,00 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaPaver[®] HC-1



Revision Date: 08.08.2024 Date of last issue: 26.04.2024	Version 6.0	Print Date 28.03.2025	
10.4 Conditions to avoid Conditions to avoid	No data available		
10.5 Incompatible materials Materials to avoid	No data available		
10.6 Hazardous decomposition products			
	No hazardous decomposition products are kno	wn.	

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

,	- (-	,
Acute oral toxicity	:	Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
		LD50 Oral (Rat): 450 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
		LC50: 0,21 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)):

Acute inhalation toxicity	:	Assessment: Corrosive to the respiratory tract.
---------------------------	---	---

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Causes serious eye damage.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaPaver® HC-1

Jika®

Revision Date: 08.08.2024	
Date of last issue: 26.04.2024	

Version 6.0

Print Date 28.03.2025

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Assessment

: May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

triisobutyl phosphate:

Toxicity to daphnia and other:LC50 (Daphnia magna (Water flea)): 11 mg/laquatic invertebratesExposure time: 48 h

SikaPaver[®] HC-1



Revision Date: 08.08.2024 Date of last issue: 26.04.2024	Version 6.0	Print Date 28.03.2025
Toxicity to algae/aquatic plants	: IC50 (Desmodesmus subspicatus (green Exposure time: 72 h	algae)): 34,1 mg/l
1,2-benzisothiazol-3(2H)-one	(BIT):	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h	
M-Factor (Acute aquatic tox- icity)	: 1	
M-Factor (Chronic aquatic toxicity)	: 1	
mixture of: 5-chloro-2-methyl-4- one [EC no. 220-239-6] (3:1) (C	isothiazolin-3-one [EC no. 247-500-7] and 2- c(M)IT/MIT (3:1)):	methyl-2H-isothiazol-3-
M-Factor (Acute aquatic tox- icity)	: 100	
M-Factor (Chronic aquatic toxicity)	: 100	
12.2 Persistence and degradabilit No data available	y	
12.3 Bioaccumulative potential No data available		
12.4 Mobility in soil No data available		
12.5 Results of PBT and vPvB ass	essment	
Product:		
Assessment	 This substance/mixture contains no comp to be either persistent, bioaccumulative ar very persistent and very bioaccumulative 0.1% or higher 	nd toxic (PBT), or
12.6 Endocrine disrupting propert	ies	
Product:		
	 The substance/mixture does not contain of ered to have endocrine disrupting propert REACH Article 57(f) or Commission Deleg (EU) 2017/2100 or Commission Regulation levels of 0.1% or higher. 	ies according to gated regulation
12.7 Other adverse effects		
Product		

Product:

SikaPaver[®] HC-1



Revision Date: 08.08.2024 Date of last issue: 26.04.2024	Version 6.0	Print Date 28.03.2025
Additional ecological infor- mation	: There is no data available for this product.	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

at all times comply with the requirements of environment protection and waste disposal legislation and any regio local authority requirements. Avoid dispersal of spilled material and runoff and conta soil, waterways, drains and sewers.	nal
European Waste Catalogue : 17 09 03* other construction and demolition wastes (in mixed wastes) containing dangerous substances	cluding
Contaminated packaging : 15 01 10* packaging containing residues of or contamin by dangerous substances	nated

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaPaver[®] HC-1



evision Date: 08.08.2024 ate of last issue: 26.04.2024	Vers	sion 6.0	Print Date 28.03.20
ADR	: Not regulated as a	a dangerous good	
IMDG	-	a dangerous good	
IATA (Cargo)	: Not regulated as a	0 0	
IATA (Passenger)	: Not regulated as a		
4.5 Environmental hazards Not regulated as a dangeror	Ū.		
I.6 Special precautions for us Not applicable	ser		
4.7 Maritime transport in bulk Not applicable for product a	-	ruments	
ECTION 15: Regulatory inf	ormation		
Schedules of Toxic Chemica REACH Information: REACH - Restrictions on the	All substances co - registered by ou - registered by us - excluded from th - exempted from t e manufacture, placing o	ne regulation, and/or he registration. n : Conditions of	nd/or restriction for the fol-
the market and use of certa mixtures and articles (Anne:		s, lowing entries Number on lis	should be considered: t 3
		Number on lis	t 75:
REACH - Candidate List of Concern for Authorisation (A		: None of the contract (=> 0.1 %).	omponents are listed
REACH - List of substances (Annex XIV)	subject to authorisation	: Not applicable	9
Regulation (EC) on substan layer	ces that deplete the ozo	ne : Not applicable	9

tants (recast)



SikaPaver [®] HC-1	

Revision Date: 08.08.2024 Date of last issue: 26.04.2024	Version 6.0	Print Date 28.03.2025
Regulation (EU) No 649/2012 of ment and the Council concerning of dangerous chemicals		ble
Seveso III: Directive 2012/18/EL jor-accident hazards involving da	J of the European Parliament and of the C angerous substances. Not applicable	ouncil on the control of ma-
Volatile organic compounds :	Law on the incentive tax for volatile org (VOCV) no VOC duties	anic compounds
	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable	
If other regulatory information ap Sheet, then it is described in this	oplies that is not already provided elsewhe s subsection.	ere in the Safety Data
Health, safety and environ-	: Environmental Protection Act 1990 & S	ubsidiary Regulations

Health, safety and environ-	:	Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation		Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or		Control of Substances Hazardous to Health Regulations
mixture:		(COSHH)
		May be subject to the Control of Major Accident Hazards
		Regulations (COMAH), and amendments.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H310 :	Fatal in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H330 :	Fatal if inhaled.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H412 :	Harmful to aquatic life with long lasting effects.
Full text of other abbreviation	6

Full text of other abbreviations

Acute Tox.	: Acut	e toxicity
------------	--------	------------

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaPaver® HC-1

Jika®

Revision Date: 08.08.2024 Date of last issue: 26.04.2024	Version 6	.0	Print Date 28.03.2025
Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr. Skin Irrit. Skin Sens. IE OEL			
IE OEL / OELV - 8 hrs (TWA) ADR	: Occupational exposure	limit value (8-hour refere concerning the Internation	
CAS DNEL EC50 GHS IATA	 Chemical Abstracts Se Cherived no-effect level Half maximal effective Globally Harmonized S International Air Transp 	rvice concentration system	
IMDG LD50	: International Maritime (: Median lethal dosis (the	Code for Dangerous Good e amount of a material, gi e death of 50% (one half)	ven all at
LC50	: Median lethal concentr	ation (concentrations of the test animals during the o	
MARPOL	: International Convention	on for the Prevention of Po d by the Protocol of 1978	
OEL PBT PNEC REACH	 Occupational Exposure Persistent, bioaccumul Predicted no effect con Regulation (EC) No 19 and of the Council of 14 istration, Evaluation, Au 	E Limit ative and toxic icentration 07/2006 of the European 8 December 2006 concer uthorisation and Restrictic	Parliament ning the Reg- on of Chemi-
SVHC vPvB	: Substances of Very Hig : Very persistent and ver		als Agency
Further information			
Classification of the mixture	:	Classification procedu	ure:
Eye Dam. 1	H318	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

IE / EN

SikaPaver[®] HC-1

Revision Date: 08.08.2024 Date of last issue: 26.04.2024 Version 6.0

Print Date 28.03.2025

