

Revision Date: 08.05.2025	Version 2.1	Print Date 08.05.2025
Date of last issue: 08.05.2025		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

EVERBUILD ALL PURPOSE POWDER FILLER

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Filler

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Ireland Ltd
		Sika House
		Ballymun Industrial Estate
		Dublin 11
Telephone	:	+353 1862 0709
E-mail address of person	:	EHS@UK.Sika.com
responsible for the SDS		

1.4 Emergency telephone number

National Poisons Information Centre (NPIC) (01) 809 2166 (available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H319	Causes serious eye irritation.
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.



Revision Date: 08.05.2025 Date of last issue: 08.05.2025	V	Print Date 08.05.2025	
	P102	Keep out of reach of children.	
	Prevention:		
	P264 P280	Wash skin thoroughly after han Wear eye protection/ face prote	
	Response:		
		P338 IF IN EYES: Rinse cautio ter for several minutes. Remove lenses, if present and easy to d rinsing.	e contact o. Continue
	P337 + P313	If eye irritation persists: Get me	dical advice/

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

attention.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponents			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 1 - < 2,5
	215-137-3	Eye Dam. 1; H318	
	01-2119475151-45-	STOT SE 3; H335	
	XXXX	(Respiratory system)	
Substances with a workplace expo	sure limit :		
Limestone	1317-65-3		>= 60 - < 80
Contains:	215-279-6		
Crystalline silica >= 0,1 %			
calcium sulfate	7778-18-9		>= 25 - < 40
	231-900-3		
	01-2119444918-26-		
	XXXX		

SAFETY DATA SHEET

Revision Date: 08.05.2025

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EVERBUILD ALL PURPOSE POWDER FILLER



Print Date 08.05.2025

Date of last issue: 08.05.2025 Quartz (SiO2) 14808-60-7 >= 1 - < 2.5 238-878-4 For explanation of abbreviations see section 16. **SECTION 4: First aid measures** 4.1 Description of first aid measures General advice Move out of dangerous area. : Consult a physician. Show this safety data sheet to the doctor in attendance. If inhaled Move to fresh air. Consult a physician after significant exposure. In case of skin contact Take off contaminated clothing and shoes immediately. 5 Wash off with soap and plenty of water. If symptoms persist, call a physician. In case of eye contact Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed Do not induce vomiting without medical advice. : Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed **Symptoms** Excessive lachrymation : See Section 11 for more detailed information on health effects and symptoms. irritant effects Risks · Causes serious eye irritation. 4.3 Indication of any immediate medical attention and special treatment needed Treatment Treat symptomatically. : **SECTION 5: Firefighting measures**

Version 2.1

5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for

EVERBUILD ALL PURPOSE POWDER FILLER



Revision Date: 08.05.2025 Date of last issue: 08.05.2025	Version 2.1	Print Date 08.05.2025
	extinction.	
5.2 Special hazards arising from th	e substance or mixture	
Hazardous combustion prod- : ucts	No hazardous combustion products are know	<i>i</i> n
5.3 Advice for firefighters		
Special protective equipment : for firefighters	In the event of fire, wear self-contained breat	hing apparatus.
Further information :	Standard procedure for chemical fires.	
SECTION 6: Accidental release	measures	

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions	:	If the product contaminates rivers and lakes or drains inform respective authorities.

No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

plication area.		For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical
-----------------	--	--

Advice on protection against : Avoid dust formation. Provide appropriate exhaust ventilation



Revision Date: 08.05.2025 Date of last issue: 08.05.2025		Version 2.1	Print Date 08.05.2025
fire and explosion		at places where dust is formed.	
Hygiene measures	:	Handle in accordance with good industrial hygien practice. When using do not eat or drink. When u smoke. Wash hands before breaks and at the en-	ising do not
7.2 Conditions for safe storage, ir	ncl	uding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ve place. Store in accordance with local regulations.	
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directe	ed.
7.3 Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet pr use.	ior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Limestone	1317-65-3	OELV - 8 hrs (TWA) (Respira- ble dust)	4 mg/m3	IE OEL
		OELV - 8 hrs (TWA) (inhalable dust)	10 mg/m3	IE OEL
calcium sulfate	7778-18-9	OELV - 8 hrs (TWA)	10 mg/m3	IE OEL
Quartz (SiO2)	14808-60-7	OELV - 8 hrs (TWA) (Respira- ble dust)	0,1 mg/m3 (Silica)	IE OEL
		nation: Carcinogenic ures and Processes	, see List of Carc	inogenic Sub-
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU
	Further inform	nation: Indicative		
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU
		OELV - 8 hrs (TWA) (respirable)	1 mg/m3	IE OEL
		OELV - 15 min (STEL) (respirab- le)	4 mg/m3	IE OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVERBUILD ALL PURPOSE POWDER FILLER

Revision Date: 08.05.2025 Date of last issue: 08.05.2025 Version 2.1

Print Date 08.05.2025

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
Respirable dust		OELV - 8 hrs (TWA)	4 mg/m3	IE OEL
inhalable dust		OELV - 8 hrs (TWA)	10 mg/m3	IE OEL

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice

: If the product contaminates rivers and lakes or drains inform respective authorities. No special environmental precautions required.



Revision Date: 08.05.2025 Date of last issue: 08.05.2025 Version 2.1

Print Date 08.05.2025

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder off-white
Odour	:	odourless
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	vn	losivo limits
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EVERBUILD ALL PURPOSE POWDER FILLER



Revision Date: 08.05.2025 Date of last issue: 08.05.2025	Version 2.1	Print Date 08.05.2025			
Vapour pressure	: No data available				
Density	: ca. 1,8 g/cm3 (20 °C)				
Relative vapour density	: No data available				
Particle characteristics	: No data available				
9.2 Other information					
No data available					
SECTION 10: Stability and reactivity					
10.1 Reactivity No dangerous reaction known under conditions of normal use.					
10.2 Chemical stability The product is chemically sta	ble.				
10.3 Possibility of hazardous re		-			
Hazardous reactions	: No hazards to be specially mentione	u.			

10.4 Conditions to avoid Conditions to avoid : No data available

10.5	Incompatible	materials
10.0	moompanoic	materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

EVERBUILD ALL PURPOSE POWDER FILLER



<i>r</i> ision Date: 08.05.2025 e of last issue: 08.05.2025	Version 2.1	Print Date 08.05.202
Components:		
calcium sulfate: Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg	
Skin corrosion/irritation Not classified due to lack of d	ata.	
Serious eye damage/eye irri Causes serious eye irritation.		
Respiratory or skin sensitis	ation	
Skin sensitisation Not classified due to lack of d	ata.	
Respiratory sensitisation Not classified due to lack of d	ata.	
Germ cell mutagenicity Not classified due to lack of d	ata.	
Carcinogenicity Not classified due to lack of d	ata.	
Reproductive toxicity Not classified due to lack of d	ata.	
STOT - single exposure Not classified due to lack of d	ata.	
STOT - repeated exposure Not classified due to lack of d	ata.	
Aspiration toxicity Not classified due to lack of d	ata.	
2 Information on other hazard	ds	
Endocrine disrupting prope	erties	
Product:		
Assessment	 The substance/mixture does not contai ered to have endocrine disrupting prop REACH Article 57(f) or Commission De (EU) 2017/2100 or Commission Regula levels of 0.1% or higher 	erties according to elegated regulation

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

:



Revision Date: 08.05.2025 Date of last issue: 08.05.2025

Version 2.1

Print Date 08.05.2025

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

12.7 Other adverse effects

Product:		
Additional ecological infor- mation	:	There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product
The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues.
This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



Revision Date: 08.05.2025 Date of last issue: 08.05.2025 Version 2.1

Print Date 08.05.2025

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards			

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable		

REACH Information:

- All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

EVERBUILD ALL PURPOSE POWDER FILLER



Revision Date: 08.05.2025 Date of last issue: 08.05.2025	Version 2	2.1	Print Date 08.05.2025
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVI	ngerous substances,	:	Not applicable
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EU) No 2024/590 on plete the ozone layer	substances that de-	:	Not applicable
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable
Seveso III: Directive 2012/18/EU jor-accident hazards involving dat		nen	t and of the Council on the control of ma-
Volatile organic compounds :	(VOCV) Volatile organic compo no VOC duties Directive 2010/75/EU livestock rearing emiss and control)	ound of 2 sion	or volatile organic compounds ds (VOC) content: < 0,01% w/w 4 November 2010 on industrial and s (integrated pollution prevention ds (VOC) content: < 0,01% w/w
If other regulatory information app Sheet, then it is described in this		orov	vided elsewhere in the Safety Data
Health, safety and environ- : mental regulation/legislation specific for the substance or mixture:	Health and Safety at V Control of Substances (COSHH)	Vork Ha: Con	Act 1990 & Subsidiary Regulations Act 1974 & Subsidiary Regulations zardous to Health Regulations htrol of Major Accident Hazards ad amendments.

EVERBUILD ALL PURPOSE POWDER FILLER



Revision Date: 08.05.2025 Date of last issue: 08.05.2025 Version 2.1

Print Date 08.05.2025

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviation	ns	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
IE OEL	:	Ireland. List of Chemical Agents and Carcinogens with Occu- pational Exposure Limit Values - Code of Practice, Schedule 1 and 2
2017/164/EU / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
IE OEL / OELV - 8 hrs (TWA)	:	Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min	:	Occupational exposure limit value (15-minute reference peri-
(STEL)		od)
ADR	:	European Agreement concerning the International Carriage of
<u></u>		Dangerous Goods by Road
CAS	÷	Chemical Abstracts Service
DNEL	÷	Derived no-effect level
EC50	÷	Half maximal effective concentration
GHS IATA	÷	Globally Harmonized System International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
	•	once, which causes the death of 50% (one half) of a group of test animals)
LC50		Median lethal concentration (concentrations of the chemical in
	-	air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative
auptry/IE 10000006600		10/

EVERBUILD ALL PURPOSE POWDER FILLER

Revision Date: 08.05.2025 Date of last issue: 08.05.2025

Further information

Classification of the mixture:

Eye Irrit. 2 H319

Calculation method

Classification procedure:

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Version 2.1

Changes as compared to previous version !

IE / EN



Print Date 08.05.2025