



Revision Date: 06.01.2025 Date of last issue: - Version 1.0

Print Date 28.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Ucrete[®] MF Part 3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Ireland Ltd
		Sika House
		Ballymun Industrial Estate
		Dublin 11
Telephone	:	+353 1862 0709
E-mail address of person	:	EHS@UK.Sika.com
responsible for the SDS		

1.4 Emergency telephone number

National Poisons Information Centre (NPIC) (01) 809 2166 (available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® Ucrete® MF Part 3



Revision Date: 06.01.2025 Date of last issue: -		V	ersion 1.0	Print Date 28.03.2025
Hazard pictograms	:		!>	
Signal word	:	Danger		
Hazard statements	:	H317 Ma H318 Ca	uses skin irritation. y cause an allergic skin reactic uses serious eye damage. y cause respiratory irritation.	on.
Precautionary statements	:	Prevention: P261 P264 P280	Avoid breathing dust. Wash skin thoroughly after h Wear protective gloves/ eye protection.	0
		Response:		
		P304 + P340 +	P312 IF INHALED: Remove air and keep comfortable for POISON CENTER/ doctor if	breathing. Call a
		P305 + P351 +		inse cautiously es. Remove con- asy to do. Con-
		P333 + P313	If skin irritation or rash occuration advice/ attention.	s: Get medical

Hazardous components which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sika® Ucrete® MF Part 3



Revision Date: 06.01.2025 Date of last issue: -

Version 1.0

Print Date 28.03.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponento			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		· · ·
Cement, portland, chemicals	65997-15-1	Skin Irrit. 2; H315	>= 20 - < 25
	266-043-4	Eye Dam. 1; H318	
		Skin Sens. 1; H317	
		STOT SE 3; H335	
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 5 - < 10
	215-137-3	Eye Dam. 1; H318	
	01-2119475151-45-	STOT SE 3; H335	
	XXXX	(Respiratory system)	
Substances with a workplace expos	sure limit :		
Quartz (SiO2)	14808-60-7		>= 60 - < 80
	238-878-4		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] MF Part 3



Revision Date: 06.01.2025Version 1.0Print Date 28.03.2025Date of last issue: -

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	:	Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.
		irritant effects sensitising effects
4.3 Indication of any immediate	meo	dical attention and special treatment needed
Treatment	:	Treat symptomatically.
SECTION 5: Firefighting mea	sur	es
SECTION 5: Firefighting mea	sur	es
5.1 Extinguishing media		es In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.1 Extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from 	: the	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- 	: the	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters 	: the :	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.

SECTION 6: Accidental release measures

6.1 Personal precautions, prote	ective	equipment and emergency procedures
Personal precautions	:	Use personal protective equipment.

Personal precautions	:	Use personal protective equipment. Avoid breathing dust.
		Deny access to unprotected persons.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] MF Part 3



Revision Date: 06.01.2025 Date of last issue: -		Version 1.0	Print Date 28.03.2025
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanita	ary sewer system.
6.3 Methods and material for co	ntain	ment and cleaning up	
Methods for cleaning up		Pick up and arrange disposal without cr Keep in suitable, closed containers for o	

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage,	inc	uding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Revision Date: 06.01.2025 Date of last issue: - Version 1.0

Print Date 28.03.2025

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
Quartz (SiO2)	14808-60-7	OELV - 8 hrs (TWA) (Respira- ble dust)	0,1 mg/m3 (Silica)	IE OEL	
	Further inform	nation: Carcinogenic	, see List of Carc	inogenic Sub-	
	stances, Mixt	ures and Processes			
Cement, portland, chemicals	65997-15-1	OELV - 8 hrs (TWA) (Respira- ble dust)	1 mg/m3	IE OEL	
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU	
	Further inform	Further information: Indicative			
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU	
		OELV - 8 hrs (TWA) (respirable)	1 mg/m3	IE OEL	
		OELV - 15 min (STEL) (respirab- le)	4 mg/m3	IE OEL	

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
Respirable dust		OELV - 8 hrs (TWA)	4 mg/m3	IE OEL
inhalable dust		OELV - 8 hrs (TWA)	10 mg/m3	IE OEL

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipn		
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.



Revision Date: 06.01.2025 Date of last issue: -	Version 1.0	Print Date 28.03.2025	
Skin and body protection	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection	 In case of inadequate ventilation wear respiral Respirator selection must be based on known exposure levels, the hazards of the product aling limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substant Ensure adequate ventilation. This can be ach exhaust extraction or by general ventilation. (ods for determining inhalation exposure). This ticular to the mixing / stirring area. In case this to keep the concentrations under the occupat limits then respiration protection measures management 	n or anticipated nd the safe work- nces ieved by local EN 689 - Meth- s applies in par- s is not sufficent ional exposure	

Environmental exposure controls

General advice :	Do not flush into surface water or sanitary sewer system.
------------------	---

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	::	solid powder grey
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	exp	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] MF Part 3



Revision Date: 06.01.2025 Date of last issue: -	Version 1.0	Print Date 28.03.2025
Flash point	: Not applicable	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: > 11 Concentration: 50 %	
Viscosity Viscosity, kinematic	: Not applicable	
Solubility(ies)		
Water solubility	: dispersible	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: No data available	
Bulk density	: 1.800 - 2.400 kg/m3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information		

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sika[®] Ucrete[®] MF Part 3

Revision Date: 06.01.2025 Date of last issue: -	Version 1.0	Print Date 28.03.2025
10.2 Chemical stability The product is chemically stable		
10.3 Possibility of hazardous react	ions	
Hazardous reactions	No hazards to be specially mentioned.	
10.4 Conditions to avoid Conditions to avoid	No data available	
10.5 Incompatible materials Materials to avoid	No data available	
10.6 Hazardous decomposition pro	ducts	
	No hazardous decomposition products are kr	iown.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] MF Part 3



Revision Date: 06.01.2025 Date of last issue: - Version 1.0

Print Date 28.03.2025

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] MF Part 3



Print Date 28.03.2025

Revision Date: 06.01.2025 Version 1.0 Date of last issue: -

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized : wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional

local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
Country IE 00000724019		

14.1 UN number or ID number

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] MF Part 3



Revision Date: 06.01.2025 Date of last issue: -	Versior	1.0 ו	Print Date 28.03.2025
IATA (Cargo)	: Not regulated as a da	angerous good	
IATA (Passenger)	: Not regulated as a da		
14.5 Environmental hazards Not regulated as a dangero	us good		
14.6 Special precautions for u Not applicable	ser		
14.7 Maritime transport in bull Not applicable for product a	-	nents	
15.1 Safety, health and enviro International Chemical Wea Schedules of Toxic Chemic	apons Convention (CWC)	ation specific for : Not applicat	
REACH Information:	All substances conta - registered by our up - registered by us, ar - excluded from the r - exempted from the	ostream suppliers, nd/or regulation, and/or	
REACH - Restrictions on the market and use of certa mixtures and articles (Anne	in dangerous substances,	lowing entrie	of restriction for the fol- es should be considered: list 47: Cement, port- cals
REACH - Candidate List of Concern for Authorisation (: None of the (=> 0.1 %).	components are listed
REACH - List of substance (Annex XIV)	s subject to authorisation	: Not applicat	ble
Regulation (EC) on substar layer	nces that deplete the ozone	: Not applicat	ble
Regulation (EU) 2019/1021 tants (recast)	on persistent organic pollu-	: Not applicat	ble
Regulation (EU) No 649/20 ment and the Council conce of dangerous chemicals	12 of the European Parlia- erning the export and import	: Not applicat	ble

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] MF Part 3



Revision Date: 06.01.2025 Date of last issue: - Version 1.0

Print Date 28.03.2025

jor-accident hazards involving da	ngerous substances. Not applicable			
Volatile organic compounds :	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties			
	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable			
If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.				

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma-

Health, safety and environ-	Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation	Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or	Control of Substances Hazardous to Health Regulations
mixture:	(COSHH)
	May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

Other regulations:

This product contains cement. Wet cement or mortar may cause alkali burns if in direct and/or prolonged contact with the skin. Wear protective clothing at all times when working with cement based products.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviatio	ns	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® Ucrete® MF Part 3



Revision Date: 06.01.2025 Date of last issue: -		Version 1.0	Print Date 28.03.2025	
IE OEL	:	Ireland. List of Chemical Agents and Carcinoger pational Exposure Limit Values - Code of Practionand 2		
2017/164/EU / STEL	:	Short term exposure limit		
2017/164/EU / TWA	÷	Limit Value - eight hours		
IE OEL / OELV - 8 hrs (TWA)	÷	Occupational exposure limit value (8-hour reference period)		
IE OEL / OELV - 15 min	:	Occupational exposure limit value (15-minute re		
(STEL)		od)		
ÀDR Ó	:	European Agreement concerning the Internation	nal Carriage of	
		Dangerous Goods by Road	C	
CAS	:	Chemical Abstracts Service		
DNEL	:	Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:	Globally Harmonized System		
IATA	:	International Air Transport Association		
IMDG	:	International Maritime Code for Dangerous Goo		
LD50	:	Median lethal dosis (the amount of a material, g once, which causes the death of 50% (one half) test animals)		
LC50	:	Median lethal concentration (concentrations of the air that kills 50% of the test animals during the coperiod)		
MARPOL		International Convention for the Prevention of P	ollution from	
	•	Ships, 1973 as modified by the Protocol of 1978		
OEL		Occupational Exposure Limit		
PBT	÷	Persistent, bioaccumulative and toxic		
PNEC	÷	Predicted no effect concentration		
REACH	:	Regulation (EC) No 1907/2006 of the European and of the Council of 18 December 2006 concer istration, Evaluation, Authorisation and Restriction cals (REACH), establishing a European Chemic	rning the Reg- on of Chemi-	
SVHC	:	Substances of Very High Concern		
vPvB	:	Very persistent and very bioaccumulative		

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® Ucrete® MF Part 3

Revision Date: 06.01.2025 Date of last issue: -

Version 1.0

Print Date 28.03.2025

IE / EN

