

Version 5.1

Print Date 28.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Sikafloor®-377 Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Polyurethane coating

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Ireland Ltd
		Sika House
		Ballymun Industrial Estate
		Dublin 11
Telephone	:	+353 1862 0709
E-mail address of person	:	EHS@UK.Sika.com
responsible for the SDS		

1.4 Emergency telephone number

National Poisons Information Centre (NPIC) (01) 809 2166 (available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H317	May cause an allergic skin reaction.
Precautionary statements	:	Prevention	:



Sikafloor[®]-377 Part A

N	/ersion 5.1	Print Date 28.03.2025	
P261 P272	Avoid breathing mist or vapours Contaminated work clothing she allowed out of the workplace.		
P280	Wear protective gloves.		
Response:			
P333 + P313	If skin irritation or rash occurs: (advice/ attention.	Get medical	
P362 + P364	Take off contaminated clothing before reuse.	and wash it	
Disposal:			
P501	Dispose of contents/container in with local regulation.	n accordance	
	P261 P272 P280 Response: P333 + P313 P362 + P364 Disposal:	P272Contaminated work clothing she allowed out of the workplace.P280Wear protective gloves. Response: If skin irritation or rash occurs: 0 advice/ attention.P362 + P364Take off contaminated clothing before reuse. Disposal: Dispose of contents/container in	

Hazardous components which must be listed on the label:

Hardener LI (Isophoronedialdimine)

Additional Labelling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Hardener LI (Isophoronedial-	932742-30-8	Skin Sens. 1B; H317	>= 1 - < 2,5
dimine)	700-071-4	Aquatic Chronic 3;	
	01-2119880654-28-	H412	
	XXXX		



Sikafloor®-377 Part A

Revision Date: 25.09.2024	Version 5.1	Print Date 28.03.2025
Date of last issue: 22.04.2024		
Cubatanaaa with a warkelaaa ayraa	our a limit :	

(posure limit :	
13463-67-7	>= 1 - < 2,5
236-675-5	
01-2119489379-17-	
XXXX	
	13463-67-7 236-675-5 01-2119489379-17-

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	effects, both acute and delayed
Symptoms	Allergic reactions See Section 11 for more detailed information on health effects and symptoms.
Risks	sensitising effects
	May cause an allergic skin reaction.
4.3 Indication of any immediate me Treatment	edical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon diox-

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor®-377 Part A



Revision Date: 25.09.2024 Date of last issue: 22.04.2024	Version 5.1	Print Date 28.03.2025

ide/sand/foam/alcohol resistant foam/chemical powder for extinction.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known ucts

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protec Personal precautions		e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for con	ntai	nment and cleaning up
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
6.4 Reference to other sections		

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8).
		Do not get in eyes, on skin, or on clothing.
		For personal protection see section 8.
		Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
		Smoking, eating and drinking should be prohibited in the application area.
		Follow standard hygiene measures when handling chemical products

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor®-377 Part A



	Version 5.1	Print Date 28.03.2025
:	Normal measures for preventive fire protecti	on.
:	Handle in accordance with good industrial hy practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the	nen using do not
inc	luding any incompatibilities	
:	Keep container tightly closed in a dry and we place. Containers which are opened must be sealed and kept upright to prevent leakage. ance with local regulations.	e carefully re-
:	No decomposition if stored and applied as d	irected.
:	Consult most current local Product Data She use.	eet prior to any
	: inc :	 Normal measures for preventive fire protection Handle in accordance with good industrial hypractice. When using do not eat or drink. Whysmoke. Wash hands before breaks and at the including any incompatibilities Keep container tightly closed in a dry and we place. Containers which are opened must be sealed and kept upright to prevent leakage. ance with local regulations. No decomposition if stored and applied as d Consult most current local Product Data Sheep containers when a product Data Sheep consult most current local Product Data Sheep consult product prod

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Titanium dioxide (> 10 μm)	13463-67-7	OELV - 8 hrs (TWA) (Respira- ble dust)	4 mg/m3	IE OEL
		OELV - 8 hrs (TWA) (inhalable dust)	10 mg/m3	IE OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipm	ent	
Eye/face protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water	
Hand protection	: Chemical-resistant, impervious gloves complying with an ap proved standard must be worn at all times when handling)-

Sikafloor®-377 Part A



chemical products. Reference number EN 374. Follow manufacturer specifications.Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.Skin and body protection:Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.Respiratory protection:In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent	/ision Date: 25.09.2024 e of last issue: 22.04.2024	Version 5.1	Print Date 28.03.202
Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), 			er EN 374. Follow manu-
Iong-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.Respiratory protection:In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par-		Butyl rubber/nitrile rubber gloves (> 0 Contaminated gloves should be remo Suitable for permanent exposure: Viton gloves (0.4 mm),	0,1 mm)
Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par-	Skin and body protection	long-sleeved working clothing, long tr and protective boots are additionaly re	ousers). Rubber aprons
to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.	Respiratory protection	Respirator selection must be based o exposure levels, the hazards of the pring limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3 Ensure adequate ventilation. This car exhaust extraction or by general ventions ods for determining inhalation exposu- ticular to the mixing / stirring area. In to keep the concentrations under the	on known or anticipated roduct and the safe work- 8: < 10000 ppm n be achieved by local ilation. (EN 689 - Meth- ure). This applies in par- case this is not sufficent occupational exposure

Environmental exposure controls

General advice

: Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	: : :	liquid viscous liquid various
Odour	:	oily
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-377 Part A



Revision Date: 25.09.2024 Date of last issue: 22.04.2024 Version 5.1

Print Date 28.03.2025

Upper/lower flammability or	exp	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 7 (20 °C) Concentration: 50 %
Viscosity		
Viscosity, dynamic	:	ca. 6.000 - 7.000 mPa.s (20 °C)
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	0,01 hPa
Density	:	ca. 1,42 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available



Revision Date: 25.09.2024		
Date of last issue: 22.04.2024		

Version 5.1

Print Date 28.03.2025

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to	o avoid
--------------------	---------

Conditions to avoid : No data available

10.5	Incom	oatible	materials
------	-------	---------	-----------

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

-	
	toxicity
Acuic	LUXICILY

Not classified due to lack of data.

Components:

Hardener LI (Isophoronedialdimine):

Acute oral toxicity	:	LD50 Oral (Rat): > 2.000 mg/kg
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Sikafloor®-377 Part A

Jika®

Revision Date: 25.09.2024 Date of last issue: 22.04.2024 Version 5.1

Print Date 28.03.2025

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Hardener LI (Isophoronedialdimine):

Toxicity to fish	:	LC50 (Fish): 87,2 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 180,4 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

Sikafloor®-377 Part A



Revision Date: 25.09.2024 Date of last issue: 22.04.2024 Version 5.1

Print Date 28.03.2025

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:		
Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects		
Product:		
Additional ecological infor-	:	There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

mation

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 01 11* waste paint and varnish containing organic sol- vents or other dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances



Version 5.1

Print Date 28.03.2025

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards				

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legities	islation	specific for the substance or mixture
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable

REACH Information:

- All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor®-377 Part A



Revision Date: 25.09.2024 Date of last issue: 22.04.2024	Version	5.1	Print Date 28.03.2025
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Candidate List of Subst Concern for Authorisation (Article		:	Number on list 75: None of the components are listed (=> 0.1 %).
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EC) on substances th layer	hat deplete the ozone	:	Not applicable
Regulation (EU) 2019/1021 on petants (recast)	ersistent organic pollu-	:	Not applicable
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable
Seveso III: Directive 2012/18/EU jor-accident hazards involving da		nent	t and of the Council on the control of ma-
Volatile organic compounds :	(VOCV)		or volatile organic compounds ds (VOC) content: 0,71% w/w
	emissions (integrated	poll	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 0,71% w/w
If other regulatory information app Sheet, then it is described in this		orov	rided elsewhere in the Safety Data
Health, safety and environ- : mental regulation/legislation specific for the substance or mixture:	Health and Safety at V Control of Substances (COSHH)	Vork Ha:	Act 1990 & Subsidiary Regulations Act 1974 & Subsidiary Regulations zardous to Health Regulations trol of Major Accident Hazards



Version 5.1

Print Date 28.03.2025

Regulations (COMAH), and amendments.

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements					
H317	:	May cause an allergic skin reaction.			
H412	:	Harmful to aquatic life with long lasting effects.			
Full text of other abbreviations					
Aquatic Chronic	:	Long-term (chronic) aquatic hazard			
Skin Sens.	÷	Skin sensitisation			
IE OEL	•	Ireland. List of Chemical Agents and Carcinogens with Occu- pational Exposure Limit Values - Code of Practice, Schedule 1 and 2			
IE OEL / OELV - 8 hrs (TWA)	:	Occupational exposure limit value (8-hour reference period)			
ADR	:	European Agreement concerning the International Carriage of			
0.1.0		Dangerous Goods by Road			
CAS DNEL	÷	Chemical Abstracts Service Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	÷	Globally Harmonized System			
ΙΑΤΑ	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)			
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978			
OEL		Occupational Exposure Limit			
PBT	÷	Persistent, bioaccumulative and toxic			
PNEC	:	Predicted no effect concentration			
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency			
SVHC	:	Substances of Very High Concern			
vPvB	:	Very persistent and very bioaccumulative			



Version 5.1

Print Date 28.03.2025

Further information

Classification of the mixtu	ire:
Skin Sens. 1	H317

Classification procedure: Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

IE / EN