

**BUILDING TRUST** 

## PRODUCT DATA SHEET

# Sarna<sup>®</sup> Cleaner

## CLEANER FOR SARNAFIL® G/S (PVC) MEMBRANES

## **PRODUCT DESCRIPTION**

Sarna<sup>®</sup> Cleaner is a solvented cleaner for heavily soiled Sarnafil G/S (PVC) roof waterproofing membranes

## USES

- Removes heavy soiling from Sarnafil<sup>®</sup> G/S (PVC) membranes
- Diluent for Sarnacol<sup>®</sup> 2170 adhesive
- Suitable for degreasing metal sheets

## **CHARACTERISTICS / ADVANTAGES**

- Dissolves contamination from adhesive resin, mastic and bitumen
- Suitable for heavily stained seam overlaps of Sarnafil<sup>®</sup> G/S membranes
- Evaporates quickly

Product Data Sheet Sarna® Cleaner April 2020, Version 02.01 020945072050000005

## PRODUCT INFORMATION

Chemical Base	Mixture of high volatile solvents	
Packaging	Metal containers	5 L, 10 L
	Packing unit	Euro pallet or single container
Appearance / Colour	Clear	
Shelf Life	24 months from date of production.	
Storage Conditions	The product must be stored in original, unopened and undamaged sealed packaging in dry conditions at temperatures between +0 °C and +30 °C. Always refer to packaging.	
		is at temperatures between 10° e and 150° e. Ar
Density		
Density Volatile organic compound (VOC) con-	ways refer to packaging.	100 %
·	ways refer to packaging. ~0,9 kg/l (+20 °C)	

## **APPLICATION INFORMATION**

Ambient Air Temperature	-30 °C min / +60°C max
Substrate Temperature	-20 °C min / +60°C max

## **APPLICATION INSTRUCTIONS**

### APPLICATION

Reference must be made to further documentation where applicable, such as relevant method statement, application manual and installation or working instructions.

Reference must be made to further documentation where applicable, such as relevant method statement, application manual and installation or working instructions.

#### Cleaner

Soak a clean white cloth with Sarna<sup>®</sup> Cleaner then clean the membrane, equipment or metal sheet. Cloths should be changed frequently to maintain clean surfaces. In the seam areas, allow Sarna<sup>®</sup> Cleaner to evaporate completely before hot air welding.

#### Adhesive diluent

Refer to Sarnacol®-2170 Product Data Sheet

#### **CLEANING OF TOOLS**

Clean all tools and application equipment with Sarna<sup>®</sup> Cleaner immediately after use. Hardened material can only be removed mechanically.

## FURTHER DOCUMENTS

Installation instructions: Relevant roof waterproofing membrane.

## LIMITATIONS

Will remove the lacquer coating from Sarnafil<sup>®</sup> EL membranes.

- Dissolves thermoplastics not resistant to solvents (e.g. polystyrene, polycarbonate, acrylics)
- Do not use the cleaner to wash large areas of roof surface.
- Sarna<sup>®</sup> Cleaner should only be used on heavily soiled areas.
- White cloths will effectively absorb dirt and the colour will not stain the membrane.
- Sarna<sup>®</sup> Cleaner contains high volatile and flammable solvents. Application in closed rooms is allowed only with sufficient room ventilation. Smoking and open fires are not permitted.
- Use solvent resistant gloves and eye protection during application

## VALUE BASE

All technical data stated in this Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

## LOCAL RESTRICTIONS

Note that as a result of specific local regulations the declared data and recommended uses for this product may vary from country to country. Consult the local Product Data Sheet for the exact product data and uses.

## ECOLOGY, HEALTH AND SAFETY

**BUILDING TRUST** 

Local safety regulations must be observed and it advisable to wear PPI when working with this product with particular attention paid to cutting and handling. Transportation Class: The product is not classified as hazardous good for transport. Disposal: The material is





recyclable. Disposal must be according to local regulations. Please contact your local Sika sales organisation for more information.

## **LEGAL NOTES**

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

#### SIKA IRELAND LIMITED

Ballymun Industrial Estate Ballymun Dublin 11, Ireland Tel: +353 1 862 0709 Web: www.sika.ie Twitter: @SikaIreland



Product Data Sheet Sarna® Cleaner April 2020, Version 02.01 020945072050000005 SarnaCleaner-en-IE-(04-2020)-2-1.pdf

**BUILDING TRUST** 

