

Revision Date: 08.05.2025 Date of last issue: 19.03.2024 Version 3.0

Print Date 08.05.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Parex[®] MICROGOBETIS 3000

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Acrylate coating

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Ireland Ltd
		Sika House
		Ballymun Industrial Estate
		Dublin 11
Telephone	:	+353 1862 0709
E-mail address of person responsible for the SDS	:	EHS@UK.Sika.com

1.4 Emergency telephone number

National Poisons Information Centre (NPIC) (01) 809 2166 (available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H317	May cause an allergic skin reaction.
Precautionary statements	:	Prevention	:

Parex[®] MICROGOBETIS 3000



 Revision Date: 08.05.2025
 Version 3.0
 Print Date 08.05.2025

 Date of last issue: 19.03.2024
 P261
 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

 P272
 Contaminated work clothing should not be allowed out of the workplace.

 P280
 Wear protective gloves.

 Response:
 Response:

	1 6
Response:	
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Disposal:	

Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

P501

1,2-benzisothiazol-3(2H)-one (BIT)

2-methyl-2H-isothiazol-3-one (MIT)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Revision Date: 08.05.2025 Date of last issue: 19.03.2024 Version 3.0

Print Date 08.05.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 Specific concentration limit Skin Sens. 1A; H317 >= 0,036 % Acute toxicity esti- mate Acute oral toxicity: 450 mg/kg Acute inhalation tox- icity (dust/mist): 0,21 mg/l	>= 0,0025 - < 0,025

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Parex[®] MICROGOBETIS 3000

Revision Date: 08.05.2025 Date of last issue: 19.03.2024 Version 3.0

Print Date 08.05.2025

2-methyl-2H-isothiazol-3-one (MIT)	2682-20-4 220-239-6 01-2120764690-50- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 Specific concentration limit Skin Sens. 1A; H317 >= 0,0015 % Acute toxicity esti- mate Acute oral toxicity:	>= 0,0015 - < 0,0025
		200 mg/kg	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Parex[®] MICROGOBETIS 3000

Revision Date: 08.05.2025 Date of last issue: 19.03.2024



Print Date 08.05.2025

e of last issue: 19.03.2024			
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	55965-84-9 Not Assigned 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0015 - < 0,0025
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
		specific concentration limit Skin Corr. 1C; H314 >= 0,6 %	
		specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 %	
		specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 %	
		specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
		specific concentration limit Eye Dam. 1; H318 >= 0,6 %	

For explanation of abbreviations see section 16.





Revision Date: 08.05.2025 Date of last issue: 19.03.2024 Version 3.0

Print Date 08.05.2025

SECTION 4: First aid measures

4.1 Description of first aid measures General advice Move out of dangerous area. : Consult a physician. Show this safety data sheet to the doctor in attendance. If inhaled : Move to fresh air. Consult a physician after significant exposure. In case of skin contact Take off contaminated clothing and shoes immediately. 2 Wash off with soap and plenty of water. If symptoms persist, call a physician. In case of eye contact : Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed : Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed **Symptoms** : Allergic reactions See Section 11 for more detailed information on health effects and symptoms. Risks : sensitising effects May cause an allergic skin reaction. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media :	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from the	e substance or mixture No hazardous combustion products are known

Hazardous combustion prod- : No hazardous combustion products are known ucts



Revision Date: 08.05.2025 Date of last issue: 19.03.2024		Version 3.0	Print Date 08.05.2025
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breat	hing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental release	se i	neasures	
6.1 Personal precautions, protect	tiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary se	wer system.
6.3 Methods and material for cor	ntai	nment and cleaning up	
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sa acid binder, universal binder, sawdust). Keep in suitable, closed containers for dispos	-

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not
ouptry IE 10000024242		7



Revision Date: 08.05.2025	Version 3.0	Print Date 08.05.2025
Date of last issue: 19.03.2024		

smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water	
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.	
Respiratory protection	:	No special measures required.	
Environmental exposure controls			
General advice		Do not flush into surface water or sanitary sewer system	



Revision Date: 08.05.2025 Date of last issue: 19.03.2024 Version 3.0

Print Date 08.05.2025

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information on basic physical	an	d chemical properties
Physical state Colour	:	liquid No data available
Odour	:	No data available
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or (exp	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	8,3 - 9,3
Viscosity		

Viscosity, dynamic : 14.000 - 20.000 mPa.s (20 °C)

: soluble

Viscosity, kinematic : No data available

Solubility(ies) Water solubility

Partition coefficient: n- : No data available octanol/water

Parex[®] MICROGOBETIS 3000



Revision Date: 08.05.2025	Version 3.0	Print Date 08.05.2025
Date of last issue: 19.03.2024		

Vapour pressure	: 0,01 hPa
Density	: 1,45 - 1,60 g/cm3 (20 °C)
Relative vapour density	: No data available
Particle characteristics	: No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Acute oral toxicity : Acute toxicity estimate: 450 mg/kg

Parex[®] MICROGOBETIS 3000



e of last issue: 19.03.2024		Version 3.0	Print Date 08.05.
	Method: Acu No. 1272/20	ite toxicity estimate accore	ding to Regulation (EC)
	LD50 Oral (I	Rat): 450 mg/kg	
Acute inhalation toxicity	Test atmosp	y estimate: 0,21 mg/l here: dust/mist ite toxicity estimate accord 08	ding to Regulation (EC)
	LC50: 0,21 r Exposure tin Test atmosp Method: OE		
Acute dermal toxicity	: LD50 Derma	al (Rabbit): > 2.000 mg/kg	
2-methyl-2H-isothiazol-3-o	ne (MIT):		
Acute oral toxicity	: LD50 (Rat):	200 mg/kg	
reaction mass of 5-chloro	2-methyl-2H-isoth	viazol-3-one and 2-meth	yl-2H-isothiazol-3-one (3:1):
Acute inhalation toxicity	: Assessment	: Corrosive to the respirat	ory tract.
Skin corrosion/irritation Not classified based on ava			
Serious eye damage/eye i			
Not classified based on ava			
Not classified based on ava Respiratory or skin sensit	sation		
Respiratory or skin sensit Skin sensitisation			
Respiratory or skin sensit	action.		
Respiratory or skin sensit Skin sensitisation May cause an allergic skin i Respiratory sensitisation	action.		
Respiratory or skin sensit Skin sensitisation May cause an allergic skin of Respiratory sensitisation Not classified based on available	eaction. able information. ne (BIT):	sensitisation by skin conta	ct.
Respiratory or skin sensit Skin sensitisation May cause an allergic skin of Respiratory sensitisation Not classified based on avain Components: 1,2-benzisothiazol-3(2H)-or Assessment Germ cell mutagenicity	eaction. able information. ne (BIT): : May cause s	ensitisation by skin conta	ct.
Respiratory or skin sensit Skin sensitisation May cause an allergic skin of Respiratory sensitisation Not classified based on ava Components: 1,2-benzisothiazol-3(2H)-o Assessment Germ cell mutagenicity Not classified based on ava	eaction. able information. ne (BIT): : May cause s	ensitisation by skin conta	ct.
Respiratory or skin sensit Skin sensitisation May cause an allergic skin of Respiratory sensitisation Not classified based on avain Components: 1,2-benzisothiazol-3(2H)-or Assessment Germ cell mutagenicity	eaction. able information. ne (BIT): : May cause s able information.	ensitisation by skin conta	ct.
Respiratory or skin sensit Skin sensitisation May cause an allergic skin of Respiratory sensitisation Not classified based on avain Components: 1,2-benzisothiazol-3(2H)-of Assessment Germ cell mutagenicity Not classified based on avain Carcinogenicity	eaction. able information. ne (BIT): : May cause s able information.	ensitisation by skin conta	ct.



Jika®

Revision Date: 08.05.2025 Date of last issue: 19.03.2024 Version 3.0

Print Date 08.05.2025

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h
M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic toxicity)	:	1
2-methyl-2H-isothiazol-3-one	e (N	ΛIT):
M-Factor (Acute aquatic tox- icity)	:	10
M-Factor (Chronic aquatic toxicity)	:	1
reaction mass of 5-chloro-2-	me	ethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):
M-Factor (Acute aquatic tox-	:	100

M-Factor (Chronic aquatic : 100 toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil No data available

icity)



Revision Date: 08.05.2025 Date of last issue: 19.03.2024 Version 3.0

Print Date 08.05.2025

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product
The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Parex[®] MICROGOBETIS 3000



Revision Date: 08.05.2025 Date of last issue: 19.03.2024	Version 3.0	Print Date 08.05.2025
ΙΑΤΑ	: Not regulated as a dangerous good	
14.3 Transport hazard class(es)	
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.4 Packing group		
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA (Cargo)	: Not regulated as a dangerous good	
IATA (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards Not regulated as a dangero	s good	
14.6 Special precautions for us Not applicable	er	
14.7 Maritime transport in bulk Not applicable for product a	-	
SECTION 15: Regulatory inf	ormation	
15.1 Safety, health and enviror International Chemical Wea Schedules of Toxic Chemic		substance or mixture

REACH Information:	All substances containe - registered by our upst - registered by us, and/ - excluded from the reg - exempted from the reg	rea or ula	m suppliers, and/or tion, and/or
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVII	gerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable
 REACH - Candidate List of Subst Concern for Authorisation (Article	, ,	:	None of the components are listed (=> 0.1 %).

Parex[®] MICROGOBETIS 3000



Revision Date: 08.05.2025 Date of last issue: 19.03.2024	Version 3.0	Print Date 08.05.2025
REACH - List of substances sub (Annex XIV)	ject to authorisation :	Not applicable
Regulation (EU) No 2024/590 or plete the ozone layer	substances that de- :	Not applicable
Regulation (EU) 2019/1021 on p tants (recast)	ersistent organic pollu- :	Not applicable
Seveso III: Directive 2012/18/EU jor-accident hazards involving da		and of the Council on the control of ma-
Volatile organic compounds :	Law on the incentive tax for (VOCV) no VOC duties	volatile organic compounds
		November 2010 on industrial and (integrated pollution prevention
If other regulatory information ap Sheet, then it is described in this		ded elsewhere in the Safety Data
Health, safety and environ- mental regulation/legislation		ct 1990 & Subsidiary Regulations Act 1974 & Subsidiary Regulations

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H302 : H310 :	Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin.
H311 :	Toxic in contact with skin.
H314 :	Causes severe skin burns and eye damage.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Parex[®] MICROGOBETIS 3000



Revision Date: 08.05.2025 Date of last issue: 19.03.2024	Version 3.0	Print Date 08.05.2025		
H315 : H317 : H318 : H330 : H400 : H410 :	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects	5.		
Full text of other abbreviations				
Acute Tox.:Aquatic Acute:Aquatic Chronic:Eye Dam.:Skin Corr.:Skin Irrit.:Skin Sens.:ADR:CAS:	Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion Skin irritation Skin sensitisation European Agreement concerning the Internation Dangerous Goods by Road Chemical Abstracts Service	nal Carriage of		
DNEL :	Derived no-effect level			
EC50 : GHS : IATA : IMDG : LD50 :	Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goo Median lethal dosis (the amount of a material, g once, which causes the death of 50% (one half)	iven all at		
LC50 :	test animals) Median lethal concentration (concentrations of t air that kills 50% of the test animals during the c period)			
MARPOL :	International Convention for the Prevention of P Ships, 1973 as modified by the Protocol of 1978			
OEL : PBT : PNEC : REACH :	Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the European and of the Council of 18 December 2006 conce- istration, Evaluation, Authorisation and Restricti cals (REACH), establishing a European Chemic	Parliament rning the Reg- on of Chemi-		
SVHC : vPvB :	Substances of Very High Concern Very persistent and very bioaccumulative			

Further information

Classification of the mixture:		Classification procedure:
Skin Sens. 1	H317	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Parex[®] MICROGOBETIS 3000

Revision Date: 08.05.2025 Date of last issue: 19.03.2024

Version 3.0

Print Date 08.05.2025

Changes as compared to previous version !

IE / EN

