Sikagard[®]-112 Mortar & Brick Cleaner



Revision Date: 28.10.2024	Version 1.5	Print Date 28.03.2025
Date of last issue: 03.10.2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Sikagard[®]-112 Mortar & Brick Cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cleaning agent

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Ireland Ltd
		Sika House
		Ballymun Industrial Estate
		Dublin 11
Telephone	:	+353 1862 0709
E-mail address of person	:	EHS@UK.Sika.com
responsible for the SDS		

1.4 Emergency telephone number

National Poisons Information Centre (NPIC) (01) 809 2166 (available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1	H290: May be corrosive to metals.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-112 Mortar & Brick Cleaner



Revision Date: 28.10.2024 Date of last issue: 03.10.2023		Version 1.5	Print Date 28.03.2025
Hazard pictograms			
Signal word	: Warning		
Hazard statements	: H290 H315 H319 H335	May be corrosive to metals. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.	
Precautionary statements	: P101 P102	If medical advice is needed, h container or label at hand. Keep out of reach of children.	
	Prevention	n:	
	P234 P261 P271	Keep only in original packagir Avoid breathing dust/ fume/ g pours/ spray. Use only outdoors or in a wel	jas/ mist/ va-
	1 27 1	ea.	
	Disposal:		
	P501	Dispose of contents/container with local regulation.	r in accordance

Hazardous components which must be listed on the label:

hydrochloric acid (solution)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-112 Mortar & Brick Cleaner



Revision Date: 28.10.2024 Date of last issue: 03.10.2023 Version 1.5

Print Date 28.03.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
hydrochloric acid (solution)	7647-01-0 231-595-7 01-2119484862-27- XXXX	Skin Corr. 1B; H314 STOT SE 3; H335 Met. Corr. 1; H290 specific concentration limit Skin Corr. 1B; H314 >= 25 % specific concentration limit Skin Irrit. 2; H315 10 - < 25 % specific concentration limit Eye Irrit. 2; H319 10 - < 25 % specific concentration limit STOT SE 3; H335 >= 10 %	>= 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	C	Nove out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled		Nove to fresh air. Consult a physician after significant exposure.
In case of skin contact		Take off contaminated clothing and shoes immediately. Vash off with soap and plenty of water.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-112 Mortar & Brick Cleaner



Revision Date: 28.10.2024 Date of last issue: 03.10.2023		Version 1.5	Print Date 28.03.2025
		If symptoms persist, call a physician.	
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscio	
4.2 Most important symptoms an	d	effects, both acute and delayed	
Symptoms	:	Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information of and symptoms.	on health effects
Risks	:	irritant effects	
		Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.	
4.3 Indication of any immediate n	ne	dical attention and special treatment needed	I
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	ur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	n
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breath	ning apparatus.
Further information	:	Standard procedure for chemical fires.	

Sikagard[®]-112 Mortar & Brick Cleaner



Revision Date: 28.10.2024 Date of last issue: 03.10.2023 Version 1.5

Print Date 28.03.2025

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.			
6.2 Environmental precautions				

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	ng	
Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	t :	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage	, incl	luding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.

Further information on stor- : No decomposition if stored and applied as directed.

Sikagard[®]-112 Mortar & Brick Cleaner



Revision Date: 28.10.2024 Date of last issue: 03.10.2023 Version 1.5

Print Date 28.03.2025

age stability

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
------------	---------	-------------------------------	---------------------------	---------

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice	: If the product contaminates rivers and lakes or drains info	orm
	respective authorities.	

Sikagard[®]-112 Mortar & Brick Cleaner



Revision Date: 28.10.2024 Date of last issue: 03.10.2023 Version 1.5

Print Date 28.03.2025

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information on basic physical	an	d chemical properti
Physical state	:	liquid
Colour	:	colourless
Odour	:	pungent
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o	eyn	losive limits
Upper explosion limit / Up- per flammability limit	-	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	< 1
Viscosity		
Viscosity, kinematic	:	> 7 mm2/s (40 °C)
Solubility(ies)		
Water solubility	:	soluble
	•	
Partition coefficient: n-	:	No data available

Vapour pressure : 23 hPa

octanol/water

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-112 Mortar & Brick Cleaner



Revision Date: 28.10.2024 Date of last issue: 03.10.2023	Version 1.5	Print Date 28.03.2025
Density	: 1,07 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information		
No data available		
SECTION 10: Stability and re	activity	
10.1 Reactivity		

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Sikagard[®]-112 Mortar & Brick Cleaner

Jika®

Revision Date: 28.10.2024 Date of last issue: 03.10.2023 Version 1.5

Print Date 28.03.2025

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-112 Mortar & Brick Cleaner



Revision Date: 28.10.2024	Version 1.5	Print Date 28.03.2025
Date of last issue: 03.10.2023		

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	: 06 01 02* hydrochloric acid
Contaminated packaging	 15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	UN 1789	
	IMDG	:	UN 1789	
	ΙΑΤΑ	:	UN 1789	
14.2	UN proper shipping name			
	ADR	:	HYDROCHLORIC AC	ID
	IMDG	:	HYDROCHLORIC AC	D
	ΙΑΤΑ	:	Hydrochloric acid	
14.3	Transport hazard class(es)			
			Class	Subsidiary risks
	ADR	:	8	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-112 Mortar & Brick Cleaner



Revision Date: 28.10.2024 Date of last issue: 03.10.2023			Version 1.5	Print Date 28.03.20
IMDG	:	8		
ΙΑΤΑ	:	8		
14.4 Packing group				
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	:	III C1 80 8 (E)		
IMDG Packing group Labels EmS Code	:	III 8 F-A, S-B		
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	:	856 Y841 III Corrosive		
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	:	852 Y841 III Corrosive		
14.5 Environmental hazards				
ADR Environmentally hazardous	:	no		
IMDG Marine pollutant	:	no		
IATA (Passenger) Environmentally hazardous	:	no		
IATA (Cargo) Environmentally hazardous	:	no		
14.6 Special precautions for use The transport classification(s)				

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

	Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals	•	:	Not applicable
	Seveso III: Directive 2012/18/EU jor-accident hazards involving dar	•	ent	and of the Council on th
	Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ıx fo	or volatile organic compo
				4 November 2010 on indu tion prevention and cont
Cou	ntry IE 000000601627			

Version 1.5

Sikagard[®]-112 Mortar & Brick Cleaner

Revision Date: 28.10.2024 Date of last issue: 03.10.2023

SECTION 15: Regulatory information

15.1 Safety, health and er	nvironmental regulations/leg	gislation specific for the substance or mixtu	ire
International Chemica	I Weapons Convention (CWC)		
REACH Information:	 registered by ou registered by us 	he regulation, and/or	
	on the manufacture, placing o certain dangerous substances (Annex XVII)		:
REACH - Candidate L Concern for Authorisa	ist of Substances of Very High tion (Article 59).	h : None of the components are listed (=> 0.1 %).	
REACH - List of subst (Annex XIV)	ances subject to authorisation	n : Not applicable	
Regulation (EC) on su layer	ubstances that deplete the ozo	one : Not applicable	
Regulation (EU) 2019/ tants (recast)	/1021 on persistent organic po	ollu- : Not applicable	
e	49/2012 of the European Parlia concerning the export and imp als		
	012/18/EU of the European Pan Nolving dangerous substance Not applicable	Parliament and of the Council on the control of n es.	na-
Volatile organic compo	ounds : Law on the incent (VOCV) no VOC duties	tive tax for volatile organic compounds	
		5/EU of 24 November 2010 on industrial rated pollution prevention and control)	



Print Date 28.03.2025

Sikagard[®]-112 Mortar & Brick Cleaner



Revision Date: 28.10.2024 Date of last issue: 03.10.2023 Version 1.5

Print Date 28.03.2025

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ-	: Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation	Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or	Control of Substances Hazardous to Health Regulations
mixture:	(COSHH)
	May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H290	:	May be corrosive to metals.
H314	:	Causes severe skin burns and eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviatio	ns	
Met. Corr.	:	Corrosive to metals
Skin Corr.	:	Skin corrosion
STOT SE	:	Specific target organ toxicity - single exposure
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	÷	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
uptru IE 00000601627		12 /

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

IE / EN

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-112 Mortar & Brick Cleaner

Revision Date: 28.10.2024 Date of last issue: 03.10.2023	Version 1.5	Print Date 28.03.2025
vPvB	: Very persistent and very bioaccumulative	
Further information		

Classification of the mixture:	
H290	Calculation method
H315	Calculation method
H319	Calculation method
H335	Calculation method
	H290 H315 H319

