

Version 5.0

Print Date 28.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: EpoCem[®] Modul Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Special system, Product is not intended for consumer use

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Ireland Ltd
		Sika House
		Ballymun Industrial Estate
		Dublin 11
Telephone	:	+353 1862 0709
E-mail address of person	:	EHS@UK.Sika.com
responsible for the SDS		

1.4 Emergency telephone number

National Poisons Information Centre (NPIC) (01) 809 2166 (available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 1B	H360F: May damage fertility.
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EpoCem[®] Modul Part A



Revision Date: 26.11.2024 Date of last issue: 10.06.2024 Version 5.0

Print Date 28.03.2025

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H317 I H319 (H360F I	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May damage fertility. Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P201 P261 P273 P280	Obtain special instructions before use. Avoid breathing mist or vapours. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response: P308 + P313	IF exposed or concerned: Get medical ad-
		P391	IF exposed or concerned: Get medical ad- vice/ attention. Collect spillage.

Hazardous components which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane Reaction mass of isomers of epoxy resin BFDGE oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-
tion (EU) 2020/878
EpoCem [®] Modul Part A



Version 5.0

Print Date 28.03.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
bis-[4-(2,3- epoxipropoxi)phenyl]propane	1675-54-3 216-823-5 01-2119456619-26- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 $_$ specific concentration limit Eye Irrit. 2; H319 >= 5 % $_$ specific concentration limit Skin Irrit. 2; H315 >= 5 %	>= 40 - < 60
Reaction mass of isomers of epoxy resin BFDGE	Not Assigned 701-263-0 01-2119454392-40- XXXX	Skin Irrit. 2; H315 Skin Sens. 1A; H317 Aquatic Chronic 2; H411	>= 10 - < 20
oxirane, mono[(C12-14- alkyloxy)methyl] derivs.	68609-97-2 271-846-8 01-2119485289-22- XXXX	Skin Irrit. 2; H315 Skin Sens. 1; H317 Repr. 1B; H360F	>= 2,5 - < 5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EpoCem[®] Modul Part A



Date of last issue: 10.06.2024	Version 5.0	Print Date 28.03.202
In case of eye contact	Immediately flush eye(s) with plenty of Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a spec	
If swallowed	Do not induce vomiting without medica Rinse mouth with water. Do not give milk or alcoholic beverage Never give anything by mouth to an ur	S.
4.2 Most important symptoms an	effects, both acute and delayed	
Symptoms	Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed inform and symptoms.	mation on health effects
Risks	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May damage fertility.	
	irritant effects	
	sensitising effects toxic effects for reproduction	
I.3 Indication of any immediate r Treatment		needed
Treatment	toxic effects for reproduction edical attention and special treatment Treat symptomatically.	needed
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media	toxic effects for reproduction edical attention and special treatment Treat symptomatically.	needed
Treatment SECTION 5: Firefighting meas	toxic effects for reproduction edical attention and special treatment Treat symptomatically.	vater jet/carbon diox-
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media	toxic effects for reproduction edical attention and special treatment Treat symptomatically. Ires In case of fire, use water/water spray/vide/sand/foam/alcohol resistant foam/or extinction.	vater jet/carbon diox-
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media	toxic effects for reproduction edical attention and special treatment Treat symptomatically. Ires In case of fire, use water/water spray/vide/sand/foam/alcohol resistant foam/or extinction.	vater jet/carbon diox- chemical powder for
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting	toxic effects for reproduction edical attention and special treatment if Treat symptomatically. In case of fire, use water/water spray/vide/sand/foam/alcohol resistant foam/co extinction. ne substance or mixture Do not allow run-off from fire fighting to	water jet/carbon diox- chemical powder for
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting Hazardous combustion prod- ucts	toxic effects for reproduction edical attention and special treatment if Treat symptomatically. In case of fire, use water/water spray/vide/sand/foam/alcohol resistant foam/of extinction. ne substance or mixture Do not allow run-off from fire fighting to courses.	water jet/carbon diox- chemical powder for
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting Hazardous combustion prod-	toxic effects for reproduction edical attention and special treatment if Treat symptomatically. In case of fire, use water/water spray/wide/sand/foam/alcohol resistant foam/co extinction. ne substance or mixture Do not allow run-off from fire fighting to courses. No hazardous combustion products ar	water jet/carbon diox- chemical powder for



Revision Date: 26.11.2024 Date of last issue: 10.06.2024		Version 5.0	Print Date 28.03.2025
Further information	:	Collect contaminated fire extinguishing water must not be discharged into drains. Fire residues and contaminated fire extinguis be disposed of in accordance with local regul	hing water must
SECTION 6: Accidental releas	se I	measures	
6.1 Personal precautions, protec	tiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary se If the product contaminates rivers and lakes or respective authorities.	
6.3 Methods and material for cor	ntai	nment and cleaning up	
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sa acid binder, universal binder, sawdust). Keep in suitable, closed containers for dispos	-
6.4 Reference to other sections			

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Pregnant women or women of child-bearing age should not be exposed to this product. Follow standard hygiene measures when handling chemical products 	
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.	



Revision Date: 26.11.2024 Date of last issue: 10.06.2024		Version 5.0	Print Date 28.03.2025	
Hygiene measures	:	Handle in accordance with good industrial hygie practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the e	using do not	
7.2 Conditions for safe storage, including any incompatibilities				
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-v place. Containers which are opened must be ca sealed and kept upright to prevent leakage. Stor ance with local regulations.	refully re-	
Further information on stor- age stability	:	No decomposition if stored and applied as direc	ted.	
7.3 Specific end use(s)				
Specific use(s)	:	Consult most current local Product Data Sheet puse.	prior to any	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

_

Occupational Exposure Limits

Components CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
--------------------	----------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons



Revision Date: 26.11.2024 Date of last issue: 10.06.2024	Version 5.0	Print Date 28.03.2025
	and protective boots are additionaly reco	ommended for mixing
Respiratory protection	: No special measures required.	
Environmental exposure of	controls	
General advice	: Do not flush into surface water or sanita If the product contaminates rivers and la respective authorities.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	an : :	liquid white
Odour	:	odourless
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	> 100 °C
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	vn	locivo limite
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 8 Concentration: 100 %

Viscosity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EpoCem[®] Modul Part A



Revision Date: 26.11.2024 Date of last issue: 10.06.2024		Version 5.0	Print Date 28.03.2025
Viscosity, kinematic	:	> 7 mm2/s (40 °C)	
Solubility(ies) Water solubility	:	soluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	23 hPa	
Density	:	ca. 1,05 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid	: No data available
---------------------	---------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.



Version 5.0

Print Date 28.03.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified due to lack of data.

Components:

bis-[4-(2,3-epoxipropoxi)ph	enyl]propane:
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 5.000 mg/kg
oxirane, mono[(C12-14-alky	yloxy)methyl] derivs.:
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg
Skin corrosion/irritation Causes skin irritation.	
Serious eye damage/eye in Causes serious eye irritation	
Respiratory or skin sensiti	sation
Skin sensitisation	
May cause an allergic skin re	action.
Respiratory sensitisation	
Not classified due to lack of o	data.
Germ cell mutagenicity	
Not classified due to lack of c	data.
Carcinogenicity	
Not classified due to lack of c	data.
Reproductive toxicity	
May damage fertility.	
STOT - single exposure	Jata
Not classified due to lack of c	Jata.
STOT - repeated exposure Not classified due to lack of c	lata
	Jala.
Aspiration toxicity Not classified due to lack of c	hata
	ומנמ.



Version 5.0

Print Date 28.03.2025

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h

Reaction mass of isomers of epoxy resin BFDGE:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 2,54 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 2,55 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): 1,8 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EpoCem[®] Modul Part A



Revision Date: 26.11.2024 Date of last issue: 10.06.2024 Version 5.0

Print Date 28.03.2025

0.1% or higher..

12.6 Endocrine disrupting properties

Product:		
Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects		
Product:		An anvironmental bazard cannot be excluded in the event of
Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of

Additional ecological infor- mation	:	An environmental hazard cannot be excluded in the event unprofessional handling or disposal.
		Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible.
		Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
		Way.
		Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
		Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
		soli, waterways, trains and sewers.
European Waste Catalogue	:	08 01 11* waste paint and varnish containing organic solvents or other dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	: UN 3082	
IMDG	: UN 3082	
Country IE 00000000000		11/16

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EpoCem[®] Modul Part A



Revision Date: 26.11.2024 Date of last issue: 10.06.2024		Version 5.0	Print Date 28.03.2025
ΙΑΤΑ	:	UN 3082	
14.2 UN proper shipping name			
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBST N.O.S. (epoxy resin)	ANCE, LIQUID,
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTAN.O.S. (epoxy resin)	ANCE, LIQUID,
ΙΑΤΑ	:	Environmentally hazardous substance, liquid, (epoxy resin)	n.o.s.
14.3 Transport hazard class(es)			
		Class Subsidiary risks	
ADR	:	9	
IMDG	:	9	
ΙΑΤΑ	:	9	
14.4 Packing group			
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code Remarks		III M6 90 9 (-) Transport in accordance with special provision	n 375
IMDG Packing group Labels EmS Code Remarks	:	III 9 F-A, S-F Transport in accordance with 2.10.2.7 of the I	MDG-Code
IATA (Cargo) Packing instruction (cargo aircraft)	:	964	
Packing instruction (LQ) Packing group	:	Y964 III	
Labels Remarks	:	Miscellaneous Transport in accordance with special regulation	on A 197
IATA (Passenger) Packing instruction (passen- ger aircraft)	:	964	
Packing instruction (LQ) Packing group Labels	:	Y964 III Miscellaneous	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Revision Date: 26.11.2024 Date of last issue: 10.06.2024 Version 5.0

Print Date 28.03.2025

14.5 Environmental hazards

ADR Environmentally hazardous : yes IMDG Marine pollutant yes IATA (Passenger) Environmentally hazardous yes : IATA (Cargo) Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

- All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)		Conditions of restriction for the fol- lowing entries should be considered: Number on list 3	
		Number on list 30: oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	
		Number on list 75:	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	None of the components are listed (=> 0.1 %).	
REACH - List of substances subject to authorisation	:	Not applicable	

REACH - List of substances subject to authorisation

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EpoCem[®] Modul Part A



Revision Date: 26.11.2024 Date of last issue: 10.06.2024	Version 5.0	Print Date 28.03.2025			
(Annex XIV)					
Regulation (EC) on substances the layer	Regulation (EC) on substances that deplete the ozone : Not applicable layer				
Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)					
Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals					
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. E2 ENVIRONMENTAL HAZARDS					
Volatile organic compounds :	Law on the incentive tax for volatile orga (VOCV) no VOC duties	anic compounds			
	Directive 2010/75/EU of 24 November 2 emissions (integrated pollution prevention Not applicable				
If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.					
Health, safety and environ- : mental regulation/legislation specific for the substance or mixture:	Environmental Protection Act 1990 & Su Health and Safety at Work Act 1974 & S Control of Substances Hazardous to He (COSHH) May be subject to the Control of Major A Regulations (COMAH), and amendment	Subsidiary Regulations alth Regulations Accident Hazards			

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H360F	: May damage fertility.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-

tion (EU) 2020/878

EpoCem[®] Modul Part A

Jika®

Revision Date: 26.11.2024 Date of last issue: 10.06.2024		Version 5.0	Print Date 28.03.2025
H411	:	Toxic to aquatic life with long lasting effects.	
Full text of other abbreviation	ons		
Aquatic Chronic	:	Long-term (chronic) aquatic hazard	
Eye Irrit.	:	Eye irritation	
Repr.	:	Reproductive toxicity	
Skin Irrit.	:	Skin irritation	
Skin Sens.	:	Skin sensitisation	
ADR	:	European Agreement concerning the Internation	onal Carriage of
		Dangerous Goods by Road	
CAS	:	Chemical Abstracts Service	
DNEL	:	Derived no-effect level	
EC50	:	Half maximal effective concentration	
GHS	:	Globally Harmonized System	
IATA	:	International Air Transport Association	
IMDG	:	International Maritime Code for Dangerous Go	oods
LD50	:	Median lethal dosis (the amount of a material,	
		once, which causes the death of 50% (one had	
		test animals)	, <u> </u>
LC50	:	Median lethal concentration (concentrations of	f the chemical in
		air that kills 50% of the test animals during the	
		period)	
MARPOL	:	International Convention for the Prevention of	Pollution from
		Ships, 1973 as modified by the Protocol of 197	78
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the Europea	an Parliament
		and of the Council of 18 December 2006 conc	
		istration, Evaluation, Authorisation and Restric	
		cals (REACH), establishing a European Chem	
SVHC	:	Substances of Very High Concern	3
VDVP		Vary paraistant and vary biogonum lativa	

Very persistent and very bioaccumulative

Further information

vPvB

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Repr. 1B	H360F	Calculation method
Aquatic Chronic 2	H411	Calculation method

:

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EpoCem[®] Modul Part A



Revision Date: 26.11.2024 Date of last issue: 10.06.2024 Version 5.0

Print Date 28.03.2025

IE / EN