



Revision Date: 06.01.2025 Date of last issue: - Version 1.0

Print Date 28.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Ucrete[®] IF Part 3

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Ireland Ltd
		Sika House
		Ballymun Industrial Estate
		Dublin 11
Telephone	:	+353 1862 0709
E-mail address of person	:	EHS@UK.Sika.com
responsible for the SDS		

1.4 Emergency telephone number

National Poisons Information Centre (NPIC) (01) 809 2166 (available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

2

Sika[®] Ucrete[®] IF Part 3



Revision Date: 06.01.2025 Date of last issue: -		Version 1.0	Print Date 28.03.2025
Hazard statements :	H314 H317 H335	Causes severe skin burns a May cause an allergic skin r May cause respiratory irritat	reaction.
Precautionary statements :	Preventi P260 P280	ion: Do not breathe dust. Wear protective gloves	/ protective clothing/
		eye protection/ face pro	otection.
		NOT induce vomiting. P361 + P353 IF ON SKIN (or l ately all contaminated	nair): Take off immedi-
	P304 + F	with water. P340 + P310 IF INHALED: Re air and keep comfortat mediately call a POISC	ble for breathing. Im-
	P305 + F	P351 + P338 + P310 IF IN EY with water for several r tact lenses, if present a tinue rinsing. Immediat CENTER/ doctor.	ES: Rinse cautiously ninutes. Remove con- and easy to do. Con-

Hazardous components which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 06.01.2025 Date of last issue: - Version 1.0

Print Date 28.03.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.	Classification	(% w/w)
	Registration number		(70 007 00)
	ů – Č		
Cement, portland, chemicals	65997-15-1	Skin Irrit. 2; H315	>= 20 - < 25
	266-043-4	Eye Dam. 1; H318	
		Skin Sens. 1; H317	
		STOT SE 3; H335	
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 1 - < 2,5
	215-137-3	Eye Dam. 1; H318	
	01-2119475151-45-	STOT SE 3; H335	
	XXXX	(Respiratory system)	
White mineral oil (petroleum)	8042-47-5	Asp. Tox. 1; H304	>= 1 - < 2,5
	232-455-8		
	01-2119487078-27-		
	XXXX		
Substances with a workplace expo	sure limit :	•	
Quartz (SiO2)	14808-60-7		>= 40 - < 60
· · · ·	238-878-4		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. 	
If inhaled	Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with dif ty. 	ficul-
In case of eye contact	 Small amounts splashed into eyes can cause irreversible sue damage and blindness. In the case of contact with eyes, rinse immediately with ploof water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. 	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] IF Part 3



Revision Date: 06.01.2025 Date of last issue: -	Version 1.0	Print Date 28.03.2025
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsciou 	ıs person.
4.2 Most important symptoms an	d effects, both acute and delayed	
Symptoms	: Cough Respiratory disorder Allergic reactions Dermatitis See Section 11 for more detailed information or and symptoms.	n health effects
Risks	 May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. Causes severe burns. Health injuries may be delayed. corrosive effects irritant effects sensitising effects 	

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically.
-----------	--------------------------

SECTION 5: Firefighting measures

5.1	Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 \$	Special hazards arising from	the	substance or mixture
	Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
	Further information	:	Standard procedure for chemical fires.



Revision Date: 06.01.2025 Date of last issue: - Version 1.0

Print Date 28.03.2025

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Avoid breathing dust.
	Deny access to unprotected persons.

:

6.2 Environmental precautions

Environmental precautions

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Pick up and arrange disposal without creating dust.
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products	
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.	
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.	
7.2 Conditions for safe storage, including any incompatibilities			

Requirements for storage	: Keep container tightly closed in a dry and well-ventilated
areas and containers	place. Store in accordance with local regulations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] IF Part 3



Revision Date: 06.01.2025 Date of last issue: -		Version 1.0	Print Date 28.03.2025
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as dire	cted.
7.3 Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet use.	prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *			
		of exposure)	ters *				
Quartz (SiO2)	14808-60-7	OELV - 8 hrs	0,1 mg/m3	IE OEL			
		(TWA) (Respira-	(Silica)				
		ble dust)					
	Further inforn	nation: Carcinogenic	see List of Carci	nogenic Sub-			
	stances, Mixt	ures and Processes		-			
Cement, portland, chemicals	65997-15-1	OELV - 8 hrs	1 mg/m3	IE OEL			
		(TWA) (Respira-	U U				
		ble dust)					
calcium dihydroxide	1305-62-0	1305-62-0 TWA (Respirable		2017/164/EU			
-		fraction)	C C				
	Further inforn	Further information: Indicative					
		STEL (Respirable	4 mg/m3	2017/164/EU			
		fraction)	-				
		OELV - 8 hrs	1 mg/m3	IE OEL			
		(TWA) (respirable)	C C				
		OELV - 15 min	4 mg/m3	IE OEL			
		(STEL) (respirab-	-				
		le)					
White mineral oil (petroleum)	8042-47-5	OELV - 8 hrs	5 mg/m3	IE OEL			
		(TWA) (inhalable	-				
		fraction)					

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
Respirable dust		OELV - 8 hrs (TWA)	4 mg/m3	IE OEL
inhalable dust		OELV - 8 hrs (TWA)	10 mg/m3	IE OEL

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards.

Sika[®] Ucrete[®] IF Part 3



Revision Date: 06.01.2025 Date of last issue: - Version 1.0

Print Date 28.03.2025

Ensure adequate ventilation, especially in confined areas.

Personal protective equipme	ent	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder light grey
Odour	:	odourless
Melting point/ range / Freez- ing point	:	No data available

Sika[®] Ucrete[®] IF Part 3



Revision Date: 06.01.2025 Date of last issue: -		Version 1.0	Print Date 28.03.2025
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	exp	plosive limits	
Upper explosion limit / Upper flammability limit	-		
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	Not applicable	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	11 - 12	
Viscosity Viscosity, kinematic	:	Not applicable	
Solubility(ies)			
Water solubility	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	No data available	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	



Revision Date: 06.01.2025 Date of last issue: -		Version 1.0	Print Date 28.03.2025
9.2 Other information			
No data available			
SECTION 10: Stability and rea	activ	vity	
10.1 Reactivity			
No dangerous reaction known	unc	ler conditions of normal use.	
10.2 Chemical stability			
The product is chemically stab	ole.		
10.3 Possibility of hazardous rea	octic	ns	
Hazardous reactions	:	No hazards to be specially mentioned.	
10.4 Conditions to avoid			
Conditions to avoid	:	No data available	
10.5 Incompatible materials			
Materials to avoid	:	No data available	
10.6 Hazardous decomposition p	orod	ucts	
	:	No hazardous decomposition products are know	own.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

White mineral oil (petroleum):

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg

Skin corrosion/irritation

Causes severe burns.

Version 1.0

Sika[®] Ucrete[®] IF Part 3

Revision Date: 06.01.2025 Date of last issue: -

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

	White mineral oil (petroleum):	
	Toxicity to fish	:	(Leuciscus idus (Golden orfe)): > 1.000 mg/l Exposure time: 96 h
	Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l
ור	untry IF 00000724022		



Print Date 28.03.2025

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sika® Ucrete® IF Part 3



Revision Date: 06.01.2025 Date of last issue: - Version 1.0

Print Date 28.03.2025

Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

<u>Product:</u> Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Avoid dispersal of spilled material and runoff and contact with



Revision Date: 06.01.2025 Date of last issue: -

Sika[®] Ucrete[®] IF Part 3

Version 1.0

Print Date 28.03.2025

soil, waterways, drains and sewers.

SECTION 14: Transport information 14.1 UN number or ID number ADR Not regulated as a dangerous good : IMDG Not regulated as a dangerous good ΙΑΤΑ Not regulated as a dangerous good 14.2 UN proper shipping name ADR : Not regulated as a dangerous good IMDG Not regulated as a dangerous good ΙΑΤΑ Not regulated as a dangerous good 14.3 Transport hazard class(es) ADR Not regulated as a dangerous good 2 IMDG Not regulated as a dangerous good 2 ΙΑΤΑ Not regulated as a dangerous good 14.4 Packing group ADR Not regulated as a dangerous good IMDG Not regulated as a dangerous good 2 IATA (Cargo) Not regulated as a dangerous good 2 Not regulated as a dangerous good IATA (Passenger) 14.5 Environmental hazards Not regulated as a dangerous good 14.6 Special precautions for user Not applicable 14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied. **SECTION 15: Regulatory information** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are - registered by our upstream suppliers, and/or

Sika[®] Ucrete[®] IF Part 3



Revision Date: 06.01.2025 Date of last issue: -	Version 1	.0	Print Date 28.03.202
	 registered by us, and/ excluded from the reg exempted from the reg 	ula	
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVII	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 47: Cement, port- land, chemicals
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EC) on substances th layer	nat deplete the ozone	:	Not applicable
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable
Seveso III: Directive 2012/18/EU jor-accident hazards involving dar		ent	t and of the Council on the control of ma-
Volatile organic compounds :	(VOCV)		or volatile organic compounds ds (VOC) content: < 0,01% w/w
	emissions (integrated p	ollu	4 November 2010 on industrial ution prevention and control) ds (VOC) content: < 0,01% w/w
If other regulatory information app Sheet, then it is described in this		rov	vided elsewhere in the Safety Data

Health, safety and environ-	: Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation	Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or	Control of Substances Hazardous to Health Regulations

Sika[®] Ucrete[®] IF Part 3



Revision Date: 06.01.2025 Date of last issue: - Version 1.0

Print Date 28.03.2025

mixture:

(COSHH)

May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

Other regulations:

This product contains cement. Wet cement or mortar may cause alkali burns if in direct and/or prolonged contact with the skin. Wear protective clothing at all times when working with cement based products.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements						
H304 H315 H317 H318 H335	:	May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.				
Full text of other abbreviations						
Asp. Tox. Eye Dam. Skin Irrit. Skin Sens. STOT SE 2017/164/EU IE OEL	:	Aspiration hazard Serious eye damage Skin irritation Skin sensitisation Specific target organ toxicity - single exposure Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values Ireland. List of Chemical Agents and Carcinogens with Occu- pational Exposure Limit Values - Code of Practice, Schedule 1				
2017/164/EU / STEL 2017/164/EU / TWA IE OEL / OELV - 8 hrs (TWA) IE OEL / OELV - 15 min (STEL) ADR CAS DNEL EC50 GHS IATA IMDG LD50		and 2 Short term exposure limit Limit Value - eight hours Occupational exposure limit value (8-hour reference period) Occupational exposure limit value (15-minute reference peri- od) European Agreement concerning the International Carriage of Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of				

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

H335

apply. Please consult the product data sheet prior to any use and processing.

Sika[®] Ucrete[®] IF Part 3



Revision Date: 06.01.2025 Date of last issue: -		Version 1.0	Print Date 28.03.2025		
LC50		Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)			
MARPOL	: Internati	onal Convention for the Prever 973 as modified by the Protoco			
OEL		Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration			
PBT	: Persiste				
PNEC	: Predicte				
REACH	and of the istration	ion (EC) No 1907/2006 of the E ne Council of 18 December 200 , Evaluation, Authorisation and EACH), establishing a Europea	06 concerning the Reg- Restriction of Chemi-		
SVHC	: Substan	Substances of Very High Concern Very persistent and very bioaccumulative			
vPvB	: Very per				
Further information					
Classification of the mixtu	ire:	Classification	n procedure:		
Skin Corr. 1	H314	Based on proc	duct data or assessment		
Eye Dam. 1	H318	Based on proc	duct data or assessment		
Skin Sens. 1	H317	Calculation m	ethod		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall

Calculation method

Changes as compared to previous version !

STOT SE 3

IE / EN