Sikafloor[®]-81 EpoCem[®] Part C



Revision Date: 24.06.2024 Date of last issue: 30.04.2024 Version 4.3

Print Date 28.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Sikafloor®-81 EpoCem® Part C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Special system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Ireland Ltd
		Sika House
		Ballymun Industrial Estate
		Dublin 11
Telephone	:	+353 1862 0709
E-mail address of person	:	EHS@UK.Sika.com
responsible for the SDS		

1.4 Emergency telephone number

National Poisons Information Centre (NPIC) (01) 809 2166 (available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

2

Sikafloor®-81 EpoCem® Part C



Revision Date: 24.06.2024 Date of last issue: 30.04.2024	V	ersion 4.3	Print Date 28.03.2025
Hazard statements :	H318 Ca	uses skin irritation. uses serious eye damage. y cause respiratory irritation.	
Precautionary statements :	Prevention:		
	P261 P264 P280	Avoid breathing dust. Wash skin thoroughly after hand Wear protective gloves/ eye pro protection.	
	Response:		
	P304 + P340 +	P312 IF INHALED: Remove pe air and keep comfortable for bre POISON CENTER/ doctor if you	eathing. Call a
	P305 + P351 +	P338 + P310 IF IN EYES: Rins with water for several minutes. I tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Storage:		
	P403 + P233	Store in a well-ventilated place. tainer tightly closed.	Keep con-

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 24.06.2024 Date of last issue: 30.04.2024 Version 4.3

Print Date 28.03.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponenta			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace expo	sure limit :		
Quartz (SiO2)	14808-60-7		>= 60 - < 80
	238-878-4		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
	If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
	In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
	If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2	Most important symptoms an	nd e	ffects, both acute and delayed
	Symptoms	:	Cough Respiratory disorder

Sikafloor®-81 EpoCem® Part C



Revision Date: 24.06.2024 Date of last issue: 30.04.2024		Version 4.3	Print Date 28.03.2025	
		Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information of and symptoms.	n health effects	
Risks	:	irritant effects		
		Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.		
4.3 Indication of any immediate	me	dical attention and special treatment needed		
Treatment		Treat symptomatically.		
SECTION 5: Firefighting meas	sur			
SECTION 5: Firefighting mean		es		
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media	:	es In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction.		
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	: the	es In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction.	powder for	
 SECTION 5: Firefighting mean 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- 	: the	es In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction.	powder for	
 SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters 	: • the :	es In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction.	powder for	
 SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters Special protective equipment 	: • the :	es In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction. e substance or mixture No hazardous combustion products are known	powder for	

·····, •····, •····,		
Personal precautions	: Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.	

6.2 Environmental precautions

Environmental precautions	:	Try to prevent the material from entering drains or water
		courses.
		No special environmental precautions required.

Sikafloor[®]-81 EpoCem[®] Part C



Print Date 28.03.2025

Revision Date: 24.06.2024Version 4.3Date of last issue: 30.04.2024Version 4.3

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Com	ponents



Sikafloor[®]-81 EpoCem[®] Part C

Revision Date: 24.06.2024 Date of last issue: 30.04.2024 Version 4.3

Print Date 28.03.2025

		of exposure)	ters *		
Quartz (SiO2)	14808-60-7	OELV - 8 hrs (TWA) (Respira- ble dust)	0,1 mg/m3 (Silica)	IE OEL	
	Further information: Carcinogenic, see List of Carcinogenic Sub- stances, Mixtures and Processes				
Cement (chromium reduced)	65997-15-1	OELV - 8 hrs (TWA) (Respira- ble dust)	1 mg/m3	IE OEL	

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
Respirable dust		OELV - 8 hrs (TWA)	4 mg/m3	IE OEL
inhalable dust		OELV - 8 hrs (TWA)	10 mg/m3	IE OEL

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal	protective	equipment
----------	------------	-----------

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth-



Revision Date: 24.06.2024 Date of last issue: 30.04.2024	Version 4.3	Print Date 28.03.2025
	ods for determining inhalation exposure ticular to the mixing / stirring area. In ca to keep the concentrations under the or limits then respiration protection measu	ase this is not sufficent ccupational exposure
Environmental exposure	controls	
General advice	: Try to prevent the material from enterin courses.	ng drains or water

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

information on basic physical	an	
Physical state Appearance Colour	:	solid powder grey
Odour	:	odourless
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 11 Concentration: 50 %

Sikafloor[®]-81 EpoCem[®] Part C



Revision Date: 24.06.2024 Date of last issue: 30.04.2024		Version 4.3	Print Date 28.03.2025
Viscosity Viscosity, kinematic	:	No data available	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	No data available	
Bulk density	:	ca. 1.340 kg/m3	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous r	eactio	ns
Hazardous reactions	:	No hazards to be specially mentioned.
10.4 Conditions to avoid		
Conditions to avoid	:	No data available
10.5 Incompatible materials		
Materials to avoid	:	No data available





Revision Date: 24.06.2024 Date of last issue: 30.04.2024 Version 4.3

Print Date 28.03.2025

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 24.06.2024 Date of last issue: 30.04.2024 Version 4.3

Print Date 28.03.2025

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment
/ 0000000000000000000000000000000000000

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues.
	This material and its container must be disposed of in a safe
	way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental

Sikafloor[®]-81 EpoCem[®] Part C



Revision Date: 24.06.2024 Date of last issue: 30.04.2024		Version 4.3	Print Date 28.03.2025
		protection and waste disposal legislation a local authority requirements. Avoid dispersal of spilled material and run soil, waterways, drains and sewers.	, ,
European Waste Catalogue	:	16 03 03* inorganic wastes containing da	angerous substances
Contaminated packaging	:	15 01 10* packaging containing residues by dangerous substances	of or contaminated

SECTION 14: Transport information

14.1 UN number or ID number			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards			
Not regulated as a dangerous good			
14.6 Special precautions for use Not applicable)r		

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-
tion (EU) 2020/878
Sikafloor [®] -81 EpoCem [®] Part C



Revision Date: 24.06.2024 Date of last issue: 30.04.2024 Version 4.3

Print Date 28.03.2025

SECTION 15: Regulatory information

15.1 Safety, health and environmen International Chemical Weapons Schedules of Toxic Chemicals an	Convention (CWC)	ion :	specific for the substance or mixture Not applicable		
REACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.				
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)			Not applicable		
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).			None of the components are listed (=> 0.1 %).		
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable		
Regulation (EC) on substances that deplete the ozone layer			Not applicable		
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)			Not applicable		
Regulation (EU) No 649/2012 of the European Parlia- : Not applica ment and the Council concerning the export and import of dangerous chemicals			Not applicable		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable					
Volatile organic compounds :	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties				
Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w					

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor®-81 EpoCem® Part C



Revision Date: 24.06.2024 Date of last issue: 30.04.2024 Version 4.3

Print Date 28.03.2025

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environmental regulation/legislation specific for the substance or mixture: Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH) May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

Other regulations:

This product contains cement. Wet cement or mortar may cause alkali burns if in direct and/or prolonged contact with the skin. Wear protective clothing at all times when working with cement based products.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements					
H315	:	Causes skin irritation.			
H318	:	Causes serious eye damage.			
H335	:	May cause respiratory irritation.			
Full text of other abbreviations					
Eye Dam.	:	Serious eye damage			
Skin Irrit.	:	Skin irritation			
STOT SE	:	Specific target organ toxicity - single exposure			
IE OEL	:	Ireland. List of Chemical Agents and Carcinogens with Occu-			
		pational Exposure Limit Values - Code of Practice, Schedule 1			
		and 2			
IE OEL / OELV - 8 hrs (TWA)	:	Occupational exposure limit value (8-hour reference period)			
ADR	:	European Agreement concerning the International Carriage of			
		Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL		Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
IATA	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at			
		once, which causes the death of 50% (one half) of a group of			
		test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in			
		air that kills 50% of the test animals during the observation			

_

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-81 EpoCem® Part C



Revision Date: 24.06.2024 Date of last issue: 30.04.2024		Version 4.3	Print Date 28.03.2025		
MARPOL OEL PBT	:	period) International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency			
PNEC REACH	:				
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative	0.1		
Further information					
Classification of the mixture	e:	Classification p	procedure:		

Classification of the	Classification procedu	
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

IE / EN