

Revision Date: 10.04.2025 Date of last issue: 10.10.2023 Version 1.1

Print Date 10.04.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: EVERBUILD CLEAR FIX

1.2 Relevant identified uses of the substance or mixture and uses advised against

: Adhesive

Product use

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Ireland Ltd
		Sika House
		Ballymun Industrial Estate
		Dublin 11
Telephone	:	+353 1862 0709
E-mail address of person responsible for the SDS	:	EHS@UK.Sika.com

1.4 Emergency telephone number

National Poisons Information Centre (NPIC) (01) 809 2166 (available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting ef- fects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Warning

2

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EVERBUILD CLEAR FIX



Revision Date: 10.04.2025 Date of last issue: 10.10.2023	V	ersion 1.1	Print Date 10.04.2025
Hazard statements :	H319 Ca	y cause an allergic skin reaction. uses serious eye irritation. mful to aquatic life with long lastin	g effects.
Precautionary statements :	P101 P102	If medical advice is needed, hav container or label at hand. Keep out of reach of children.	e product
	Prevention:		
	P261 P264 P280	Avoid breathing mist or vapours. Wash skin thoroughly after hand Wear protective gloves/ eye prot protection.	ling.
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	accordance

Hazardous components which must be listed on the label:

trimethoxyvinylsilane Pentamethyl piperidylsebacate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
distillates (petroleum), hydrotreat-	64742-55-8	Asp. Tox. 1; H304	>= 5 - < 10
ed light paraffinic	265-158-7	EUH066	
	01-2119487077-29-		
	XXXX		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EVERBUILD CLEAR FIX



Revision Date: 10.04.2025 Date of last issue: 10.10.2023 Version 1.1

Print Date 10.04.2025

trimethoxyvinylsilane Contains: tetramethyl orthosilicate <= 0,2 %	2768-02-7 220-449-8 01-2119513215-52-	Flam. Liq. 3; H226 Acute Tox. 4; H332 Skin Sens. 1B; H317	>= 2,5 - < 5
	XXXX	Acute toxicity esti- mate	
		Acute inhalation tox- icity (vapour): 16,8 mg/l	
3-(trimethoxysilyl)propylamine	13822-56-5 237-511-5 01-2119510159-45- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 2,5 - < 3
Pentamethyl piperidylsebacate Contains: bis(1,2,2,6,6-pentamethyl-4- piperidyl) sebacate methyl 1,2,2,6,6-pentamethyl-4- piperidyl sebacate	1065336-91-5 915-687-0 01-2119491304-40- XXXX	Skin Sens. 1A; H317 Repr. 2; H361f Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,25 - < 1
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
octamethylcyclotetrasiloxane [D4]	556-67-2 209-136-7 01-2119529238-36- XXXX	Flam. Liq. 3; H226 Repr. 2; H361f Aquatic Chronic 1; H410	>= 0,0025 - < 0,025
		M-Factor (Chronic aquatic toxicity): 10	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EVERBUILD CLEAR FIX



Revision Date: 10.04.2025 Date of last issue: 10.10.202	23	Version 1.1	Print Date 10.04.2025
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscie	
4.2 Most important sympt	oms and e	effects, both acute and delayed	
Symptoms	:	Allergic reactions Excessive lachrymation See Section 11 for more detailed information and symptoms.	on health effects
Risks	:	irritant effects sensitising effects	
		May cause an allergic skin reaction. Causes serious eye irritation.	
4.3 Indication of any imm	ediate me	dical attention and special treatment needec	1
Treatment	:	Treat symptomatically.	

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

5.3 Advice for firefighters					
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.			
Further information	:	Standard procedure for chemical fires.			

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

	Personal precautions	:	Use personal protective equipment.
_			



Revision Date: 10.04.2025 Date of last issue: 10.10.2023		Version 1.1	Print Date 10.04.2025
		Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary s If the product contaminates rivers and lakes respective authorities.	
6.3 Methods and material for co	ntai	nment and cleaning up	
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. acid binder, universal binder, sawdust). Keep in suitable, closed containers for dispo	

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.



Revision Date: 10.04.2025	Version 1.1	Print Date 10.04.2025
Date of last issue: 10.10.2023		

Specific use(s) : Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

EVERBUILD CLEAR FIX

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
distillates (petroleum), hydrotreated light paraffinic	64742-55-8	OELV - 8 hrs (TWA) (inhalable fraction)	5 mg/m3	IE OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
methanol	67-56-1	TWA	200 ppm 260 mg/m3	2006/15/EC	
		Further information: Indicative, Identifies the possibility of signifi- cant uptake through the skin			
		OELV - 8 hrs 200 ppm IE O (TWA) 260 mg/m3			
	trate intact sk	Further information: Substances which have the capacity to pene- trate intact skin when they come in contact with it, and be ab- sorbed into the body			

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.



Revision Date: 10.04.2025 Date of last issue: 10.10.2023	Version 1.1	Print Date 10.04.2025
Skin and body protection	: Protective clothing (e.g. Safety shoes a long-sleeved working clothing, long trou and protective boots are additionally rec and stirring work.	users). Rubber aprons
Respiratory protection	 In case of inadequate ventilation wear in Respirator selection must be based on exposure levels, the hazards of the pro- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: Ensure adequate ventilation. This can be exhaust extraction or by general ventilation ods for determining inhalation exposure ticular to the mixing / stirring area. In case to keep the concentrations under the or limits then respiration protection measure 	known or anticipated duct and the safe work- < 10000 ppm be achieved by local ation. (EN 689 - Meth- e). This applies in par- ase this is not sufficent ccupational exposure
Environmental exposure con	itrols	
General advice	: Do not flush into surface water or sanita If the product contaminates rivers and l respective authorities.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

information on basic physical	an	a chemical propert
Physical state	:	liquid
Appearance	:	paste
Colour	:	clear
Odour	:	alcohol-like
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o	exp	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit /	:	No data available



Revision Date: 10.04.2025 Date of last issue: 10.10.2023	Version 1.1	Print Date 10.04.2025
Lower flammability limit		
Flash point	: > 61 °C Method: closed cup	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: Not applicable substance/mixture is non-soluble (in water))
Viscosity		
Viscosity, dynamic	: 250.000 mPa.s (20 °C)	
Viscosity, kinematic	: > 30 mm2/s (40 °C)	
Solubility(ies)		
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 1 hPa	
Density	: ca. 1,04 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information		

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EVERBUILD CLEAR FIX



Revision Date: 10.04.2025		Version 1.1	Print Date 10.04.2025
Date of last issue: 10.10.2023			
10.2 Chemical stability			
The product is chemically sta	ble.		
10.3 Possibility of hazardous re	actio	ns	
Hazardous reactions	:	No hazards to be specially mentioned.	
10.4 Conditions to avoid			
Conditions to avoid	:	No data available	
10.5 Incompatible materials			
Materials to avoid	:	No data available	
10.6 Hazardous decomposition	prod	ucts	
Hazardous decomposition products	:	methanol	

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified based on ava <u>Components:</u>	ailable i	information.
trimethoxyvinylsilane:		
Acute oral toxicity	:	LD50 Oral (Rat): ca. 7.120 mg/kg
Acute inhalation toxicity	:	LC50: ca. 16,8 mg/l Exposure time: 4 h Test atmosphere: vapour
		Acute toxicity estimate: 16,8 mg/l Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	LD50: 3.540 mg/kg
Pentamethyl piperidylseb	acate:	
Acute oral toxicity	:	
octamethylcyclotetrasilo	(ane [[D4]:
Acute inhalation toxicity	:	LC50 (Rat): 36 mg/l Exposure time: 4 h Test atmosphere: vapour

May cause an allergic skin reaction. Respiratory sensitisation

Serious eye damage/eye irritation

Respiratory or skin sensitisation

Causes serious eye irritation.

Not classified based on available information.

Not classified based on available information.

distillates (petroleum), hydrotreated light paraffinic:

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Skin sensitisation

Revision Date: 10.04.2025

Components:

Assessment

Date of last issue: 10.10.2023

Skin corrosion/irritation

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Version 1.1

: Repeated exposure may cause skin dryness or cracking.



Print Date 10.04.2025

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

- Assessment
- : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

octamethylcyclotetrasiloxane [D4]:

Assessment : PBT substance.

: vPvB substance.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EVERBUILD CLEAR FIX

Revision Date: 10.04.2025 Date of last issue: 10.10.2023

12.1 Toxicity

icity)

toxicity)

Components:

Toxicity to fish

SECTION 12: Ecological information

Pentamethyl piperidylsebacate:

M-Factor (Acute aquatic tox-

M-Factor (Chronic aquatic

Version 1.1

: LC50 (Fish): 0,97 mg/l Exposure time: 96 h

: 1

: 1

Print Date 10.04.2025





Revision Date: 10.04.2025 Date of last issue: 10.10.2023 Version 1.1

Print Date 10.04.2025

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Harmful to aquatic life with long lasting effects.

Global warming potential

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)

Components:

octamethylcyclotetrasiloxane [D4]:

20-year global warming potential: 2,66 100-year global warming potential: 0,739 500-year global warming potential: 0,211 Atmospheric lifetime: 0,027 yr Radiative efficiency: 0,12 Wm2ppb Further information: Miscellaneous compounds

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EVERBUILD CLEAR FIX



Revision Date: 10.04.2025 Date of last issue: 10.10.2023		Version 1.1	Print Date 10.04.2025	
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards				
Not regulated as a dangerous	s go	od		
14.6 Special precautions for use	r			
Not applicable				
14.7 Maritime transport in bulk according to IMO instruments				
Not applicable for product as supplied.				

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

 International Chemical Weapons Convention (CWC)
 : Not applicable

 Schedules of Toxic Chemicals and Precursors
 : Not applicable

 REACH Information:
 All substances contained in our Products are

 - registered by our upstream suppliers, and/or
 : registered by us, and/or

 - excluded from the regulation, and/or
 : exempted from the registration.

 REACH - Restrictions on the manufacture, placing on
 : Conditions of restriction for the fol

the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 3

EVERBUILD CLEAR FIX



Revision Date: 10.04.2025 Date of last issue: 10.10.2023	Version ⁻	1.1	Print Date 10.04.2025
REACH - Candidate List of Subs Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
REACH - List of substances sub (Annex XIV)	ject to authorisation	:	Not applicable
Regulation (EU) No 2024/590 on plete the ozone layer	substances that de-	:	Not applicable
Regulation (EU) 2019/1021 on p tants (recast)	ersistent organic pollu-	:	Not applicable
Regulation (EU) No 649/2012 of ment and the Council concerning of dangerous chemicals		:	Not applicable
Seveso III: Directive 2012/18/EU jor-accident hazards involving da		nent	t and of the Council on the control of ma-
Volatile organic compounds :	(VOCV)		or volatile organic compounds ds (VOC) content: < 0,01% w/w
	Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w		
If other regulatory information ap Sheet, then it is described in this		orov	vided elsewhere in the Safety Data
Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	Health and Safety at V Control of Substances (COSHH)	Vork Ha: Con	Act 1990 & Subsidiary Regulations Act 1974 & Subsidiary Regulations zardous to Health Regulations trol of Major Accident Hazards ad amendments.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

EVERBUILD CLEAR FIX



Revision Date: 10.04.2025 Date of last issue: 10.10.2023 Version 1.1

Print Date 10.04.2025

SECTION 16: Other information

Full text of H-Statements					
H226	: Flammable liquid and vapour.				
H304	: May be fatal if swallowed and enters airways.				
H315	: Causes skin irritation.				
H317	: May cause an allergic skin reaction.				
H318	: Causes serious eye damage.				
H332	: Harmful if inhaled.				
H361f	Suspected of damaging fertility.				
H400	: Very toxic to aquatic life.				
H410	: Very toxic to aquatic life with long lasting effects.				
Full text of other abbreviations					
Acute Tox.	: Acute toxicity				
Aquatic Acute	: Short-term (acute) aquatic hazard				
Aquatic Chronic	: Long-term (chronic) aquatic hazard				
Asp. Tox.	: Aspiration hazard				
Eye Dam.	: Serious eye damage				
Flam. Lig.	: Flammable liquids				
Repr.	: Reproductive toxicity				
Skin Irrit.	: Skin irritation				
Skin Sens.	Skin sensitisation				
2006/15/EC	Europe. Indicative occupational exposure limit values				
IE OEL	Ireland. List of Chemical Agents and Carcinogens with Occu-				
12 022	pational Exposure Limit Values - Code of Practice, Schedule 1				
	and 2				
2006/15/EC / TWA	: Limit Value - eight hours				
IE OEL / OELV - 8 hrs (TWA)					
ADR	European Agreement concerning the International Carriage of				
	Dangerous Goods by Road				
CAS	: Chemical Abstracts Service				
DNEL	: Derived no-effect level				
EC50	: Half maximal effective concentration				
GHS	Globally Harmonized System				
IATA	: International Air Transport Association				
IMDG	: International Maritime Code for Dangerous Goods				
LD50	: Median lethal dosis (the amount of a material, given all at				
EB00	once, which causes the death of 50% (one half) of a group of				
	test animals)				
LC50	: Median lethal concentration (concentrations of the chemical in				
2000	air that kills 50% of the test animals during the observation				
	period)				
MARPOL	: International Convention for the Prevention of Pollution from				
MARFOL	Ships, 1973 as modified by the Protocol of 1978				
OEL	: Occupational Exposure Limit				
PBT	: Persistent, bioaccumulative and toxic				
PNEC	: Predicted no effect concentration				
REACH					
	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg-				
	and of the Council of to December 2000 concerning the Rey-				

EVERBUILD CLEAR FIX

_



Revision Date: 10.04.2025 Date of last issue: 10.10.2023	Version 1.1	Print Date 10.04.2025
SVHC vPvB	 istration, Evaluation, Authorisation and cals (REACH), establishing a Europear Substances of Very High Concern Very persistent and very bioaccumulation 	n Chemicals Agency

Further information

Classification of the mixture:		Classification procedure:
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

IE / EN