# **Deco Mineralised Grit**



Revision Date: 06.05.2025 Date of last issue: 08.03.2024 Version 2.2

Print Date 06.05.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Deco Mineralised Grit

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Surfaces protection

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Ireland Ltd
		Sika House
		Ballymun Industrial Estate
		Dublin 11
Telephone	:	+353 1862 0709
E-mail address of person	:	EHS@UK.Sika.com
responsible for the SDS		

#### **1.4 Emergency telephone number**

National Poisons Information Centre (NPIC) (01) 809 2166 (available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms				
Signal word	:	Warning		
Hazard statements	:	H319	Causes serious eye irritation.	
Precautionary statements	:	Preventior	1:	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **Deco Mineralised Grit**



Revision Date: 06.05.2025 Date of last issue: 08.03.2024	Version 2.2		Print Date 06.05.2025
	P264 P280	Wash skin thoroughly after han Wear eye protection/ face protection	
	<b>Response:</b> P305 + P351 + P337 + P313	P338 IF IN EYES: Rinse caution ter for several minutes. Remove lenses, if present and easy to d rinsing. If eye irritation persists: Get me attention.	e contact lo. Continue

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		· · ·
calcium oxide	1305-78-8	Skin Irrit. 2; H315	>= 1 - < 2,5
	215-138-9	Eye Dam. 1; H318	
	01-2119475325-36-	STOT SE 3; H335	
	XXXX		
Substances with a workplace expo	sure limit :		
aluminium oxide	1344-28-1		>= 20 - < 25
	215-691-6		
	01-2119529248-35-		
	XXXX		
magnesium oxide	1309-48-4		>= 1 - < 2,5
	215-171-9		

For explanation of abbreviations see section 16.



Revision Date: 06.05.2025 Date of last issue: 08.03.2024

**Deco Mineralised Grit** 

Version 2.2

Print Date 06.05.2025

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	<ul> <li>Take off contaminated clothing and shoes immediately.</li> <li>Wash off with soap and plenty of water.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of eye contact	<ul> <li>Immediately flush eye(s) with plenty of water.</li> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>
If swallowed	<ul> <li>Do not induce vomiting without medical advice.</li> <li>Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>
4.2 Most important symptoms	and effects, both acute and delayed
Symptoms	: Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.
Risks	: irritant effects
	Causes serious eye irritation.
	medical attention and encoid treatment needed

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically.	
-----------	--------------------------	--

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known ucts

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **Deco Mineralised Grit**



Revision Date: 06.05.2025 Date of last issue: 08.03.2024		Version 2.2	Print Date 06.05.2025
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing	j apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	еı	measures	
6.1 Personal precautions, protect	tiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	If the product contaminates rivers and lakes or durespective authorities. No special environmental precautions required.	rains inform
6.3 Methods and material for con	tai	nment and cleaning up	
Methods for cleaning up	:	Pick up and arrange disposal without creating du Keep in suitable, closed containers for disposal.	st.

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **Deco Mineralised Grit**



Revision Date: 06.05.2025Version 2.2Print Date 06.05.2025Date of last issue: 08.03.2024

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parame-	Basis *		
		of exposure)	ters *			
aluminium oxide	1344-28-1	OELV - 8 hrs	4 mg/m3	IE OEL		
		(TWA) (Respira-				
		ble dust)				
		OELV - 8 hrs	10 mg/m3	IE OEL		
		(TWA) (inhalable				
		dust)				
magnesium oxide	1309-48-4	OELV - 8 hrs	5 mg/m3	IE OEL		
-		(TWA) (Fumes)				
		OELV - 8 hrs	4 mg/m3	IE OEL		
		(TWA) (Respira-				
		ble dust)				
		OELV - 8 hrs	10 mg/m3	IE OEL		
		(TWA) (inhalable				
		dust)				
		OELV - 15 min	10 mg/m3	IE OEL		
		(STEL) (Fumes)				
calcium oxide	1305-78-8	TWA (Respirable	1 mg/m3	2017/164/EU		
		fraction)	-			
	Further inform	Further information: Indicative				
		STEL (Respirable	4 mg/m3	2017/164/EU		
		fraction)	5			
		OELV - 8 hrs	1 mg/m3	IE OEL		
		(TWA) (respirable)	Ŭ			
		OELV - 15 min	4 mg/m3	IE OEL		
		(STEL) (respirab-	<b>U</b>			
		le)				

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### general dust value

Form of exposure	Value type	Control parameters	Basis
Respirable dust	OELV - 8 hrs (TWA)	4 mg/m3	IE OEL
inhalable dust	OELV - 8 hrs (TWA)	10 mg/m3	IE OEL

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **Deco Mineralised Grit**



Revision Date: 06.05.2025 Date of last issue: 08.03.2024 Version 2.2

Print Date 06.05.2025

#### 8.2 Exposure controls

## Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

	•
Personal protective equipment	
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.
Environmental exposure control	bls
General advice :	If the product contaminates rivers and lakes or drains inform respective authorities

# respective authorities.

#### No special environmental precautions required.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	solid
Appearance	:	powder
Colour	:	various

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **Deco Mineralised Grit**



Revision Date: 06.05.2025 Date of last issue: 08.03.2024	Version 2.2	Print Date 06.05.2025
Odour	: odourless	
Melting point/ range / Freez- ing point	: No data available	
Boiling point/boiling range	: No data available	
Flammability (solid, gas)	: No data available	
Upper/lower flammability or	explosive limits	
Upper explosion limit / Upper flammability limit	-	
Lower explosion limit / Lower flammability limit	: No data available	
Flash point	: Not applicable	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: Not applicable	
<b>Viscosity</b> Viscosity, kinematic	: Not applicable	
<b>Solubility(ies)</b> Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: No data available	
Bulk density	: 2,8 kg/m3	7/14

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **Deco Mineralised Grit**



Revision Date: 06.05.2025 Date of last issue: 08.03.2024		Version 2.2	Print Date 06.05.2025
Relative vapour density	:	No data available	

Particle characteristics : No data available

## 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

#### **10.5 Incompatible materials**

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **Deco Mineralised Grit**

**Jika**®

Revision Date: 06.05.2025 Date of last issue: 08.03.2024 Version 2.2

Print Date 06.05.2025

#### Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### **STOT - repeated exposure**

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

2

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

## 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

# **Deco Mineralised Grit**



Revision Date: 06.05.2025 Date of last issue: 08.03.2024 Version 2.2

Print Date 06.05.2025

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

Product:
----------

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

Product:		
Additional ecological infor- mation	• :	There is no data available for this product.

## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.</li> <li>Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.</li> <li>Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.</li> <li>Avoid dispersal of spilled material and runoff and contact with</li> </ul>
	soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **Deco Mineralised Grit**



Revision Date: 06.05.2025 Date of last issue: 08.03.2024		Version 2.2	Print Date 06.05.2025
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards			

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors

irsors

**REACH Information:** 

All substances contained in our Products are - registered by our upstream suppliers, and/or

: Not applicable

- registered by us, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

: None of the components are listed

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **Deco Mineralised Grit**



Revision Date: 06.05.2025 Date of last issue: 08.03.2024	Version 2	2.2	Print Date 06.05.2025
Concern for Authorisation (Artic	le 59).	(=> 0.1 %).	
REACH - List of substances sub (Annex XIV)	pject to authorisation	: Not applicable	
Regulation (EU) No 2024/590 o plete the ozone layer	n substances that de-	: Not applicable	
Regulation (EU) 2019/1021 on p tants (recast)	persistent organic pollu-	: Not applicable	
Regulation (EU) No 649/2012 o ment and the Council concernin of dangerous chemicals		: Not applicable	
Seveso III: Directive 2012/18/EU jor-accident hazards involving d		nent and of the Counc	cil on the control of ma-
Volatile organic compounds	Law on the incentive ta (VOCV) no VOC duties	ax for volatile organic	compounds
If other regulatory information a Sheet, then it is described in this		provided elsewhere in	the Safety Data
Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	: Environmental Protecti Health and Safety at W Control of Substances (COSHH)	ork Act 1974 & Subs	idiary Regulations

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

May be subject to the Control of Major Accident Hazards

Regulations (COMAH), and amendments.

## **SECTION 16: Other information**

#### Full text of H-Statements

H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# **Deco Mineralised Grit**

**Jika**®

ision Date: 06.05.2025 e of last issue: 08.03.2024	Version 2.2	Print Date 06.05.202
H335	: May cause respiratory irritation.	
Full text of other abbreviatio	IS	
Eye Dam.	: Serious eye damage	
Skin Irrit.	: Skin irritation	
STOT SE	: Specific target organ toxicity - sing	gle exposure
2017/164/EU	: Europe. Commission Directive 20	
	fourth list of indicative occupationa	
IE OEL	: Ireland. List of Chemical Agents a pational Exposure Limit Values - 0 and 2	nd Carcinogens with Occu-
2017/164/EU / STEL	: Short term exposure limit	
2017/164/EU / TWA	: Limit Value - eight hours	
IE OEL / OELV - 8 hrs (TWA)	: Occupational exposure limit value	(8-hour reference period)
IE OEL / OELV - 15 min	: Occupational exposure limit value	
(STEL)	od)	
ADR	: European Agreement concerning	the International Carriage of
	Dangerous Goods by Road	Ũ
CAS	: Chemical Abstracts Service	
DNEL	: Derived no-effect level	
EC50	: Half maximal effective concentrati	on
GHS	: Globally Harmonized System	
IATA	: International Air Transport Associa	ation
IMDG	: International Maritime Code for Da	angerous Goods
LD50	: Median lethal dosis (the amount o	
	once, which causes the death of 5 test animals)	50% (one half) of a group of
LC50	: Median lethal concentration (conc	entrations of the chemical in
	air that kills 50% of the test anima	Is during the observation
	period)	
MARPOL	: International Convention for the P	
	Ships, 1973 as modified by the Pr	otocol of 1978
OEL	: Occupational Exposure Limit	
PBT	: Persistent, bioaccumulative and to	oxic
PNEC	: Predicted no effect concentration	
REACH	: Regulation (EC) No 1907/2006 of and of the Council of 18 December	er 2006 concerning the Reg-
	istration, Evaluation, Authorisation	
	cals (REACH), establishing a Euro	opean Chemicals Agency
SVHC	: Substances of Very High Concern	
vPvB	: Very persistent and very bioaccun	nulative

#### **Further information**

Classification of the mixture:		Classification procedure:
Eye Irrit. 2	H319	Calculation method

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date: 06.05.2025 Date of last issue: 08.03.2024

**Deco Mineralised Grit** 

Version 2.2

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

IE / EN

