Parex[®] PARLUMIERE FIN



Revision Date: 08.05.2025 Date of last issue: 19.03.2024 Version 1.2

Print Date 08.05.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Parex[®] PARLUMIERE FIN

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Ireland Ltd
		Sika House
		Ballymun Industrial Estate
		Dublin 11
Telephone	:	+353 1862 0709
E-mail address of person	:	EHS@UK.Sika.com
responsible for the SDS		

1.4 Emergency telephone number

National Poisons Information Centre (NPIC) (01) 809 2166 (available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

2

_

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Parex[®] PARLUMIERE FIN



Revision Date: 08.05.2025 Date of last issue: 19.03.2024		Version 1.2	Print Date 08.05.2025
Hazard statements :	H317	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.	
Precautionary statements :	Prevention:		
	P261	Avoid breathing dust/ fume/ gas/ pours/ spray.	′ mist/ va-
	P264	Wash skin thoroughly after hand	lling.
	P280	Wear protective gloves/ eye prot protection.	0
	Response:		
	P305 + P351	+ P338 + P310 IF IN EYES: Rinse with water for several minutes. F tact lenses, if present and easy t tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	P333 + P313	If skin irritation or rash occurs: G advice/ attention.	et medical
	P362 + P364	Take off contaminated clothing a before reuse.	and wash it

Hazardous components which must be listed on the label:

calcium dihydroxide Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
calcium dihydroxide	1305-62-0 215-137-3 01-2119475151-45- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 10 - < 20
Cement, portland, chemicals	65997-15-1 266-043-4	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT SE 3; H335	>= 2,5 - < 3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Parex[®] PARLUMIERE FIN

Revision Date: 08.05.2025
Date of last issue: 19.03.2024

Version 1.2

Print Date 08.05.2025

Substances with a workplace expo	sure limit :	
Quartz (SiO2)	14808-60-7	>= 40 - < 60
	238-878-4	
Limestone	1317-65-3	>= 2,5 - < 5
Contains:	215-279-6	
Crystalline silica >= 0,1 %		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures			
General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. 		
If inhaled	Move to fresh air. Consult a physician after significant exposure.		
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. 		
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. 		
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 		
4.2 Most important symptoms and effects, both acute and delayed			
Symptoms	 Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms. 		
Risks	: irritant effects sensitising effects		
Country IE 10000034087	Causes skin irritation. May cause an allergic skin reaction.		

Parex[®] PARLUMIERE FIN



Revision Date: 08.05.2025 Date of last issue: 19.03.2024		Version 1.2	Print Date 08.05.2025
		Causes serious eye damage.	
4.3 Indication of any immediate r	neo	lical attention and special treatment needed	ł
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	•	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	
5.2 Special hazards arising from	the	substance or mixture	
Hazardous combustion prod- ucts	•	No hazardous combustion products are know	n
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breath	ning apparatus.
Further information	:	Standard procedure for chemical fires.	

Personal precautions :	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
------------------------	--

6.2 Environmental precautions

Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
---------------------------	---	---

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Parex[®] PARLUMIERE FIN



Revision Date: 08.05.2025 Date of last issue: 19.03.2024		Version 1.2	Print Date 08.05.2025
Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposisection 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation proma, allergies, chronic or recurrent respiratory of not be employed in any process in which this rused. Smoking, eating and drinking should be prohibility plication area. Follow standard hygiene measures when hand products	blems or asth- disease should mixture is being bited in the ap-
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhapt at places where dust is formed.	aust ventilation
Hygiene measures	:	Handle in accordance with good industrial hyg practice. When using do not eat or drink. Whe smoke. Wash hands before breaks and at the	n using do not
7.2 Conditions for safe storage, i	inc	uding any incompatibilities	
Requirements for storage	:	Keep container tightly closed in a dry and well	-ventilated

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	OELV - 8 hrs (TWA) (Respira- ble dust)	0,1 mg/m3 (Silica)	IE OEL
		ation: Carcinogenic, res and Processes	see List of Carci	nogenic Sub-
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU
	Further inform	ation: Indicative		
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU
		OELV - 8 hrs (TWA) (respirable)	1 mg/m3	IE OEL
		OELV - 15 min	4 mg/m3	IE OEL

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Parex[®] PARLUMIERE FIN

Revision Date: 08.05.2025 Date of last issue: 19.03.2024 Version 1.2

Print Date 08.05.2025

(STEL) (respirable) Limestone 1317-65-3 4 mg/m3 IE OEL OELV - 8 hrs (TWA) (Respirable dust) OELV - 8 hrs 10 mg/m3 IE OEL (TWA) (inhalable dust) OELV - 8 hrs Cement, portland, chemicals 65997-15-1 1 mg/m3 IE OEL (TWA) (Respirable dust)

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Value type	Control parameters	Basis
Respirable dust	OELV - 8 hrs (TWA)	4 mg/m3	IE OEL
inhalable dust	OELV - 8 hrs (TWA)	10 mg/m3	IE OEL

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Parex[®] PARLUMIERE FIN



Revision Date: 08.05.2025Version 1.2Print Date 08.05.2025Date of last issue: 19.03.2024

Environmental exposure controls

General advice

: Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Physical state 5 solid Appearance powder 2 Colour No data available 2 Odour No data available ÷ Melting point/ range / Freez-: No data available ing point Boiling point/boiling range No data available Flammability (solid, gas) : No data available Upper/lower flammability or explosive limits Upper explosion limit / Up- : No data available per flammability limit Lower explosion limit / : No data available Lower flammability limit Flash point Not applicable No data available Auto-ignition temperature : Decomposition temperature No data available : pН • No data available Viscosity Viscosity, kinematic • No data available Solubility(ies) Water solubility : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

: No data available

Parex[®] PARLUMIERE FIN

Partition coefficient: n-



Revision Date: 08.05.2025 Date of last issue: 19.03.2024	Version 1.2	Print Date 08.05.2025

octanol/water		
Vapour pressure	:	No data available
Density	:	ca. 1 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

Parex[®] PARLUMIERE FIN



Revision Date: 08.05.2025 Date of last issue: 19.03.2024 Version 1.2

Print Date 08.05.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Parex[®] PARLUMIERE FIN



Revision Date: 08.05.2025 Date of last issue: 19.03.2024 Version 1.2

Print Date 08.05.2025

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed
	waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
Country IE 10000034087			10

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Parex[®] PARLUMIERE FIN



Revision Date: 08.05.2025 Date of last issue: 19.03.2024

Version 1.2

Print Date 08.05.2025

IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environ International Chemical Wea Schedules of Toxic Chemica	
REACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.

REACH - Restrictions on the manufacture, placing on : Banned and/or restricted the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

REACH - Candidate List of Substances of Very High : None of the components are listed

Parex[®] PARLUMIERE FIN

_



Revision Date: 08.05.2025 Date of last issue: 19.03.2024	Version 1.2	2	Print Date 08.05.2025
Concern for Authorisation (Article	Concern for Authorisation (Article 59).		
REACH - List of substances subje (Annex XIV)	ect to authorisation	: Not applicable	
Regulation (EU) No 2024/590 on plete the ozone layer	substances that de-	: Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu-	: Not applicable	
Seveso III: Directive 2012/18/EU jor-accident hazards involving dar	ent and of the Council o	n the control of ma-	
Volatile organic compounds :	Law on the incentive tax (VOCV) no VOC duties	k for volatile organic cor	npounds
	Directive 2010/75/EU of livestock rearing emission and control) Not applicable		
If other regulatory information app Sheet, then it is described in this		rovided elsewhere in the	e Safety Data
Health, safety and environ- : mental regulation/legislation	Environmental Protectio Health and Safety at Wo		

meath, safety and environ- mental regulation/legislation specific for the substance or mixture:		Health and Safety at Work Act 1990 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH) May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.
--	--	--

Other regulations:

This product contains cement. Wet cement or mortar may cause alkali burns if in direct and/or prolonged contact with the skin. Wear protective clothing at all times when working with cement based products.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Parex[®] PARLUMIERE FIN



Revision Date: 08.05.2025 Date of last issue: 19.03.2024 Version 1.2

Print Date 08.05.2025

SECTION 16: Other information

Full text of H-Statements					
H315	:	Causes skin irritation.			
H317		May cause an allergic skin reaction.			
H318		Causes serious eye damage.			
H335	:	May cause respiratory irritation.			
	•				
Full text of other abbreviations					
Eye Dam.	:	Serious eye damage			
Skin Irrit.	:	Skin irritation			
Skin Sens.	:	Skin sensitisation			
STOT SE	:	Specific target organ toxicity - single exposure			
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a			
		fourth list of indicative occupational exposure limit values			
IE OEL	:	Ireland. List of Chemical Agents and Carcinogens with Occu-			
		pational Exposure Limit Values - Code of Practice, Schedule 1			
		and 2			
2017/164/EU / STEL	:	Short term exposure limit			
2017/164/EU / TWA		Limit Value - eight hours			
IE OEL / OELV - 8 hrs (TWA)		Occupational exposure limit value (8-hour reference period)			
IE OEL / OELV - 15 min	:	Occupational exposure limit value (15-minute reference peri-			
(STEL)	•	od)			
ADR		European Agreement concerning the International Carriage of			
ADIX	·	Dangerous Goods by Road			
CAS		Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
	÷				
EC50 GHS	:	Half maximal effective concentration			
	÷	Globally Harmonized System			
	÷	International Air Transport Association			
IMDG	÷	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at			
		once, which causes the death of 50% (one half) of a group of			
1.0.50		test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in			
		air that kills 50% of the test animals during the observation			
		period)			
MARPOL	:	International Convention for the Prevention of Pollution from			
		Ships, 1973 as modified by the Protocol of 1978			
OEL	:	Occupational Exposure Limit			
PBT	:	Persistent, bioaccumulative and toxic			
PNEC	:	Predicted no effect concentration			
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament			
		and of the Council of 18 December 2006 concerning the Reg-			
		istration, Evaluation, Authorisation and Restriction of Chemi-			
		cals (REACH), establishing a European Chemicals Agency			
SVHC	:	Substances of Very High Concern			
vPvB	:	Very persistent and very bioaccumulative			
		· · · · ·			



Revision Date: 08.05.2025 Date of last issue: 19.03.20		Version 1.2	Print Date 08.05.2025		
Further information					
Classification of the	mixture:	Classificatio	Classification procedure:		
Skin Irrit. 2	H315	Calculation m	nethod		
Eye Dam. 1	H318	Calculation m	nethod		
Skin Sens. 1	H317	Calculation m	nethod		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

IE / EN