

2026

SIKA THE COMPLETE PRODUCT GUIDE

THE COMPLETE PRODUCT GUIDE 2026

CUSTOMER SERVICE SIKA IRELAND:

☎ +353 (0) 1862 0709

✉ salesorders@ie.sika.com

Sika Ireland Limited
Sika House
Ballymun Industrial Estate
Dublin
D11 DA2V

☎ +353 (0) 1862 0709

✉ info@ie.sika.com

🌐 www.sika.ie

BUILDING TRUST



BUILDING TRUST



CONTENTS

SEALANTS

Professional	6
DIY	12
Guns	13
Passive Fire Protection	14
Specialist Sealants	16

ADHESIVES

Hybrid Sealants and Adhesives	22
Grab	26
Plasterboard	28
Grab/Specialist Adhesives	29
Wood	30
Flooring	32
Contact, Superglues and Activators	34

LANDSCAPING

Jointing Compounds	38
Sealing and Protecting	40
Surface Cleaners and Treatments	42

ROOFING

Roof Repair	46
Flashing	49
Bitumen	50

EXPANDING FOAMS

Professional and DIY	54
----------------------	----

FILLERS AND DECORATING SUNDRIES

Surface protectors	58
Decorating Fillers	60

TAPES

Building Tapes	64
Repair Tapes	66

CLEANERS

Wipes	70
Wipes and Cleaners	71

BUILDING SUPPLIES

Waterproofing	74
Building Admixtures	79
Self Levelling Compounds and Floor Products	81
Floor Paints and Line Markers	83
Wall Finishing	84
Concrete and Brick Repair	85
Chemical Anchors	93

TILING

Wet Room System	96
Self Levelling Compound and Primers	97
Tile Adhesives	98
Tile Grout and Adhesive	99

WE ARE SIKA

BUILDING TRUST



INTRODUCTION

WELCOME TO SIKA'S COMPLETE PRODUCT GUIDE

Your trusted partner for construction and industry solutions

Sika's Distribution team is part of Sika Ireland Limited, the Irish subsidiary of the worldwide Sika group. Established in 1995, but present in Ireland since 1930, Sika Ireland Limited is focused on supplying the Irish construction and industrial markets with quality products from our site in Dublin.

Specialists in construction chemicals, Sika Ireland Limited offers access to a comprehensive portfolio of problem-solving products for a variety of applications including waterproofing, roofing, concrete repair, flooring and more.

As one of Ireland's leading suppliers of sealants, adhesives and building chemicals, Sika embodies the construction industry, working closely with merchant partners to supply the trade with high quality products and technical expertise.


Bringing Sika's unrivalled innovation in product development, high standards of manufacturing and renowned technical advice into the merchant market, customers now have direct access to the complete product portfolio opening up new opportunities for the trade industry.




SIGN UP FOR OUR ESHOP AND ORDER QUICKLY AND EASILY 24/7.



UNRIVALLED PRODUCT AND TECHNICAL SUPPORT



DIRECT ACCESS TO THE ENTIRE SIKA PRODUCT PORTFOLIO



Social Media

Stay up to date with all the latest company and product news by following us online.



DEDICATED TRAINING SUPPORT AVAILABLE AT OUR SIKA IRELAND SITE



Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED

SEALANTS

Professional	6
DIY	12
Guns	13
Passive Fire Protection	14
Specialist Sealants	16



SCAN TO SEE THE FULL RANGE

Forever White
Silicone Sealant**TRUSTED**

FOREVER WHITE® CONTAINS A HIGH QUALITY ANTIMICROBIAL ADDITIVE, RIGOROUSLY TESTED IN ACCREDITED MICROBIOLOGICAL LABORATORIES TO SHOW NO MOULD GROWTH AFTER 10 YEARS*.

* Simulated ageing.

PERMANENTLY FLEXIBLE

TOOLS DOWN SMOOTHLY

PREMIUM QUALITY


STARTS WHITE - STAYS WHITE



SGAN	SIZE	COLOUR	QTY	BARCODE
858495	295ML	WHITE	12	5029347603540
858501	295ML	CLEAR	12	5029347603953
858494	295ML	IVORY	12	5029347606404

A superior silicone sealant that's waterproof, flexible and antibacterial – designed to be used around the home.

Forever White is a superior silicone sealant that is permanently waterproof, flexible and ideal for sealing: shower bases and cubicles, wetrooms, around baths, sinks and basins. It is also ideal for use in kitchens and utility rooms and for sealing around window and door frames. Contains Mould Shield which actively protects the sealant against the growth of bacteria, mildew and black mould.

**Caulk Once**
Acrylic Caulk

SLUMPING IS OFTEN FOUND WITH INFERIOR CAULKS



CAULK ONCE IS QUICK AND EASY TO APPLY




CAULK ONCE TOOLS DOWN SMOOTHLY FOR A PERFECT FINISH



SGAN	SIZE	COLOUR	QTY	BARCODE
489516	380ML	WHITE	12	5029347612962

A premium quality acrylic caulk – fast-drying, permanently flexible and tailor-made for a range of jobs.

Caulk Once – the best caulk you will ever use – is a premium quality acrylic caulk that has been formulated to outperform all other conventional decorating caulks and fillers. Caulk Once has been manufactured using an advanced high quality polymer to offer superior adhesion, low shrink as well as tooling down smoothly.

**TRUSTED**

APPLY ONCE - JOB DONE

NO SLUMP

EASY SMOOTH



The Bond Behind the Finish

Sika® Blue Grit



High-performance plaster bonding agent for strong adhesion on smooth, low-suction surfaces.

- ✓ Superior Surface Bonding
- ✓ Instant Visual Confidence
- ✓ Zero Hassle Application

See our full range of Building Supplies on pages 74-93.



Scan for more information



SikaSeal®- 170 All Purpose

SGAN	SIZE	COLOUR	QTY	BARCODE
777145	300ML	TRANSPARENT	12	7612895955827
776984	300ML	WHITE	12	7612895955841
777129	300ML	BLACK	12	7612895955803
780482	300ML	BROWN	12	7612895959894
816914	300ml	GREY	12	7612895955780

An acetoxy-curing silicone sealant. It is used for sealing joints in sanitary facilities and other areas of residential homes. It cures to form an airtight and waterproof elastic seal that is resistant to UV and weathering. It contains fungicide to protect the sealant for mold growth in humid areas.



SikaSeal®- 174 Construction

SGAN	SIZE	COLOUR	QTY	BARCODE
777146	300ML	TRANSPARENT	12	7612895955827
776939	300ML	WHITE	12	7612895955865
777155	300ML	DARK GREY	12	7612895955926


High quality neutral alkoxy silicone for perimeter sealing of windows and doors, connection and façade joints. It contains fungicide to protect the sealant for mold growth in humid areas such as bathrooms and showers.



SikaSeal®-175 Bath and Tiles

SGAN	SIZE	COLOUR	QTY	BARCODE
777059	300	TRANSPARENT	12	7612895955964
776985	300	WHITE	12	7612895955940


High quality neutral alkoxy silicone designed for sealing joints in bathrooms, showers and other humid areas. It contains special fungicide for use in applications which require long term resistance to mold growth.



SikaSeal® One Hour Caulk

SGAN	SIZE	COLOUR	QTY	BARCODE
879014	300ML	WHITE	12	5029347000042
879087	380ML	WHITE	12	5029347000059

A fast drying flexible decorators filler and sealant that remains permanently flexible. Can be overpainted with most paint types or covered over with wallpaper – no sanding down required. Ideal for sealing and filling cracks and gaps prior to decorating, and for use around skirting boards, ceiling cornices, window and door frames, stair treads and risings and fixtures adjoining walls. Can be used to fill damaged plaster.



Timber / Plaster / Brick / Concrete

WONDER WIPES

BIODEGRADABLE

THE WIPE THAT WORKS



100% PLASTIC FREE AND BIODEGRADABLE WIPES
EXTRA THICK AND STRONG CLOTH LIKE WIPES
FORMULATED TO REMOVE THE TOUGHEST OF GRIME

Premium+ 565 Clean Room Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
486155	295ML	WHITE	25	5029347612399

An advanced neutral curing hygienic sealant that contains Mould Shield®, a powerful anti-bacterial compound, and is food contact approved. Prevents the growth of most common moulds. Offers outstanding adhesion to most substrates including plastics, ceramics and metal. Virtually odourless in application with a slow skinning time. Ideal for long joint runs in larger applications. Remains permanently flexible with a movement capability of +/- 25%. **Approved for food contact to 21CFR177.2600 by IANESCO (France) and meets ISO 11600 F 25LM.**




Metal / Ceramics / Glass / Most Plastics



Heat Mate Heat Resistant Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
484772	295ML	RED	12	5029347113001
484776	295ML	BLACK	12	5029347615307

A high modulus permanently flexible 100% silicone which is temperature resistant up to 275°C. Ideal for sealing industrial and high performance gaskets, oven doors etc. Cures quickly to reduce dirt pick up. Remains permanently flexible, forming a water tight rubber-like seal. Excellent adhesion to most non-porous surfaces.



SikaSeal® Lead Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
906997	295ML	GREY	12	5029347007355

A low modulus, neutral cure sealant specifically designed to give exceptional adhesion to soft metals such as lead, brass etc. The product is specially formulated as an alternative to mortaring Lead Flashing and Sheet into Brick, Stone and Concrete.




Lead / Brick / Concrete / Stone



Weather Mate Gap Filler and Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
489689	295ML	CLEAR	25	5029347601454
489692	295ML	WHITE	25	5029347000073
489693	295ML	BLACK	25	5029347601447

Based on an advanced isoacrylic formula that provides the ultimate in technology for adhesion to many surfaces. It can be applied in wet weather, to wet surfaces, even under water. Resistant to all weather extremes, remains permanently flexible and can be overpainted with most paints and wood stains when cured, although overpainting is not essential.



Metal / Timber / Galvanised Steel / Bitumen



Sikaflex®-11 FC Purform®
Polyurethane Adhesive, Sealant and Filler



TRUSTED

NO TRAINING ON
THE SAFE USE OF
DIISOCYANATES
(REACH) REQUIRED

EASY TO APPLY AND
NON-SAGGING

GOOD MECHANICAL
AND WEATHERING
RESISTANCE

MOVEMENT
CAPABILITY OF
± 25 %

SGAN	SIZE	COLOUR	QTY	BARCODE
700274	300ML	GREY	12	7612895776668
700275	300ML	BLACK	12	7612895776682
617758	300ML	WHITE	12	7612895572505

A one-part moisture curing elastic adhesive and sealant. It is used for interior and exterior multipurpose bonding and joint sealing. It has good and durable adhesion to most construction materials.



Concrete / Masonry/ Reconstituted or cast stone / Ceramic / Wood / Metal / Glass



Power Pro
Sealant Gun

SGAN	SIZE	QTY	BARCODE
484912	C4/400ML	6	5029347600945

The ultimate heavy duty sealant gun, extra pull trigger, hook end and swivel action barrel for both 310ML and 400ML cartridges. Engineered for the trade.



Professional
Sealant Gun

SGAN	SIZE	QTY	BARCODE
485999	C4/400ML	12	5029347600952


Sturdy skeleton gun with hexagonal rod and reinforced ring and hook end.



Sika® Foil
Applicator Gun

SGAN	SIZE	QTY	BARCODE
483370	600ML	1	5029347600808

The Foil Pack applicator gun is designed for use with foil packs, the enclosed aluminium barrel can also be used for standard cartridges.



SikaSeal® Fire Guard
Intumescent Acrylic Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
902103	295ML	WHITE	12	5029347900748

A four-hour rated, one part, water based, ablative acoustic sealant that gives a firm yet flexible seal to joints in a variety of internal fire-rated structures. The product, in suitably designed joints, will resist the passage of fire for up to 4 hours. **CE / UKCA certified EN 15651-1 F-INT. EN1366-3 (penetration) and EN 1366-4 (linear gap seal) tested up to 4 hours in specific configurations. Certifire CF5026. Acoustic performance ISO 140-3.**



Sikacryl®-621 Fire+
Intumescent Acrylic Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
691174	300ML	WHITE	12	7612895745145

A fire resistant, intumescent, phthalate-free acrylic sealant used for interior joints and penetration seals in fire compartment walls and floors.



SikaSeal®-627 Fire Collar+
Fire Resistant Pipe Collar

SGAN	SIZE	QTY	BARCODE
698212	55 MM DIAM, 50 MM DEPTH	24 PER BOX	7612895771489
698254	110 MM DIAM, 50 MM DEPTH	24 PER BOX	7612895771885
698245	125MM DIA, 60MM	20 PER BOX	7612895771908

A fire resistant prefabricated pipe collar consisting of a metal casing and an intumescent insert for interior penetration sealing applications. SikaSeal®-627 Fire Collar+ is designed to provide a high volume expansion and pressure seal during a fire to combustible pipes that pass through floor and wall service openings.



SikaSeal®-629 Fire Wrap+
Flexible Pipe Wrap

SGAN	SIZE	QTY	BARCODE
698912	110MM	40	7612895772905
698737	55mm	30	7612895772776

A fire resistant flexible pipe wrap available as pre-cut strips or on a roll for interior and exterior penetration sealing applications that pass through floor and wall service openings. It is ready to use and can be cut to suit varying pipe diameters. SikaSeal®-629 Fire Wrap+ is designed to provide a high volume expansion and pressure seal during a fire to combustible pipes.



SikaSeal®-623 Fire+
Intumescent Graphite Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
691260	295ML	ANTHRACITE	12	7612895745107

A fire resistant intumescent graphite based sealant for interior penetration seals. SikaSeal®-623 Fire+ is designed to provide a high volume expansion and pressure seal during a fire to combustible pipes that pass through floor and wall service openings.



Sikasil®-670 Fire
Fire Rated Joint Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
483474	300ML	GREY	12	7612895181462

A fire rated, 1-component, moisture-curing, low-modulus elastic joint sealant. Sikasil®-670 Fire is designed for fire rated movement and connection joints on porous and non-porous substrates.



SikaSeal®-626 Fire Board+
Fire-resistant Coated Protection Board

SGAN	SIZE	QTY	BARCODE
691793	50 MM X 1200 MM X 600 MM	32	7612895746661

A mineral wool based protection board coated with the fire resistant, ablative coating Sikacryl®-625 Fire+. Its versatility lets it be combined with many other Sika passive fire protection products for sealing a wide range of installation service penetrations.



FIRE STOPPING SOLUTION FINDER

SCAN QR CODE
to find the right passive fire protection solution for the job

Sikasil®-825
Silicone Sealant

**SUBSTRATES: GLASS,
ALUMINIUM AND PVC
- ALL PRIMERLESS.**

**TECHNICAL EXCELLENCE
PROFESSIONAL
PERFORMANCE**

**CONFORMS TO ISO
11600 CLASS F25LM
AND G25LM**

SGAN	SIZE	COLOUR	QTY	BARCODE
835414	380ML	ANTHRACITE	25	5029347615741
835393	380ML	BLACK	25	5029347615727
835395	380ML	BROWN	25	5029347615710
835396	380ML	BRICK RED	25	5029347615703
835397	380ML	BUFF	25	5029347615697
835398	380ML	DARK GREY	25	5029347615680
835399	380ML	LIMESTONE WHITE	25	5029347615666
835410	380ML	MAGNOLIA	25	5029347615659
835411	380ML	MID GREY	25	5029347615642
835392	380ML	WHITE	25	5029347603977
835394	380ML	BEIGE	25	5029347615734
835415	380ML	DARK ANTHRACITE	25	5029347615673

Shore A Hardness	22-32
Movement Accommodation	+/-35% (ASTM C719)
Skimming Time	30-45 mins
Elastic Recovery	>80%

Sikasil®-825 is a low modulus, neutral curing silicone sealant based on a filled alkoxy curing system.

Conforms to ISO 11600 class F25LM and G25LM. Used for expansion joints to stone, brick, concrete and composite panels, perimeter pointing around all types of window and door frames. Substrates: glass, aluminium and PVC – all primerless.

**Sikacryl®-620 Fire**
Fire Resistant Acrylic Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
835256	380ML	WHITE	25	7612655103451
835258	600ML	WHITE	12	7612655103499

Movement Accommodation	+/-12.5%
Skimming Time	10 mins
Elongation at Break	200%

A fire resistant acrylic sealant for interior joints in walls and floors. Provides up to 4 hours fire resistance to prevent the passage of fire and smoke, according to EN 1366-4. Typically used for joints in walls and floors, and internal perimeter pointing of fire rated doors and window frames.

Reaction to fire tested to EN 13501-1. Resistance to fire tested to EN 13501-2. Fire testing BS 476-20. Tested for Sound transmission to ISO 10140-2. UL Product iQ, XHBN.HW-5-0113.

**Sikaflex®-415 Universal**
Polyurethane sealant for floor and wall joints and general purpose adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
741051	600ML	CONCRETE GREY	20	7612895889276

A one-part, moisture curing, elastic polyurethane sealant with good mechanical properties and durability for sealing floor and wall joints and adhesive applications.

Movement Accommodation +/-35%.

**Sikaflex® PRO-3 Purform**
Polyurethane Sealant


SGAN	SIZE	COLOUR	QTY	BARCODE
693977	600ML	BLACK	20	7612895756448
694153	600ML	GREY	20	7612895755496

Containing new Purform technology for a futureproof polyurethane formula, Sikaflex PRO 3 Purform is a one-part, moisture curing, elastic joint sealant with superior mechanical properties combined with excellent weather and chemical resistance. Ideal for use in floor joint sealing. Ultra-low monomer and VOC content and certified for use in food contact areas.

**SikaHyflex®-250**
Polyurethane Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
435543	600ML	CONCRETE GREY	20	7612894945478
435616	600ML	DARK GREY	20	7612894946819
435614	600ML	WHITE	20	7612894949094


A high performance, one-part, moisture curing, low-modulus sealant. SikaHyflex®-250 is designed to provide an elastic and waterproof seal on movement and connection joints in commercial building envelopes. This product possesses excellent weathering and ageing resistance along with good adhesion to many substrates.



Sikaflex® -406 KC

SGAN	SIZE	COLOUR	QTY	BARCODE
599493	10L	CONCRETE GREY	1	7612895545141
619221	150ML	CONCRETE GREY	5	7612895519739

A one-part self-levelling booster accelerated elastic floor joint sealant with high mechanical and chemical resistance. Rapid and homogeneous curing throughout the entire sealant is achieved by the addition of the Sikaflex®-406 KC Booster (150ml).




Sikasil® DW

Acetoxy Curing Silicone Sealant for Joints in Contact With Potable (Drinking) Water

SGAN	SIZE	COLOUR	QTY	BARCODE
715585	600ML	SIGNAL GREY	20	7612895817637

Sikasil® DW is suitable for joints in contact with potable (drinking) water, e.g. in the water industry in drinking water reservoirs, tanks, treatment and filtration plants.



Sika® Primer 3N

Adhesion Promoter for use with Sika® Liquid Detailing System

SGAN	SIZE	COLOUR	QTY	BARCODE
122239	1LTR	TRANSPARENT (Slightly Yellow)	1	7612894543216

A one-component, solvent based primer and adhesion promoter; designed for use on porous substrates and metals. Evaporates quickly.



Sikaflex®-403 Tank & Silo

Elastic polyurethane sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
707904	600ML	BLACK	20	7612895791401
707977	600ML	CONCRETE GREY	20	7612895791418

A one-part, moisture-curing, elastic polyurethane sealant which is resistant to organic acids as found in liquid manure and silage liquids. The product is used for sealing segmented and bolted tanks, concrete containers, floor joints and sewage systems.



Sika® Aktivator-205

Transparent Solvent-Based Adhesion Promoter

SGAN	SIZE	QTY	BARCODE
117498	1000ML	1	7612894510997

A solvent-based colorless clear adhesion promoter designed for the treatment of bond faces prior to application of Sikaflex® and Sikasil® adhesives and sealants.



Sika® Remover-208

Solvent-Based Cleaning Agent

SGAN	SIZE	QTY	BARCODE
117665	1L	4	612894511116

A solvent-based colourless clear cleaning agent for painted substrates. It is also used to remove traces of Sikaflex® products.





ADHESIVES

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED

Hybrid Sealants and Adhesives	22
Grab	26
Plasterboard	28
Grab / Specialist Adhesives	29
Wood	30
Flooring	32
Contact, Superglues and Activators	34



SCAN TO SEE THE FULL RANGE

Stixall Extreme Power
Sealant and Adhesive

Stixall Extreme Power is a combined adhesive and sealant, based on hybrid polymer technology, with extreme power to both bond and seal nearly everything in almost all conditions, even underwater and in the rain!



TRUSTED

SCAN	SIZE	COLOUR	QTY	BARCODE
483107	290ML	BLACK	12	5029347603281
483108	290ML	BROWN	12	5029347603304
483168	290ML	CRYSTAL CLEAR	12	5029347603960
483109	290ML	GREY	12	5029347603298
483110	290ML	WHITE	12	5029347602604

Metal / Glass / Brick / Timber / Plastic

- INTERIOR AND EXTERIOR USE
- ANTI-SLUMP
- OVER-PAINTABLE
- WATERPROOF
- RESISTANT TO CHEMICALS
- WORKS UNDER WATER



Sikaflex®-11 FC Purform®

Polyurethane Adhesive, Sealant and Filler



TRUSTED

NO TRAINING ON
THE SAFE USE OF
DIISOCYANATES
(REACH) REQUIRED

EASY TO APPLY AND
NON-SAGGING

GOOD MECHANICAL
AND WEATHERING
RESISTANCE

MOVEMENT
CAPABILITY OF
± 25 %

SGAN	SIZE	COLOUR	QTY	BARCODE
700274	300ML	CONCRETE GREY	12	7612895776668
700275	300ML	BLACK	12	7612895776682
617758	300ML	WHITE	12	7612895572505

A one-part moisture curing elastic adhesive and sealant. Sikaflex®-11 FC Purform® is used for interior and exterior multipurpose bonding and joint sealing. It has good and durable adhesion to most construction materials.



Concrete / Masonry/ Reconstituted or cast stone / Ceramic / Wood / Metal / Glass



Multi Stick

Hybrid Polymer Adhesive



TRUSTED

EXCELLENT BOND STRENGTH

ANTI-SLIP BONDING

BONDS VIRTUALLY ANYTHING


APPLY TO POROUS AND
NON-POROUS SURFACES
IN THE WET OR DRY!



SGAN	SIZE	COLOUR	QTY	BARCODE
525020	350ML	WHITE	12	5055492701725

A superior grab adhesive with the ability to bond virtually anything to everything in both wet and dry conditions, even underwater or in the rain.

With incredible initial grab, high bonding strength, and almost limitless applications, no tradesman should be without a tube of this next generation adhesive. Think of any bonding application and it is virtually certain Multi-Stick will handle it with ease.



Metal / Brick / Timber / Plastic / Concrete / PVCu



Maximum Torque
High Strength Hybrid Polymer Grab Adhesive



TRUSTED

SGAN	SIZE	COLOUR	QTY	BARCODE
484807	290ML	WHITE	12	5029347610814

Maximum Torque, based on next generation hybrid polymer technology is the ultimate high grab adhesive, providing a level of immediate grab strength not previously possible with cartridge packed adhesives.

The unique polymer blend gives incredible initial grab, typically double that of most grab adhesives on the market today, eliminating the need for temporary support in most applications. Maximum Torque has the ability to bond basically everything to anything in virtually all conditions.



Brick / Metal / Glass / Timber / PVCu

DOUBLE THE GRAB STRENGTH OF MOST ADHESIVES

CAN BE APPLIED TO WET OR DAMP SURFACES

INCREDIBLE INITIAL GRAB



Pinkgrip
Solvent Based Adhesive



NON-SLIP BONDING

SOLVENT BASED

NO NEED TO 'DOUBLE STICK'

FAST GRAB

Pinkgrip SF
Solvent Free Adhesive


SGAN	SIZE	COLOUR	QTY	BARCODE
486024	380ML	WHITE	12	5029347610081

A direct bond adhesive with all the legendary grabbing performance of original Pinkgrip but in a solvent free formula. Can be used to replace mechanical fixings in a wide variety of home improvement applications. Ideal for bonding wood, brick, plaster, plasterboard, polystyrene, metals and plastics. Available in Pink and White colours.




Pinkgrip's revolutionary grabbing strength usually removes the need to pin under the workpiece to prevent slipping or slumping.

Pinkgrip will stick just about anything on a building site that needs sticking. Its amazing grabbing strength not only removes the need to pin under the workpiece to prevent slumping, but its revolutionary initial 'Direct Bond' eliminates the need for double stick methods.



Brick / Metal / Timber / Concrete / Plastic



Brick / Metal / Timber / Concrete / Plastic

Pinkgrip Dry Fix FR Plasterboard Adhesive Foam

**SIGNIFICANT TIME SAVING
OVER CONVENTIONAL DRY
WALL ADHESIVES**

**SUITABLE FOR
PLASTERING IN
JUST 1 HOUR**

**BOARDS ONLY NEED
HOLDING
FOR 1 MINUTE**

**NO MIXING,
NO MESS**




SGAN	SIZE	COLOUR	QTY	BARCODE
489721	750ML	PINK	12	5029347606282

Pinkgrip Dry Fix FR is a revolutionary type of fast curing, adhesive foam that has been specially developed for the rapid installation of Plasterboard, Insulation Boards and other sheet materials such as Roof Decking and Floorboards.

The Dual Flow system means that it can be applied using the nozzle provided or attached to the Dry Fix Applicator Gun. Pinkgrip Dry Fix FR provides significant labour saving and convenience benefits when compared to traditional dry wall adhesives. It will bond to most common building substrates; can be applied horizontally or vertically to the board, wall or battens/beams.

Dry Fix FR conforms to the requirement of EN13501-1 Class E for fire rating.



Brick / Stone / Concrete / Timber / Plasterboard

Pinkgrip Dry Fix Applicator Gun

SGAN	SIZE	COLOUR	QTY	BARCODE
486434	-	-	1	5029347606466


Pinkgrip Dry Fix Applicator Gun - for use with Pinkgrip Dry Fix Fast Cure Dry Wall Adhesive.



Clear Fix Crystal Clear Hybrid Polymer Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
847141	290ML	CLEAR	12	5029347612931

A clear hybrid polymer grab adhesive that has the ability to bond just about everything in both interior and exterior applications. With added UV stabilisers, Clear Fix is the ideal choice for applications where you may see the colour of the product. Clear Fix is a versatile product which can be used in almost every application imaginable - even when immersed under water! Even more, Clear Fix comes in a completely Clear cartridge to illustrate the clarity of the product.




Metal / Glass / Brick / Timber / PVCu



Smart Tack Handy Aerosol

SGAN	SIZE	COLOUR	QTY	BARCODE
762050	500ML	BLUE	12	5029347601188

Standard aerosol for smaller jobs. Offers all benefits with lower pressure application. 500ML aerosol will cover 2.5-3.5m² of laminate when applied to both surfaces.




Laminates / Timber / Cork / Rubber / Metal



Smart Tack Bulk Tank

SGAN	SIZE	COLOUR	QTY	BARCODE
760277	17KG	CLEAR	1	5029347601171

For large scale use, delivers adhesive via a flexible hose to the gun. Bulk Tank will cover ca. 128m² per 17kg of laminate when applied to both surfaces.



Laminates / Timber / Cork / Rubber / Metal




D4

Wood Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
484942	1LTR	WHITE	12	5029347602703
484947	25LTR	WHITE	1	5029347611545

A solvent free industrial grade wood adhesive based upon hybrid resin technology. Can be used internally or externally, gives a high strength, totally waterproof, impact and temperature resistant bond. Dries clear, sets in 10 minutes. Ideal for all general woodworking and joinery uses, assembly line work, RF/HF Cure systems, wood on wood laminating, furniture assembly and household DIY use. **Conforms to EN 204. D4 Strength and WATT91.**




502 All Purpose Weatherproof

Wood Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
482248	250ML	-	12	5029347005238
482247	500ML	-	20	5029347005207
479511	1L	-	12	5029347005214
488859	5L	-	4	5029347005252

A high quality, resin based wood adhesive for all wood bonding. It can be used internally and externally and provides a high strength, impact resistant bond that is usually stronger than the wood itself. Ideal for all general woodworking and joinery uses, furniture assembly and household DIY use. Dries clear. Fast cure, initial set in just 10 minutes. **Conforms to the international standard EN 204 D3 and EN 14256 for resistance to static load.**



5 Minute Polyurethane

Wood Adhesive Gel

SGAN	SIZE	COLOUR	QTY	BARCODE
484682	310ML	TRANS	12	5029347809034

Lumberjack 5 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in just 5 minutes. This product gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which in turn increases the bond strength. Particularly suitable for equipment manufacture and production line applications where rapid handling is required. **Conforms to EN 204. D4 Strength.**



Wood / Metal / Brick / Concrete / Stone

30 Minute Polyurethane

Wood Adhesive Gel

SGAN	SIZE	COLOUR	QTY	BARCODE
484684	310ML	TRANS	12	5029347809010

Lumberjack 30 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in 30 minutes. This one-part, moisture curing gel gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Strength.**



Wood / Metal / Brick / Concrete / Stone

5 Minute Polyurethane

Wood Adhesive Liquid

SGAN	SIZE	COLOUR	QTY	BARCODE
484683	750GR	BROWN	6	5029347601133

Lumberjack 5 minute polyurethane wood adhesive liquid is brown in colour and is ideal for larger applications, or in the workshop where greater economy is required. Sets hard in 5 minutes. The liquid is 100% waterproof, gives exceptionally high bond strength and is resistant to most chemicals. The product foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Strength.**



Wood / Metal / Brick / Concrete / Stone

30 Minute Polyurethane

Wood Adhesive Liquid

SGAN	SIZE	COLOUR	QTY	BARCODE
484685	750GR	BROWN	6	5029347809027

Lumberjack 30 Minute Polyurethane Wood Adhesive Liquid is brown in colour and ideal for larger, horizontal applications where greater economy is required. Sets hard in 30 minutes. This liquid gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Strength.**





Wood / Metal / Brick / Concrete / Stone

SikaBond®-52
Wood Floor Adhesive




SGAN	SIZE	COLOUR	QTY	BARCODE
424418	600ML	BEIGE	20	7612894887525

A one-component, solvent-free, fast-curing, elastic wood flooring adhesive for professional use. SikaBond®-52 Wood Floor is suitable for use on most common types of wood floors, even problematic woods such as beech, maple and bamboo using liquid batten. Suitable for use with underfloor heating when used with the Sika® AcouBond System.

**SikaBond®-54**
Wood Floor Adhesive



SGAN	SIZE	COLOUR	QTY	BARCODE
427784	13KG	BEIGE	1	7612894907285

A one-component, solvent-free and elastic wood flooring adhesive that is for professional use. SikaBond®-54 Wood Floor is a full stick down adhesive for use on both solid and engineered wood floors. This product is also suitable for use with underfloor heating systems.

**SikaBond®**
Wood Floor Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
895010	14KG	PARQUET BROWN	1	7612655274861

A standard setting, trowel adhesive specially designed for fixing all types of wooden floors directly onto all common substrates. Available in pails for large areas of application and cartridges and foils for smaller applications such as fix and repair.



Check out full range of guns on page 13 within Sealants section

Sika® Primer MB





SGAN	SIZE	COLOUR	QTY	BARCODE
703839	10KG	BLUE	1	7612895782126

A low viscosity, solvent-free, two-component epoxy resin based primer and moisture barrier for wooden floors. Suitable for use in conjunction with SikaBond® elastic adhesives on critical substrates.

SikaBond® Rapid DPM

SGAN	SIZE	COLOUR	QTY	BARCODE
175129	5LTR	BROWN	4	5055047210603

A solvent-free, single-part, moisture curing polyurethane primer and damp proof membrane, ideal for use on cement based substrates. SikaBond® Rapid DPM can be used for priming, consolidating and sealing in various applications. This product is particularly ideal to use on absorbent and non-absorbent subfloors, consolidating weak cement screeds and isolating old adhesive residue. Can be used as DPM on subfloors under hydrostatic pressure.



Direct access to the entire Sika product portfolio via Sika B2B eShop



Scan QR code to log in or sign up


SCAN ME



Stick 2 Instant Contact Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
484612	750ML	BEIGE	12	5029347065058

Stick 2 All Purpose Contact Adhesive is a premium grade rubber based contact adhesive suitable for use with a wide variety of materials for both professional and DIY use. The product may be used for bonding decorative laminates, all types of wood, rigid PVC, ABS, leather, cork, linoleum, rubber, stone, metals and dense fabrics.




Laminates / Timber / Cork / Rubber / Metal



Stick 2 Instant Spray Contact Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
484593	500ML	-	12	5029347060855


A sprayable glue which bonds to most common materials including wood, concrete, stone, tiles, rubber, foam, metals, rigid plastics, polyethylene, canvas fabrics, cardboard, paper and cork. Ideal for securing most carpets/floor coverings. Suitable for internal and external use. Time saving spray – easier and quicker to apply than most trowel/spreader applied adhesives. Repositionable.



Stick 2 Carpet Fix Spray Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
762051	500ML	-	12	5029347603212

Sprayable medium duty glue which fixes P.U. and foam backed carpets, carpet tiles, underlay, paper felt and cork to most common substrates. Economical and time saving – quicker and easier than spreader applied adhesives. Foaming formula gives low soak into substrates.




Stick 2 Industrial Superglue GP

SGAN	SIZE	COLOUR	QTY	BARCODE
484652	50GRM	CLEAR	20	5029347602345

Medium viscosity formula fills gaps to 0.1mm. For use on perfect fit surfaces where fast set is required. Bonds nonporous surfaces eg. most plastics, metals, glass, PVCu, rubber and EPDM. Viscosity at 25°C – 100cPs. Set time 5 to 15 seconds. Packed in self merchandising display boxes.



PVCu / Plastic / Glass / Metal



Timber / Plastics / Metal

Mitre Fast Kit

SGAN	SIZE	COLOUR	QTY	BARCODE
489755	STD	CLEAR	6	5029347601119
462029	STD	CLEAR	24	5029347611637
489750	LRGE	CLEAR	6	5029347601126

A two-part instant adhesive system comprising a cyanoacrylate adhesive and aerosol activator. Mitre Fast is mainly used in the furniture, timber, kitchen and plastics industries where its instant bonding properties dramatically reduce assembly times for mitre joints.



LANDSCAPING

Jointing Compounds	38
Sealing and Protecting	40
Surface Cleaners and Treatments	42



Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED



SCAN TO SEE THE FULL RANGE

Sika® FastFix All Weather
Paving Jointing Compound

TRUSTED

FOR USE ON JOINTS FROM
JUST 20MM DEEP

EASY TO APPLY - FAST TO SET



SGAN	SIZE	COLOUR	QTY	BARCODE
669017	15KG	DARK BUFF	1	5055492703644
669016	14KG	DEEP GREY	1	5055492703637

A self-setting paving jointing compound that provides the ideal solution to perfect pointing on paving, paths and patios. Containing a unique formula, Active Resin Technology for advanced durability, Sika® FastFix All Weather is ready to use with no mixing required.

Suitable for use in all weather conditions; even in the rain. This product will not shrink or crack over time. Available in 5 colours.



Colour swatches are a guide only and may vary.

ACTS AS A NATURAL BARRIER
FOR WEED GROWTHNO WASTE - STORE AND REUSE
ONCE OPENED**SikaCeram® FlowFix**
Porcelain Paving System

SikaCeram® FlowFix is a high performance porcelain paving installation system, consisting of a bonding primer and jointing compound.

SikaCeram® FlowFix Bonding Primer is used to provide an exceptional bond between porcelain paving and the bedding mortar. Mixed solely with water, SikaCeram® FlowFix Bonding Primer is applied with a brush or roller to the rear of the paving when laying, to prevent the paving system breaking away from the mortar bed.


SikaCeram® FlowFix Jointing Compound is a controlled, emmentitious flowable jointing grout which is applied by mixing with water on site. SikaCeram® FlowFix Jointing Compound is poured over joints with ease and worked into other exposed joints by squeegee. Once dry the surplus is simply washed off. SikaCeram® FlowFix Jointing Compound is a highly workable product that is non-permeable once cured.

**SikaCeram® FlowFix**
Bonding Primer

SGAN	SIZE	COLOUR	QTY	BARCODE
907593	20KG	GREY	1	5055492703286

**SikaCeram® FlowFix**
Jointing Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
907670	15KG	IVORY	1	5055492703972
907596	15KG	LIGHT GREY	1	5055492703965
907595	15KG	DARK GREY	1	5055492703989
907594	15KG	BUFF	1	5055492703996




Colour swatches are a guide only and may vary.

Sika® Block Paving Fix

Narrow Paving Joint Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
879940	20KG	BUFF	1	5055492700223

A fast and effective moisture curing jointing compound designed to deliver a durable low-maintenance finish. Formulated for all types of block paving and narrow joints less than 5 mm - ideally joints should be 3-4 mm.



Sika® Path & Patio Sealer

For sealing and protecting patios, paving and stonework

SGAN	SIZE	COLOUR	QTY	BARCODE
880086	5LTR	CLEAR	4	5055047206354

A low-odour, water-based, acrylic coating that is ideal for sealing and protecting patios, paths, natural stone, concrete and block paving. Sika® Patio Seal protects against the effects of water, petrol and organic growth. The product dries to a hard-wearing, water repellent film which gives a low sheen slip-resistant finish.




Sika® Stone Protector

Water-based treatment for protecting natural stone

SGAN	SIZE	COLOUR	QTY	BARCODE
905916	5LTR	CLEAR	4	5055047210993

A water-based sealer which is suitable for all forms of porous stone. Once applied to a surface, Sika® Stone Protector resists stains without changing the aesthetic look of the surface it is applied to.



Sika® Water Sealer

High performance water repellent for walls

SGAN	SIZE	COLOUR	QTY	BARCODE
880435	5LTR	CLEAR	4	5055047210986

A solvent free water repellent and protector for concrete, brick, stone and masonry which protects against rainwater penetration without changing the aesthetic appearance of the substrate.



Sikagard®-700 S

Siloxane Based Water Repellent Impregnation Class I

SGAN	SIZE	COLOUR	QTY	BARCODE
100861	5LTR	CLEAR	1	5604672000211
100862	25LTR	CLEAR	1	5604672000365

A one-part solvent based water repellent impregnation for absorbent cementitious substrates. It penetrates well into the open pores of the substrate, providing durable water repellency, while still allowing water vapour diffusion in both directions.



SIKA® DIY PRODUCT GUIDE



SCAN QR CODE

for help with landscaping solutions from basement to roof.



Sika® Brick and Patio Cleaner

Cleaning Solution for Brickwork and Patios

SGAN	SIZE	COLOUR	QTY	BARCODE
102476	5LTR	-	4	5055047200581

A fast acting, acid based cleaning solution for brickwork, concrete and paving. Sika® Brick and Patio Cleaner contains a powerful formula that dissolves mortar and cement stains, ingrained dirt, efflorescence on mineral surfaces.



Sika® Dustproof & Concrete Hardener

For strengthening weak or porous concrete

SGAN	SIZE	COLOUR	QTY	BARCODE
879841	5LTR	-	4	5029347004354

An economic, ready to use dustproof and concrete surface hardener for concrete floors, paths and driveways. Sika® Dustproof is suitable for hardening and dustproofing both old and new concrete.



Sika® Stabilising Solution

SGAN	SIZE	COLOUR	QTY	BARCODE
879950	5L	-	4	5029347601508

A microscopically fine polymer emulsion which penetrates dusty/chalky and badly weathered surfaces to leave a stable sound base for decoration with paint, wallpaper, tiling etc. Suitable for both interior and exterior use.



Sika® Mould Buster

Mould and Algae Treatment

SGAN	SIZE	COLOUR	QTY	BARCODE
905719	5LTR	-	4	5055047209096

A powerful, fast acting solution which is effective on most surfaces. Sika® Mould Buster removes algae, mould and green growth without the need for scrubbing or pressure washing.



Sika® Tarmac Restorer

High Performance Surface Coating

SGAN	SIZE	COLOUR	QTY	BARCODE
879951	5LTR	BLACK	4	5029347612856

A high performance surface coating specially formulated to make tired old tarmac look just like new. Tarmac Restorer provides a tough, durable, low sheen finish which protects from weathering, oil and petrol spills and unsightly plant and weed growth. Tarmac restorer is easy to apply, provides long term protection, reduces further tarmac repair needs and restores the deep, black finish of your tarmac. As it is quick drying, driveways can be used after only 4 hours of the product being applied.



**Need a quick fix before you clean and treat?
Check out our Concrete and brick repair range.**

See page 91



ROOFING

Roof Repair	46
Flashing	49
Bitumen	50

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED




SCAN TO SEE THE FULL RANGE

Sika® Evercryn® One Coat
 Roof Repair Compound

TRUSTED
CAN BE USED IN THE WET
NO PRIMER NEEDED

ONE COAT APPLICATION
APPLY WITH A BRUSH

SGAN	SIZE	COLOUR	QTY	BARCODE
851479	5KG	BLACK	4	5029347600976
851590	5KG	TRANS	4	5029347612665
851569	5KG	GREY	4	5029347600716



Evercryn is a resin based, fibre re-enforced* roof repair compound which is effective on all common roofing surfaces, giving instant roof repairs even in the wet and on wet surfaces. May also be applied in frosty conditions down to -5°C.

Evercryn is instantly waterproof when applied, there is no fear of wash off so emergency leaks can be tackled immediately as there is no need to wait for the rain to stop. Evercryn is brush applied and dries to a smooth seamless flexible membrane which resists algae and fungal growth. Because of the high level of fibre reinforcement, Evercryn will bridge small cracks and requires only a one coat brush application to give instant and total water protection, even in areas subject to ponding. Evercryn requires no primer on sound non-porous surfaces. Specifically designed for the following applications: general sealing, maintenance, repair and waterproofing of most common roofs in wet or dry conditions – for use on concrete, fibre/cement, roofing felt, mastic asphalt, existing bituminous roof coatings, rigid PVCu, corrugated iron, metals, slates, brickwork, tiles, lead, copper and zinc.

*Excludes translucent.

SOLUTIONS FOR YOUR MODULAR BUILDING

SOLUTIONS FROM THE BASEMENT TO THE ROOF

AUTOMATION
 FOR REDUCTION IN LABOUR COSTS

ACOUSTIC SOLUTIONS TO AID NOISE REDUCTION AND IMPROVE COMFORT

FAST PRODUCTION TIME TO REDUCE CYCLES AND INCREASE OUTPUTS

FASTER PRODUCTION RESULTING IN COST SAVINGS FOR THE CUSTOMER

SAFE AND SECURE BUILDINGS WITH FIRE PROTECTION SYSTEMS

HIGH QUALITY PRODUCTS AND SERVICE TO MEET LOCAL AND INTERNATIONAL BUILDING REGULATIONS

EXPERT SPECIFICATION SUPPORT COMBINING INDUSTRY KNOW-HOW WITH CONSTRUCTION PRODUCTS

IMPROVE STRUCTURAL INTEGRITY AND REDUCE WEIGHT BY THE USE OF ADHESIVES

REDUCE MATERIAL HANDLING AND WASTE FOR A MORE SUSTAINABLE MANUFACTURING PROCESS

DEDICATED SPECIALIST MMC DIVISION OPTIMISING SUPPLY CHAIN PARTNERSHIP

ONLY SIKA CAN PROVIDE CUSTOMERS WITH ALL THIS


SikaRoof® Liquid Membrane All Weather Roofing System



TRUSTED

**PU WATERPROOFING LIQUID MEMBRANE
FOR FLAT AND PITCHED ROOFS**

**FAST CURING - RAIN
RESISTANT IN 10 MINUTES**

SGAN	SIZE	COLOUR	QTY	BARCODE
881237	7KG	SLATE GREY	4	5029347614164
881238	21KG	SLATE GREY	1	5029347614171
97480	1M X 50M	-	1	7612894436402

An easy to use, all weather roofing system ideal for waterproofing flat or pitched roofs.

An easy to use, all weather roofing system ideal for waterproofing flat or pitched roofs. SikaRoof® Liquid Membrane is a one-component, fast curing, polyurethane based waterproofing system for flat and pitched roofs. Applied in two coats by brush or roller, SikaRoof® Liquid Membrane creates a solid, seamless, waterproof membrane that remains permanently flexible, making it the ideal solution for new installations, the refurbishment of old or to overlay most common roofing substrates.

SikaRoof® Liquid Membrane comes ready to use and is cold applied by brush or roller, using moisture in the air to cure meaning no additional catalyst is required. And what's more, it will cure in many weather conditions becoming completely rain resistant in just 10 minutes, even if a pool of water forms on top of it.

Suitable for use on a variety of substrates, SikaRoof® Liquid Membrane is compatible with concrete, mortar, stone, fibre cement, roof tiles. Not only that but it can also be applied to asphalt, roofing felt and bituminous coatings with the use of full reinforcement in the form of Sikalastic Fleece-120.




**MOISTURE CURING TECHNOLOGY
- NO CATALYST REQUIRED**

**FOR NEW ROOFS AND
REFURBISHING OLD ROOFS**

Sika® Black Jack® Flashing Tape Self Adhesive Flashing Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
852562	100MM	LEAD LOOK	6	5029347099022
852563	150MM	LEAD LOOK	4	5029347099039
852564	225MM	LEAD LOOK	2	5029347099046
852565	300MM	LEAD LOOK	2	5029347099053

Black Jack self adhesive flashing with natural lead-look finish. All available in 10mtr long rolls.



SikaSeal®-173 Roof Seal

SGAN	SIZE	COLOUR	QTY	BARCODE
77748	300ML	BLACK	12	7612895956008

Premium quality sealant and adhesive based on modified bitumen. It provides an instant and weatherproof seal for a wide variety of roofing applications. After curing, it remains soft and flexible, and is resistant to very high temperatures, UV and harsh weather conditions



STEP ONE

Ensure all surfaces are sound, clean and free from dust and loose friable material.



STEP TWO

Apply the first coat of SikaRoof® Liquid Membrane liberally at a thickness of 1mm, by brush or solvent-resistant roller.



STEP THREE


If required, apply Sikalastic Fleece-120 on top of the first coat whilst still wet, overlapping the edges.



STEP FOUR

Apply a second coat at a similar thickness to the first, immediately after laying the fleece.

For full application instructions, please refer to latest Product Data Sheet or contact the Sika Technical Team.



Sika® Black Jack® 901
 Bitumen Paint

SGAN	SIZE	COLOUR	QTY	BARCODE
852659	5LTR	BLACK	4	5029347009151

A solvent based, full bodied black bituminous paint. When dry, the product forms an odourless and taint free black film suitable for metal protection, and overcoating felt.


Sika® Black Jack® 903
 Bitumen Trowel Mastic

SGAN	SIZE	COLOUR	QTY	BARCODE
852674	5LTR	BLACK	4	5029347009359

A trowel applied, black, heavily filled bituminous compound with added fibres for reinforcement. The product forms a surface skin, but the mass below remains soft to allow for moderate movement. Suitable for sealing and filling holes in mastic asphalt, roofing felt, corrugated iron, metal guttering and downpipes.


Sika® Black Jack® 902
 Bitumen and Flashing Primer

SGAN	SIZE	COLOUR	QTY	BARCODE
852671	5LTR	BLACK	4	5029347009250

A thin black primer used to give a key prior to applying bitumen paints, roof coatings and flashing.


Sika® Black Jack® 904
 Roof Felt Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
852652	5LTR	BLACK	4	5029347009458

A cold applied, oxidised bitumen based adhesive used to bond roofing felt to most surfaces. Specifically designed for bonding all types of roofing felt to metal and concrete, sealing felt laps and as a cold gritting solution for bonding mineral chippings.


Sika® Black Jack® 905
 All Weather Roof Coating

SGAN	SIZE	COLOUR	QTY	BARCODE
852567	5LTR	BLACK	4	5029347009557

A solvent based, full bodied black brushable bitumen compound with added fibres for reinforcement. It is an effective general purpose roof coating that is resistant to wash off by rain almost immediately. The product is specifically designed for general waterproofing in all roofing applications.


Sika® Black Jack® 908
 DPM

SGAN	SIZE	COLOUR	QTY	BARCODE
852663	5LTR	BLACK	4	5029347009854
917803	25LTR	BLACK	1	5029347009830

An rubber enriched bitumen emulsion which provides a highly effective sandwich damp proof membrane for floors. Acts as a waterproofer for walls, above ground structures and foundations. DPM is also suitable as an adhesive for wood block and mosaic panels, insulation boards etc.


Sika® Black Jack® 907
 Solar Reflective Paint

SGAN	SIZE	COLOUR	QTY	BARCODE
852668	5LTR	SILVER	4	5029347009755

A thin bituminous based aluminium protective paint of brushable consistency which dries to a silvery finish. The product is specifically designed for application over primed metal walls and roofs to reduce heat absorption.


Leadmate
 Patination Oil

SGAN	SIZE	COLOUR	QTY	BARCODE
489041	1LTR	-	10	5029347608873

Specially formulated to provide a protective coating for newly installed leadwork, that helps to prevent the white carbonate staining that affects new lead and surrounding tiles, brickwork, stonework etc. Just one coat of Patination Oil helps to provide a uniform attractive appearance to newly installed lead and helps the ageing process whilst the natural patina of the lead is being formed.





EXPANDING FOAMS

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED

Professional and DIY

54



SCAN TO SEE THE FULL RANGE

Sika Boom®-180 Fix & Fill Expanding Foam

SGAN	SIZE	COLOUR	QTY	BARCODE
781563	750ML	-	12	7612655000729

A polyurethane, one-part, self-expanding foam designed for insulating and filling cavities and voids, filling joints around window and door frames, insulating against noise, cold and draughts, filling around pipes / conduit penetrations.



Sika Boom®-580 Fix & Fill Expanding Foam

SGAN	SIZE	COLOUR	QTY	BARCODE
781582	750ML	-	12	7612655000293

A polyurethane, one-part, self-expanding foam made for professional application by dispenser gun designed for: Insulating and filling cavities and voids, filling joints around window and door frames, Insulating against noise, cold and draughts, filling around pipes / conduit penetrations.

For professional use only.



P45 Medium Duty Metal Gun

SGAN	SIZE	COLOUR	QTY	BARCODE
486679	P45	-	1	5029347603526

P45 Foam Gun gives the user more control to apply the foam precisely in hard to reach places, saving unnecessary wastage.




Firefoam B1 Gun Grade

SGAN	SIZE	COLOUR	QTY	BARCODE
488715	750ML	PINK	12	5029347611729

A quick-setting fire rated, one-part polyurethane foam. It expands on application to yield up to 50 times the can contents. Fire rated up to 4 hours in certain joint configurations, meets requirements of the test criteria DIN 4102 Part 1 for Construction Materials, Class B1 and BS 476 Part 20.

For professional use only.




PVCu / Plastic / Brick / Stone /
Concrete / Metal / Timber



Thermofoam Insulating and Acoustic Expanding Foam

SGAN	SIZE	COLOUR	QTY	BARCODE
489712	750ML	-	12	5029347613587

Specially formulated, highly flexible PU foam that absorbs component movement thereby giving an air tight seal to reduce heat loss and improve energy efficiency in buildings.




PVCu / Plastic / Brick / Stone /
Concrete / Metal / Timber



Constructa-Pro Adhesive Foam

SGAN	SIZE	COLOUR	QTY	BARCODE
538593	750ML	-	12	5029347615024

A high strength adhesive foam designed for use in a multitude of building applications. Adheres well to most common building materials. Once cured, it's rot-proof, and moisture and temperature resistant from -40°C to +80°C. Suitable for a wide range of applications, e.g. as an adhesive for fixing plasterboard, insulation board, fixing skirting boards or a mortar substitute for building rough garden walls, planters etc.




Brick / Stone / Concrete / Metal / Timber



Dual Purpose Foam Cleaner

SGAN	SIZE	COLOUR	QTY	BARCODE
488713	500ML	-	12	5029347126001

Used to remove wet/uncured foam. Attaches to Gun Foam Applicator for purging through; also includes spray nozzle for use without applicator to remove wet foam from outside of the gun and from most building substrates. The unique threaded collar fits most gun foam applicators, including the above Everbuild foam applicators guns.



FILLERS AND DECORATING SUNDRIES

Surface Protectors	58
Decorating Fillers	60

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED



SCAN TO SEE THE FULL RANGE


Roll and Stroll

Premium Carpet Protector



SGAN	SIZE	COLOUR	QTY	BARCODE
462111	25MTR	YELLOW	6	5029347605636
484946	75 MTR	YELLOW	1	5029347605643

The ultimate fire-rated, self-adhesive carpet protector with the adhesive coating on the outside making light work of unwinding and applying to the area. Safer than dust sheets, Roll and Stroll is totally waterproof, won't tear and can be left for up to 4 weeks.



FIRE RATED

TOTALLY WATERPROOF - PROTECTS AGAINST SPILLAGES

WON'T TEAR OR RIP

CAN BE USED ON FLAT SURFACES AND STAIRCASES



Roll and Stroll

Textured Non-Slip Carpet Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
484868	75MTR	YELLOW	1	5029347610265

Roll and Stroll Textured Non-Slip Carpet Protector is the ultimate self adhesive carpet protection system. With the adhesive coating on the outside, it is easy to unwind, safer than dust sheets and has a multitude of uses across all trade sectors. Totally waterproof and textured to make it non-slip.




Roll and Stroll

Hard Surface Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
462110	25MTR	CLEAR	6	5029347606077

Roll and Stroll Hard Surface Protector is the ultimate self adhesive floor protection, works on all hard surfaces such as timber, ceramic tiles, laminate, vinyl, metal and stone. It is also suitable for use on worktops, window sills; doors and kitchen units. With the adhesive coating on the outside it is easy to unwind, safer than dust sheets and has a multitude of uses, protects against spillage and won't tear or rip.



Roll and Stroll

Glass Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
467445	25MTR	RED	15	5029347611248

Glass Protector is the ultimate self adhesive protector ideal to protect glass against the mess, dirt, staining, spillages and soiling that occurs during general building and decorating work. It also reduces the risk of costly scratches to glass. With the adhesive coating on the outside it is also easy to apply.



One Strike


Ready Mixed Filler



SGAN	SIZE	COLOUR	QTY	BARCODE
461917	450ML	WHITE	12	5029347300050
461916	1LTR	WHITE	6	5029347300012
488534	2.5LTR	WHITE	1	5029347603458
480347	5LTR	WHITE	1	5029347300500

One Strike is a revolutionary filler, formulated using lightweight polymer bubbles that fill most holes and cracks; even deep holes.

For use in plaster, wood, brick, stone and rendering. Ideal for overhead applications as One Strike will not slump out of cracks. One Strike finishes smooth, requiring little or no sanding and is ready to paint or wallpaper over in just 30 minutes.



Brick / Stone / Concrete / Plaster

TRUSTED

IT WON'T SLUMP
(EVEN OVERHEAD)

IT WON'T SHRINK OR CRACK

IT WON'T NEED LAYERS TO FILL

IT WON'T NEED SANDING



IT WON'T TAKE LONG
TO DRY (30 MIN)

IT WON'T BREAK THE BANK

All Purpose

Powder Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
480442	450GM	WHITE	16	5029347600570
480443	1.5KG	WHITE	10	5029347600587

All Purpose Powder Filler for both interior and exterior use, with added PVA for extra strength. Fills holes up to 40mm deep. For repairs to plaster, brick, stone, wood, can be nailed or screwed when dry. Quick setting, non-shrink.



All Purpose

Ready Mixed Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
480176	600GM	WHITE	12	5029347000899
480182	1KG	WHITE	12	5029347000882

All Purpose Filler is an easy to use ready mixed filler which is suitable for both interior and exterior use. Fills holes up to 9mm deep. Dries to a smooth but tough crack resistant sandable finish which may be painted, papered or stained. Designed for repairs to plaster, plasterboard, brick, render, wood, stone and most other building materials.



Multi Purpose Joinery Grade

Wood Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
480461	250ML	LIGHT STAINABLE	6	5029347603359
480462	250ML	MEDIUM STAINABLE	6	5029347603366
480463	250ML	PINE	6	5029347608286
480464	250ML	MAHOGANY	6	5029347608323
480465	250ML	LIGHT OAK	6	5029347608309
480466	250ML	DARK OAK	6	5029347608316
499701	250ML	TEAK	6	5029347613921
480467	250ML	WHITE	6	5029347608293

Multi-Purpose Wood Filler fills nail holes, cracks, gaps and minor imperfections in wood. It is easy to sand, can be stained, varnished and painted and is solvent free.



Wood / Brick / Stone /
Concrete / Plaster

Keep it simple with Caulk Once

See page 7





TAPES

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED

Building Tapes	64
Repair Tapes	66



SCAN TO SEE THE FULL RANGE

Mammoth Powerful Grip Tape
Extra Strong Double Sided Tape



TRUSTED

ULTIMATE GRIP STRENGTH

BONDS ALMOST ANYTHING

OUTDOOR AND
INDOOR USE

SGAN	SIZE	COLOUR	QTY	BARCODE
484679	5MM X 2.5M	CLEAR	24	5029347605773
484680	50MM X 2.5M	CLEAR	12	5029347605766

Mammoth Powerful Grip Tape is a double sided tape that breaks the rules, with an incredible immediate bond strength that has to be seen to be believed. It will bond to virtually any material, indoors or outdoors including ceramics, brickwork, wood, metal, plastics and PVC.

It is moisture resistant and will not degrade with U.V light. Ideal for use in the home, industry, construction and office. Can be used in many applications to replace drilling, plugging and unsightly screws.



American Duct Tape
Duct Tape



TRUSTED

100% WATERPROOF

50MM WIDTH

SGAN	SIZE	COLOUR	QTY	BARCODE
487240	25MTR	ORANGE	12	5029347610326

American Duct Tape is a remarkable tape which is not only thick, strong and 100% waterproof; it also has the most amazing adhesive quality.

DOUBLE STRENGTH ADHESIVE

STRONG WEAVE FABRIC

EASY TEAR



Mammoth Mega All Purpose Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
483326	50MM X 50M	BLACK	24	5029347600549
483329	50MM X 50M	SILVER	24	5029347602628

The ultimate all purpose duct tape, top quality cloth with aggressive natural rubber adhesive. Tough, durable and waterproof, for thousands of applications on site, in the home and industry, in the widest possible range of colours.



Mammoth Aluminium Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
482270	45MTR	SILVER	24	5029347604509

Heat and light reflective aluminium foil tape, heat resistant to 180°C, flame retardant to Class O. Excellent moisture resistance, ideal for use as a vapour barrier between foil faced insulation panels in roof and wall applications, duct sealing on all types of air conditioning and ventilation and protecting wires and pipes from heat.



Mammoth Gaffa Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
467448	50MM X 45M	BLACK	12	5029347611743
696047	50MM X 45M	SILVER	12	5029347611736

Gaffa Tape is a strong, tough and durable utility grade cloth tape for use in repairs in construction, industry, home and garden.



Silweld Silicone Self Fusing Repair Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
484806	3MTR	BLACK	6	5029347611279

Silweld is the incredible silicone self fusing tape that can be used to repair almost anything from an emergency repair to a water hose or air pipe to insulating electrical wires or connections.

It creates an air tight, watertight seal in seconds without the need for any adhesive and even works underwater. Excellent electrical insulator up to 8,000 volts, withstands extreme temperatures -65°C to 260°C and even withstands pressure to 700psi. Silweld also resists petrol, oil, acids, solvents, salt water and UV rays.



EuroScrim Self Adhesive Scrim Tape



FLEXIBLE, WILL NOT
BUBBLE OR BLISTER

FOR DRYWALL, PLASTER
WALLS AND CEILINGS

SGAN	SIZE	COLOUR	QTY	BARCODE
484687	48MM X 90M	WHITE	24	5029347611750
484688	100MM X 90M	WHITE	12	5029347612627

EuroScrim is a premium quality, quick and easy to apply, self-adhesive scrim tape that is made in Europe to perform!

EuroScrim has a quality high tack adhesive and an open mesh that will not blister or bubble, creating perfect joints every time.



TRUSTED

QUICK AND EASY TO APPLY

SELF ADHESIVE -
ELIMINATES NEED FOR
PRE-PLASTERING





CLEANERS

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED

Wipes	70
Wipes and Cleaners	71



SCAN TO SEE THE FULL RANGE

Wonder Wipes Multi-Use



TRUSTED

SGAN	SIZE	COLOUR	QTY	BARCODE
467442	100	-	6	5029347601522
484948	300	-	1	5029347604172
524290	500	-	1	5029347614379

Multi-Use Wonder Wipes are specially formulated to clean hands, tools and surfaces from wet and semi-cured paint, sealant, adhesive, bitumen, expanding foam, oil, grease and even silicone.

Useful when there is no water on site. Wonder Wipes contain a powerful anti-bacterial additive that is tested by an independent laboratory to BSEN 1276:2009.



**ROBUST AND EXTRA
ABSORBENT TRIPLE LAYER
WIPE THAT TRAPS DIRT
AND ABSORBS MOISTURE**

**ANTIBACTERIAL ADDITIVE
TO PROVIDE PROTECTION**

**CONTAINS VITAMIN E
AND ALOE VERA TO
NOURISH HANDS**



Wonder Wipes Biodegradable

Introducing Sika Wonder Wipes Biodegradable, a fantastic addition to the popular range, offering exceptional cleaning power on hands, tools, and surfaces.

These 100% biodegradable and plastic-free wipes are engineered with extra thickness, providing superior strength for a reliable and durable cleaning experience. Formulated to easily clean tough grime, these wipes can remove Paint, Silicone, Adhesive, Bitumen, Expanding Foam, Oil, Grease, and more.

Sika Wonder Wipes Biodegradable are available in frowrap packaging for easy storage, improved accessibility, as well as keeping the wipes fresher for longer.

SGAN	SIZE	COLOUR	QTY	BARCODE
780111	60	-	12	5055492704016



**100% BIODEGRADABLE
AND PLASTIC-FREE WIPES**

**EXTRA THICK MATERIAL
FOR EXCEPTIONAL
CLEANING**

**CONTAINS AN
ANTI-BACTERIAL
ADDITIVE**



**CONTAINS ALOE VERA TO CONDITION SKIN
AND PREVENT DRYNESS AND CRACKING**

Wonder Wipes Heavy Duty

SGAN	SIZE	COLOUR	QTY	BARCODE
467443	75	-	6	5029347609467


Heavy Duty Wonder Wipes are textured wipes which are specially formulated for the building, engineering and allied trades to clean ingrained dirt from hands, tools and surfaces.



All Purpose Silicone Spray

SGAN	SIZE	COLOUR	QTY	BARCODE
484813	400ML	-	12	5029347600648

All Purpose Silicone Spray is a dry silicone lubricant and mould release agent for the easing of friction between two surfaces. Ideal for use in mould making/release industries, to ease installation of rubber and EPDM gaskets to window and door frames and has 100's of uses around the home, garage, workshop and industry. Silicone Spray will also enhance the appearance of vinyl and hard surfaces such as car dashboards etc, where the dry-bright finish will eliminate the need for polish.



BUILDING SUPPLIES

Trusted products are tried and tested by leading tradespeople on the most demanding of projects



TRUSTED

Waterproofing	74
Building Admixtures	79
Self Levelling Compounds and Floor Products	81
Floor Paints and Line Markers	83
Wall Finishing	84
Concrete and Brick Repair	85
Chemical Anchors	97




SCAN TO SEE THE FULL RANGE

Sika®-1 Waterproofer
Liquid Waterproofing Additive

SGAN	SIZE	COLOUR	QTY	BARCODE
114448	5LTR	YELLOW	4	5055047200024

A liquid waterproofing additive for mortar and concrete.

The colloidal silicates in the additive swell and block the capillaries and pores in the applied sand/cement renders, screeds and mortar to provide an effective barrier against the transmission of liquid water.




CONSUMPTION: 0.75LTR PER 25KG CEMENT



Sika®-4a
Water Stop

SGAN	SIZE	COLOUR	QTY	BARCODE
114454	5LTR	CLEAR	4	5055047200109


A ready to use, quick setting, liquid which is mixed with water and ordinary portland cement to produce a paste for leak stopping. Sika®-4a Water Stop is suitable for use against high or moderate water pressure infiltrations.



Sika® Damp Proofing Slurry
Damp-proofing and Waterproof Coating

SGAN	SIZE	COLOUR	QTY	BARCODE
102198	25KG	GREY	1	5055047201021


A high-quality, thin layer, waterproof slurry coating that contains special cements and admixtures that provides a finish that prevents dampness and water penetration. Easy to mix and apply as well as being overpaintable with vapour permeable coatings.



SikaMur®
InjectoCream-100

SGAN	SIZE	COLOUR	QTY	BARCODE
425016	300ML	-	12	7612894892604


A silane-based, waterproof cream that can be inserted into holes in mortar course of the wall to provide a Damp Proof Course (DPC) that will block future rising damp.



Sikalastic®-1K ES

SGAN	SIZE	COLOUR	QTY	BARCODE
842022	20KG	LIGHT GREY	1	5055492701305


A one-component, crack bridging, fiber-reinforced mortar, based on cement modified with special alkali-resistant polymers. Sikalastic®-1K ES is suitable for application by brush or trowel. Waterproofing of bathrooms, showers, swimming pool before the application of ceramic tiles bonded with adhesives. Flexible waterproofing and protection of concrete structures including tanks, basins, pipes, etc.

**SikaSwell® A**

Acrylic Swellable Joint Sealing Profile

SGAN	SIZE	COLOUR	QTY	BARCODE
169890	10M	RED	1	76128946919007

An acrylic sealing profile which swells in contact with water to seal all types of joints and penetrations in concrete. It has a rectangular profile used to seal construction joints in Pipe and steel work penetrations through walls and floor slabs, construction joints in cable ducts, etc.

**Sikalastic®-6100 FX**
WRAS Approved Waterproofing Mortar

SGAN	SIZE	COLOUR	QTY	BARCODE
799028	15KG	GREY	1	4049499017706
818463	15KG	WHITE	1	7612655063410

A one-component, cement based, elastic and flexible, lightweight and fast curing membrane for waterproofing and concrete protection. When mixed with water, Sikalastic®-6100 FX obtains a fluid consistency so that it can be easily hand applied or sprayed. Structures waterproofed with Sikalastic®-6100 FX can be filled with water (including potable water) after 72 hours of curing.

**Sika Igolflex P-01 IT**
Water-based bituminous emulsion primer

SGAN	SIZE	COLOUR	QTY	BARCODE
604015	10LTR	-	1	7612894698312

A one-part water-based ready to use bituminous primer. It improves adhesion and consolidation of the substrate prior to the application of thick bitumen coatings and bituminous sheet membranes.

**Sika® Igolflex®-301**
1-part Elastomeric Bituminous
Liquid Applied Membrane

SGAN	SIZE	COLOUR	QTY	BARCODE
612196	10KG	BLACK	1	7612895564821
643614	0.2 KG	-	1	7612895645711

A one-part, water based, elastomeric bituminous liquid applied membrane for waterproofing against water ingress on horizontal and vertical surfaces. Waterproofing and damp proofing of below and above ground concrete structures to protect against water ingress. Waterproofing beneath final finishes such as tiles in wet rooms and swimming

**Sika Igolflex P-10**
Solvent based bituminous primer

SGAN	SIZE	COLOUR	QTY	BARCODE
600656	20LTR	BLACK	1	7612895546209

A solvent-based bituminous primer, ready to use. Suitable surfaces: concrete, timber and metal.

**SikaShield® E80 HDPE SA 1,5 mm**
Self-adhesive bituminous membrane for
post-applied below ground waterproofing

SGAN	SIZE	COLOUR	QTY	BARCODE
679736	1 X 20M	BLACK	1	7612895716947

A bituminous, self-adhesive, fully bonded, post-applied, waterproofing sheet membrane with a thickness of 1.5 mm. It consists of a cross-laminated HDPE film that is pre-coated with an SBS modified bitumen compound.



Sika Waterbar® FB-125

Bonded Flexible Waterstop for Sealing Construction Joints

SGAN	SIZE	COLOUR	QTY	BARCODE
674002	50M	GREY	1	7612895706337

A hybrid waterstop with a rough textured surface based on flexible polyolefin (FPO). The waterstop is placed into the fresh concrete and becomes fully embedded in the cured concrete. It provides a fully bonded, durable watertight seal, that prevents any lateral water underflow.

**Sika Waterbar® FB Bracket**

Mounting bracket for Sika Waterbar® FB-125

SGAN	SIZE	COLOUR	QTY	BARCODE
692357	-	GREY	50	7612895748603


Sika Waterbar® FB Bracket is a mounting bracket for Sika Waterbar® FB-125.

**Sika MaxMix®**

Concentrated Mortar Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
880826	1LTR	-	6	7612894694888

A highly-concentrated, air entraining liquid plasticising admixture that is twenty five times the strength of conventional products. Forms extremely stable air bubbles in mortar mixes that improves the consistency and workability of mortar. Sika® MaxMix® Mortar Plasticiser helps to prevent shrinkage, cracking, crazing and mild frost damage.

**SikaMix®**

Mortar Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
445021	5LTR	-	1	5055492700483

A general purpose, liquid mortar plasticiser for brick and blockwork mortars. SikaMix® Plus Increases the workability and improves the quality of mortars, renders and plasters. Also, improves the frost resistance of hardened mortar.

**Sika Waterbar® D-240 FPO**

Internal waterbars for expansion joints

SGAN	SIZE	COLOUR	QTY	BARCODE
784392	25M	GREY	1	7612655005342

Sika Waterbar® D-240 FPO are flexible, internal waterbars for expansion joints made from FPO.

**Sika® Drain-850 Geo**

Dimpled drainage and protection sheet with integral filtration layer

SGAN	SIZE	COLOUR	QTY	BARCODE
514907	30.5M	BLACK	1	7612895306636


Sika® Drain-850 Geo is a high density polyethylene (HDPE), heavy duty drainage and protection sheet with 10 mm high dimples on the bottom layer and a bonded geotextile (PP) filtration layer on the top layer.

**SikaMix®**

Integral Waterproofer

SGAN	SIZE	COLOUR	QTY	BARCODE
877539	5L	-	4	5029347002251

A liquid additive that provides long term water protection to mortar, concrete and rendering. Reduces water permeability and is suitable for all applications where resistance to water absorption is necessary. **Tested to EN934-3 (2009)+A1(2012).**

**Sika® Release Oil**

Ready to Use Formwork Release Agent

SGAN	SIZE	COLOUR	QTY	BARCODE
513849	5LTR	-	4	5055047200604

A ready to use, formwork release agent that is suitable for mould and shuttering. Sika® Release Oil is suitable for use prior to casting concrete in order to achieve a clean release after removal of formwork.



SikaMix Frostproof and Hardener

SGAN	SIZE	COLOUR	QTY	BARCODE
878091	5L	-	4	5029347002350


SikaMix Frostproof and Hardener is a chloride-free accelerator that shortens setting times and protects mixes down to -8 °C. Its non-corrosive formula is safe for use with brick ties and reinforcement, making it an ideal choice for mortars, screeds, renders, concrete and emergency plugging repairs. **Tested to EN934-2 (2009)+A1(2012).**



SikaMix Frostproof and Plasticiser Winter Working Admixture and Frostproof

SGAN	SIZE	COLOUR	QTY	BARCODE
877562	5LTR	AMBER	4	5055047200864


A chloride free admixture for concrete that is suitable for use with steel reinforcement. Sika® Wintermix allows mortars and concretes to be used in sub-zero temperatures, eliminating the need for a separate frostproof.



Sika® MaxMix® Powder Mortar Tone

SGAN	SIZE	COLOUR	QTY	BARCODE
489429	1KG	BLACK	6	5029347002817
489440	1KG	BROWN	6	5029347002831
489441	1KG	BUFF	6	5029347002855
489443	1KG	RED	6	5029347002824

Formulated from best quality oxide pigments for colouring all types of mortars. The pigments disperse easily into the mix to give a uniform shade for each mix batch, shading can be adjusted to provide a wider variety of colour depths. **Tested to EN12878.**



Pro Point Gun Kit

SGAN	SIZE	COLOUR	QTY	BARCODE
489049	-	-	1	5029347603410

Mortar Pointing Gun Kit complete with nozzles for both mortar and tile grout and mixing paddle. Designed to apply mortar deep into joints for maximum protection and strength. Comes complete with two plastic nozzles, a metal ended nozzle and a mixing paddle packed in a high impact printed box.



Sikafloor-200 Self Levelling Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
496772	25KG	GREY	1	7612895230870

Very low emission cement based self levelling compound suitable for interior and exterior areas. Sikafloor®-200 Level is noted for its extremely low shrinkage. It is suitable for filling, smoothing and levelling of suitable substrates before applying parquet, ceramic tiles, textile and elastic floor coverings.



Sikafloor-03 Primer Dispersion Based Primer

SGAN	SIZE	COLOUR	QTY	BARCODE
498434	10KG	MAGENTA	1	7612895239224


Ready to use, dispersion based primer prior to applying cementitious levelling compounds and tile adhesives. For interior and exterior use.



Sikafloor®-122 Level Universal Self Levelling Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
813560	20KG	GREY	1	7612655050076

A one-part, multi-purpose, cement based self-leveller for smoothing and levelling uneven internal rigid floors prior to applying a final wearing covering. Suitable for underfloor heating applications beneath heating systems. This product is highly fluid and easy to apply.



SikaScreed HardTop-60 Cementitious, Rapid Hardening, High Strength, Floor Levelling Screed

SGAN	SIZE	COLOUR	QTY	BARCODE
497282	25KG	GREY	1	7612895233383

A cementitious, one-part, rapid hardening, high strength, floor levelling screed and repair mortar for industrial floors. Provides a low maintenance, high mechanical and abrasion resistant smooth screed, suitable as a finished surface or a base layer for resin based coatings.




Sikadur-32+

2-Part Structural Epoxy Adhesive for Bonding, Fixing And Anchoring

SGAN	SIZE	COLOUR	QTY	BARCODE
674401	4.5KG	GREY	1	7612895707785

Two-part structural epoxy adhesive for bonding, fixing and anchoring with sustainable benefits.

**Surveyline**

Marking Paint

SGAN	SIZE	COLOUR	QTY	BARCODE
490207	700ML	BLUE	12	5029347601560
490213	700ML	RED	12	5029347601577
490214	700ML	WHITE	12	5029347000943
490215	700ML	YELLOW	12	5029347601553

Colour coded for electric, gas, and water use. Semi permanent formula lasts at least 3 months after application. Survey Line is available in: White (General Marker), Red (Electricity), Yellow (General Marker, Gas), Blue (Water).

**Protect your flooring with Roll & Stroll**

See the full range on pages 58-59

**Sikafloor® ProSeal W**

Water Dispersed Curing and Sealing Compound for Concrete Floors

SGAN	SIZE	COLOUR	QTY	BARCODE
83637	25L	CLEAR	1	8428868075428

Used as an anti-dust treatment and improvement of the abrasion resistance of existing concrete surfaces. Suitable for exterior and interior application. Easy application by spray or roller.




Sika® Blue Grit

Extra grip plaster bonding agent.

SGAN	SIZE	COLOUR	QTY	BARCODE
849327	10LTR	BLUE	1	5029347608880


A high performance plaster bonding agent specifically designed to provide an improved key to smooth surfaces. Containing a fine aggregate, Sika® Blue Grit provides a mechanical key to backgrounds such as plaster, concrete, painted surfaces and glazed tiles.

**507 Rendagrip**

Render Bonding Agent

SGAN	SIZE	COLOUR	QTY	BARCODE
461975	10L	RED	1	5029347612610


An extra grip render bonding agent that contains a fine aggregate to provide an improved key before applying render on external surfaces e.g. concrete, lightweight blockwork, brick etc. The fine aggregates are suspended in a unique waterproof polymer to ensure easy application and an even spread of aggregate avoiding any weak spots in the key coat and preventing the aggregate particles coming loose during application.

**Sika MonoTop-1010**

Bonding Primer and Reinforcement Corrosion Protection Cement Based Slurry

SGAN	SIZE	COLOUR	QTY	BARCODE
626202	25KG	GREY	1	7612895585383

A one-part, cementitious, polymer modified coating material used as bonding primer and reinforcement corrosion protection. It contains recycled waste materials which leads to a reduced carbon footprint compared to an equivalent performing mortar.




A one-part, cementitious, fibre reinforced, low shrinkage repair mortar. It contains recycled waste materials and can reduce the carbon footprint application activity calculations.

Sika MonoTop-3020

Cementitious, R3 Pore filler and Levelling Mortar Containing Recycled Waste Materials

SGAN	SIZE	COLOUR	QTY	BARCODE
626201	25KG	GREY	1	7612895585376

A one-part, cementitious, polymer modified, low shrinkage surfacing and finishing mortar. It contains recycled waste materials and can reduce the carbon footprint application activity calculations.



TRANSFORM YOUR BATHROOM WITH SIKA TILING SYSTEM

Sika has developed a complete tiling range that covers every step of the process - from surface preparation and waterproofing to tile installation. The system is designed to meet the demanding requirements of wet rooms, delivering exceptional durability and reliability.

For the full range see Page 96-99



Parex Thixotropic Joint Filler High Strength Structural Support Mortar

SGAN	SIZE	COLOUR	QTY	BARCODE
628867	25KG	GREY	1	7612655254245

A pumped mortar purpose-designed for filling joints and gaps in precast concrete units without the need for formwork. The thixotropic qualities of the mortar and non-shrink additives allow it to stay in place without slumping and to provide a complete high strength bond between sections.



Parex Tecfast Concrete R4 Strength, Rapid Setting Repair Concrete

SGAN	SIZE	COLOUR	QTY	BARCODE
629545	25KG	GREY	1	7612655254405

A cement based, one-component, rapid setting, shrinkage compensated repair concrete. Parex Tecfast Concrete is suitable for all concrete works where early strength development is required in order to allow early use of the placed sections. The product may be used for localised repairs plus large area placement or re-instatement of concrete pavements.



Parex LA Repair Concrete R4 Cementitious Micro Concrete

SGAN	SIZE	COLOUR	QTY	BARCODE
629542	25KG	GREY	1	7612655254252

A cement based, low alkali, one-component micro concrete with non shrink properties. The mixed mortar produces a flowable repair mortar suitable for pouring applications meeting the requirements of Class R4 of BS EN 1504-3.



Parex Super FG Low Temperature Repair and Ironwork Bedding Mortar

SGAN	SIZE	COLOUR	QTY	BARCODE
629618	25KG	GREY	1	7612655254269

A ready to use (just add water), high quality, thin waterproof slurry coating, based on special cements and admixtures to provide a water resistant and damp-proof finish.



SikaEmaco® T 1200 PG

High Strength Repair Mortar

SGAN	SIZE	COLOUR	QTY	BARCODE
799470	25KG	GREY	1	4049499003808

A single component, fast setting and hardening pourable repair and bedding mortar that meets the requirements of class R4 according to EN 1504 part 3. SikaEmaco® T 1200 PG is a ready-to-use material that contains sulphate resistant Portland cement (HSR LA), hydraulic binders, well graded sands, specially selected polymer fibres (PAN - polyacrylonitril) and special additives provide rapid strength build-up even at sub-zero temperatures, improved durability and unmatched low drying shrinkage.



SikaEmaco® T 1100 TIX

High Strength Repair Mortar

SGAN	SIZE	COLOUR	QTY	BARCODE
799469	25KG	GREY	1	4049499003815

A single component, fast setting and hardening thixotropic repair and bedding mortar that meets the requirements of class R4 according to EN 1504 part 3. SikaEmaco® T 1100 TIX is a ready-to-use material that contains sulphate resistant Portland cement (HSR LA), hydraulic binders, well graded sands, specially selected polymer fibres (PAN - polyacrylonitril) and special additives providing rapid strength build-up even at sub-zero temperatures, improved durability and unmatched low drying shrinkage.



Sika® Antiso® E

Concrete Curing Agent

SGAN	SIZE	COLOUR	QTY	BARCODE
764816	25KG	CLEAR	1	8428868004169

A ready to use spray applied liquid curing agent to prevent water loss from the surface of freshly placed concrete. It forms a thin film barrier on the concrete without affecting the normal setting action.



SikaCem® Désactivant 4-6

Surface Retarder For Concrete With Very High Curing Performance

SGAN	SIZE	COLOUR	QTY	BARCODE
538132	20L	WHITE	1	7612895384634

An aqueous phase surface retarder which deactivates to a depth of 4-6 mm. SikaCem® Désactivant 4-6 provides excellent curing performance.




Jetcem Rapid

Repair Cement

SGAN	SIZE	COLOUR	QTY	BARCODE
620460	3KG	GREY	4	5010618043103
620438	6KG	GREY	2	5010618044100

Ideal for rapid patching or when a fast repair job is needed. Sets in approximately 30 minutes. Sets in the cold and wet.




Jetcem Deep

Rapid Repair Sand and Cement

SGAN	SIZE	COLOUR	QTY	BARCODE
620326	2KG	GREY	6	5010618047101
620439	6KG	GREY	2	5010618048108

Strong and easy to use rapid setting repair compound. Internal and external repairs to gaps and cracks on walls, floors, steps and kerbstones. Repairs deep holes in concrete, stone and brick.




Jetcem Plaster

Rapid Repair

SGAN	SIZE	COLOUR	QTY	BARCODE
620437	6KG	WHITE	2	5029347610173

Fast, strong and easy to use repair compound for patching plaster. Internal repairs for plasterboard, brick wood and stone. With added PVA powder to increase strength and reduce cracking and shrinkage.



SikaBond® SBR

Primer, PVA, and SBR Bonding

SGAN	SIZE	COLOUR	QTY	BARCODE
892731	5LTR	WHITE	4	5055492700476
892692	25LTR	WHITE	1	5055492700537

A one-component, water-based, general purpose bonding agent and mortar admixture. As an admixture diluted with water, it produces a gauging solution for improving adhesion, workability and water resistance of mortars and cementitious mixes. Suitable for improving resistance to abrasion, chemicals and oils.



SikaBond® PVA+

SGAN	SIZE	COLOUR	QTY	BARCODE
892408	1L	WHITE	12	5055492700568
892663	2.5L	WHITE	6	5055492700575
892664	5L	WHITE	4	5055492700469

A multi-purpose bonding agent, primer, sealer, cement and plaster admixture that adheres to most common building and DIY materials.

Fully conforms to BS 5270.



Sika AnchorFix®-1

Fast Curing Anchoring Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
913434	300ML	GREY	12	7612895234793

A two-component, fast curing, solvent and styrene free, polyester based chemical anchoring adhesive. Sika® AnchorFix®-1 is recommended for standard applications with low to medium loads.



Sika AnchorFix®-2+

Fast Curing Anchoring Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
593183	300ML	GREY	12	7612895531953

Solvent and styrene free, epoxy acrylate based, two-component anchoring adhesive for medium to high loads.



Direct access
to the entire
Sika product
portfolio via
Sika B2B eShop



Scan QR code
to log in
or sign up

SCAN ME




Sikadur® 33

Structural Epoxy Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
498629	250ML	GREY	12	7612894403688

A two-component, solvent-free, cold cure, thixotropic epoxy resin, structural adhesive. Sikadur® 33 is supplied in a cartridge with an in-line mixer nozzle.



See our wide
range of
grab adhesives

Pages 22-29



TILING

Wet Room System	96
Self Levelling Compound and Primers	97
Tile Adhesives	98
Tile Grout and Adhesive	99

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUST



SCAN TO SEE THE FULL RANGE

Sikalastic®-260 Stop Aqua

Wet Room System Kit

SGAN	SIZE	COLOUR	QTY	BARCODE
872244	7KG	LIGHT GREY	1	7612655177087


TRUSTED

The ultimate solution for waterproofing wet rooms under tiles. This quick-drying, liquid-applied membrane is designed for concrete and cementitious substrates, dry screeds, gypsum boards, gypsum bricks, and gypsum plaster—ensuring reliable protection where it matters most.

What's included in the complete kit?

- Sikafloor®-01 Primer
- Sikalastic®-260 Stop Aqua
- Sika® SealTape
- Tools: Gloves and Roller

Delivering performance and sustainability in one package, Sikalastic®-260 Stop Aqua System Kit is your go-to choice for efficient waterproofing.



READY-TO-USE SYSTEM WITH
15% LOWER CO₂ FOOTPRINT

75% RECYCLED PACKAGING FOR
SUSTAINABLE CONSTRUCTION

COVERS 6 M² IN
TWO COATS WITH A
CONVENIENT 7 KG KIT



Sikafloor®-200

Self Levelling Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
496772	25KG	GREY	1	7612895230870

Very low emission cement based self levelling compound suitable for interior and exterior areas. Sikafloor®-200 Level is noted for its extremely low shrinkage. It is suitable for filling, smoothing and levelling of suitable substrates before applying parquet, ceramic tiles, textile and elastic floor coverings.



Sikafloor®-03 Primer

Dispersion Based Primer

SGAN	SIZE	COLOUR	QTY	BARCODE
498434	10KG	MAGENTA	1	7612895239224

Ready to use, dispersion based primer prior to applying cementitious levelling compounds and tile adhesives. For interior and exterior use.




Sikafloor®-02 Primer

Acrylate flooring primer for levelling compounds and tile adhesives

SGAN	SIZE	COLOUR	QTY	BARCODE
498431	5KG	BLUE LIQUID	1	7612895239217

A one-part, acrylate resin for priming non-absorbent substrates before applying cementitious levelling compounds and tile adhesives.




SikaCeram®-204 Medium White

Dust reduced, cement-based tile adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
873039	20KG	WHITE POWDER	1	7612655180049

A white, dust reduced, cement-based tile adhesive with improved adhesion, for medium sized ceramic tiles. It can be used in layers up to 10 mm thick and is suitable for tiling on both floors and walls, inside and outside of residential properties. SikaCeram®-204 Medium White is classified C2 TE according to EN 12004.



SikaCeram®-690 Elite

Cementitious wall / floor tile grout

SGAN	SIZE	COLOUR	QTY	BARCODE
682460	5KG	GREY POWDER	1	7612895722412
682740	5KG	WHITE POWDER	1	7612895723228

A cementitious, wall / floor tile grout powder for use in joints from 1 mm to 10 mm in width. Especially designed for grouting fully vitrified tiles, glass ceramic and natural stones sensitive to discoloration.




SikaCeram®-204 Rapid

Fast and low dust tile adhesive for medium sized ceramic tiles

SGAN	SIZE	COLOUR	QTY	BARCODE
880063	20KG	GREY POWDER	1	7612655194404

A cement-based, low dust, fast, improved adhesive for medium sized ceramic tiles. It can be used in layers up to 10 mm thick and is suitable for tiling on both floors and walls, indoor and outdoor. SikaCeram®-204 Rapid is C2 FTE classified according to EN 12004.




SikaSeal®-175

Bath and Tiles

SGAN	SIZE	COLOUR	QTY	BARCODE
777059	300	TRANSPARENT	12	7612895955964
776985	300	WHITE	12	7612895955940

High quality neutral alkoxy silicone designed for sealing joints in bathrooms, showers and other humid areas. It contains special fungicide for use in applications which require long term resistance to mold growth.



Aquaseal
Wet Room System Kit

TRUSTED


SGAN	SIZE	COLOUR	QTY	BARCODE
487861	LARGE	-	1	5029347611149
487891	STD	-	1	5029347611262

The Aquaseal Wet Room System Kit gives you everything you need to waterproof both walls and floors prior to tiling showers, wet rooms, wet zones and other areas susceptible to water and excessive moisture. Ideal for use on Plasterboard, Plaster, MDF, Plywood, Cementitious Boards, Block work, Concrete and Specialist Wet Room Boards.

The Aquaseal Tanking Kit is available in two sizes; Standard – everything you need to waterproof 4.5m² and Large – everything you need to waterproof 7.5m².

Both kits come complete with:

- Waterproof Tanking Primer (1L)
- Waterproof Tanking Membrane (3LTR – Standard, 5LTR – Large)
- Waterproof Tanking Tape (10MTR)
- Waterproof Tanking Drain Mat
- Aquaseal Wet Room System instruction leaflet



1 Tanking Primer
Apply primer to surfaces that are to be waterproofed.



2 Tanking Tape and Mat
Apply self-adhesive tape across all joints, corners and pipe penetrations.
Next, apply the self-adhesive drain mat around the drain outlet.




3 Tanking Membrane
The ready-to-use membrane is applied by brush in a 2 coat system at right angles to each other.

Aquaseal
Waterproof Tanking Membrane

SGAN	SIZE	COLOUR	QTY	BARCODE
487333	5LTR	BLUE	1	5029347611163

Aquaseal Waterproof Tanking Membrane is the ideal product for use when waterproofing before tiling. It forms a permanently flexible watertight membrane, is non hazardous and solvent free. Aquaseal Tanking Membrane is easy to apply by brush, is quick drying and can be tiled after 12 hours.



Aquaseal
Wet Room System Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
683645	10MTR	-	1	NO BARCODE

Aquaseal Waterproof Tanking Tape is a self adhesive joint and corner tape ideal for use when waterproofing showers, wet rooms and wet zones in bathrooms before tiling. A permanently flexible butyl backed fleece with cross directional stability, Waterproof Tanking Tape can be used on all board joints, corners and pipe entries. Can be tiled directly or overcoated with Aquaseal Waterproof Tanking Membrane for full wet zones and is easy to apply with a pre-cut release liner.



TERMS AND CONDITIONS

Standard terms and conditions of sale for goods sold by Sika Limited.

1. FORMATION

1.1 In these Conditions the following expressions have the following meanings:

1.1.1 "we" or "us" means Sika Ireland Limited;

1.1.2 "you" or "yourselves" means the buyer who places an order for Goods;

1.1.3 "Conditions" means these terms and conditions of sale including those described as commercial terms at the front of this document;

1.1.4 "Contract" means this contract between us and you;

1.1.5 "Goods" means the products which you agree to buy from us as identified by your order (including any part or parts of them);

1.1.6 "Intellectual Property" means all patents, copyrights, registered or unregistered trademarks, design rights, utility models, business names, domain names, know-how and all other intellectual property rights of a similar nature (whether registered or not) subsisting anywhere in the world in or associated with the Goods;

1.1.7 "Working Days" means any day between Monday to Friday inclusive but excluding bank and public holidays. Unless varied in accordance with Condition 1.4.

1.2 The Contract, together with all schedules which form part of it, will be on the following Conditions to the exclusion of any other terms that you seek to impose or incorporate, whether in writing or otherwise, or which are implied by trade, custom, practice or course of dealing.

1.3 This Contract constitutes the entire agreement between you and us. You acknowledge that you have not relied on any statement, promise or representation made or given by or on behalf of us which is not set out in this Contract.

1.4 Additions or variations to any quotations given or to the Contract, any representations concerning the properties or qualities of the Goods, and any warranties given by us relating to the suitability of Goods shall only be binding on us if agreed in writing and signed by a person duly authorised to sign on our behalf.

2. QUOTATIONS AND ORDERS

2.1 Quotations and any promotional material produced or supplied by us (including but not limited to SikaSpec and SikaSpec Pro) are illustrative only and shall not form part of the Contract nor have any contractual force and are not offers from us capable of immediate binding acceptance, nor shall constitute representations upon which you may rely. A Contract shall come into existence only when we accept your order, and if applicable, upon our acceptance of your credit application.

2.2 A quotation shall only be valid for a period of 20 Working Days from its date of issue, unless otherwise agreed by us in writing.

2.3 An order constitutes an offer by you to purchase the Goods in accordance with these Conditions. You are responsible for ensuring that the terms of the order and any applicable specification are complete and accurate.

2.4 We may at our absolute discretion accept the cancellation of any order provided we are notified no more than five (5) Working Days after the order has been accepted and we are indemnified by you in respect of all costs and expenses incurred prior to the cancellation being accepted, but in no circumstances are we obligated to accept any cancellations.

3. DELIVERY

3.1 You will provide a full and correct address, including postcode, for the delivery of the Goods which are deemed to be delivered when we have delivered them there. If you request changes to the delivery point, including adding additional delivery points, you shall be liable for any charges made by us or any additional costs or expenses incurred by us as a result of such a change or addition.

3.2 Unless a specified time for delivery has been agreed and you have made additional payment for such delivery, then any dates quoted are approximate only, and under this Contract, time is not of the essence. You will not be entitled to terminate the Contract as a whole if we fail to meet any given times or dates for delivery unless such a delay exceeds 40 Working Days. Where no delivery date is specified, delivery will be within a reasonable time.

3.3 If you fail or refuse to accept delivery, or you do not give delivery instructions when the goods are ready for dispatch, or delivery is delayed at your request, then you will be responsible for paying or reimbursing us any additional costs or charges (including insurance) which we incur as a result. Furthermore, we may at our option, withhold delivery of any further Goods or treat the Contract as repudiated by you.

3.4 You must notify us in writing immediately if a delivery is not received within ten (10) Working Days from the date we informed you that it had been dispatched.

3.5 Unless we agree otherwise, you shall provide adequate labour and other facilities at the point of delivery to enable the Goods to be safely and properly unloaded. You shall indemnify us against any claims arising from such unloading except to the extent that any such claims relate to personal injury, death or damage to property which is caused by the negligence of our employees or agents.

3.6 In the event that we deliver to you an incorrect quantity of the Goods you shall not be able to object to or reject them on that ground alone. So long as you notify us of an incorrect quantity within three (3) Working Days of delivery and provided we have agreed the amount of the incorrect quantity, we shall make reasonable arrangements for collection or redelivery as appropriate, or agree a pro rata adjustment;

3.7 The above provisions of this Condition 3 do not affect our right to recover the price of any Goods that have already been invoiced to you or in respect of which risk has passed to you.

4. PAYMENT AND PRICE

4.1 The price of the Goods shall be that stated or referred to in our price list, or where we agree otherwise, in the order accepted by us. Prices are stated on the basis of current costs, exclusive of VAT. You shall, on receipt of a valid VAT invoice from us, pay to us such additional amounts in respect of VAT as are chargeable on the supply of the Goods.

4.2 Prices given in a quotation may be increased by us on giving written notice to you at any time before delivery by such amount as is reasonably necessary to reflect any increase in the cost of manufacturing the Goods, and/or any factors beyond our control including, but not limited to, fluctuations in tax, duty, foreign exchange rates, and/or any requests by you to alter the terms of the order.

4.3 Delivery of the Goods within Ireland will be CPT Delivery Point INCOTERMS 2010.

4.4 Goods will be invoiced on or at any time after dispatch.

4.5 We shall require payment by you on or before the last day of the next calendar month from the date of invoice for the net sales of all Goods and all related expenses. Time of payment is of the essence.

4.6 We may ask you to pay money in advance or on account and if so you must pay such amounts immediately with any balance being payable in accordance with Condition 4.5 above.

4.7 If you fail to make any payment when it is due or if any event described in Condition 7.5 occurs then the price of all Goods and any other goods supplied by us to you shall immediately become due and payable and, without affecting any other remedy we may have, we may:-

4.7.1. treat this Contract and every other contract which has not yet been fulfilled between us and you as cancelled;

4.7.2. suspend any further deliveries to you;

4.7.3. appropriate any payment made by you as we may think fit;

4.7.4. charge you interest (both before and after any judgment) on all sums due and outstanding at the rate provided by the European Communities (Late Payment in Commercial Transactions) Regulations 2012 as amended from time to time.

4.8 All payments shall be made in Euros unless we require or agree to payment in pounds sterling or any other currency.

4.9 You shall pay all amounts due under this Contract in full without any deduction or withholding except as required by law and you shall not be entitled to assert any credit, set-off or counterclaim against us in order to justify withholding payment of any such amount in whole or in part.

4.10 Any invoice queries must be communicated to us within ten (10) Working Days of receipt of the invoice by you.

5. PACKAGING

5.1 The Goods will be delivered in the product containers which we hold in stock at the time your order is processed unless otherwise agreed in writing.

5.2 The price of the Goods, unless otherwise stated, includes the costs of packaging materials.

5.3 Where it has been agreed that the packaging materials will be returned, you will be credited with the full cost of these provided that you return them at your cost to the delivery point in a satisfactory condition and by such a time as we may reasonably require.

6. RISK

6.1 Risk and responsibility for the Goods shall pass to you on delivery by us to the delivery point.

6.2 You must examine the Goods on receipt and if you believe there has been loss or damage during transit which may be our responsibility, you must notify us in writing within five (5) Working Days of delivery. If we do not receive such written notice within the required timescale then we will not be liable to you for any loss or damage to the Goods arising during transit. If Goods have been damaged during transit then all packaging materials must be retained for examination by us, the carrier or their agents.

7. OWNERSHIP

7.1 Ownership of the Goods shall not pass to you until we have received payment in full and such funds are cleared for the Goods; and any other goods which have been supplied to you but for which payment is overdue and has not been received.

7.2 Until ownership has passed to the Buyer or you sell or use the Goods pursuant to Condition 7.3, you must:

7.2.1. hold the Goods on a fiduciary basis as our bailee;

7.2.2. store the Goods (at no cost to us) separately from all our other Goods or goods of a third party in such a way as they are identifiable as our property;

7.2.3. not remove, destroy, deface or obscure any identifying mark, logo or packaging on or relating to the Goods;

7.2.4. maintain the Goods in a satisfactory condition and keep them insured, on your insurance, for their full price against all risks (and provide us with a copy of such insurance at our request); and

7.2.5. hold the proceeds of any insurance referred to in Condition 7.2.4 on trust for us and do not mix them with any other money or pay the money into an overdrawn bank account.

7.3 You may resell or use the Goods before ownership has passed to you in the ordinary course of your business.

7.4 We can revoke your right to sell and use the Goods at any time by written notice to you if you have failed to pay any sums due to us (whether relating to the Goods or other goods) within ten (10) Working Days of the due date or if we have genuine doubts as to your solvency.

7.5 Your power of sale and use above shall automatically cease if any of the following events occur or we reasonably believe you are about to become subject to them and we notify you accordingly:

7.5.1. you have a petition presented for your winding up; or

7.5.2. (if you are an individual) you die or become incapacitated; or

7.5.3. you pass a resolution for voluntary winding up otherwise than for the purpose of a bona fide amalgamation or reconstruction; or

7.5.4. you compound with your creditors or have a receiver appointed over all or any part of your assets; or

7.5.5. a petition for examinership is presented or is intended to be presented in respect of you; or

7.5.6. you become bankrupt or insolvent; or

7.5.7. you enter into any arrangements with creditors; or

7.5.8. you take or suffer any similar action in consequence of debts or carry out or undergo any analogous act or proceedings under foreign law.

7.6 If your power of sale and use ends under Conditions 7.4 or 7.5 above, you will deliver up the Goods; or have them delivered up to us; and/or allow us to repossess the Goods and for the purposes of such repossession you grant to us (our agents and employees) an irrevocable licence to enter any of your premises where the Goods are stored or that of any third party where we may reasonably believe they may be stored.

8. RETURNED GOODS

8.1 If you discover before using them that Goods which we have delivered to you did not comply with the provisions of Condition 9.1 at the time of delivery then provided that written notice has been given to us of such defect within five (5) Working Days of the date when you first could have become aware of the defect or non-conformity, and we are given a reasonable opportunity to examine the Goods and you have not in any way dealt with the Goods so as to put them in a worse condition than when they were delivered to you, we will, at our option, repair, replace or refund the price of any Goods and reimburse you for all reasonable costs incurred by you in returning the Goods to us. This Condition applies solely within a period of 12 months from the date of delivery of Goods.

8.2 The remedy provided in Condition 8.1 shall, provided it is performed by us within a reasonable time, be your only remedy for defects in Goods which have not been used by you, and for the avoidance of doubt we shall not be liable for storage costs, warehousing, processing, manufacturing, labour, or any other indirect or consequential loss.

9. THE GOODS WARRANTY

9.1 We warrant that the Goods will, at the time of delivery, display the technical properties for the approved uses set out in the relevant SIKa product data sheets and health and safety sheets.

9.2 If you intend to buy or buy and sell Goods for a non-approved use then you do so wholly at your own risk and must satisfy yourself as to the suitability of the Goods for that use.

9.3 If we supply you with Goods manufactured to your own specification then we shall have no liability whatsoever to you for their fitness for any anticipated purpose or use.

9.4 We shall not be liable to you for any loss you may incur as a result of your failure to comply with any of our: technical, storage, safety, or any other applicable instructions and/or guidelines for the Goods, whether given in writing or otherwise.

9.5 If you sell the Goods, you shall grant no warranty greater in extent than this warranty.

LIABILITY

9.6 Save as expressly provided elsewhere in these Conditions (which other provisions shall take precedence) the following provisions of this Condition 9 set out our entire financial liability (including any liability for the acts or omissions of our employees, agents and sub-contractors) to you in respect of any breaches of these Conditions.

9.7 All warranties, conditions or other terms (whether express or implied) as to the fitness for purpose, use, satisfactory quality, description, compliance with sample, or condition of the Goods, whether implied by statute, common law or otherwise (save for the conditions implied by section 12 of the Sale of Goods Act 1893 (as amended)) are, to the fullest extent permitted by law, excluded from the Contract.

9.8 You must inform us as soon as possible and in any event within five (5) Working Days of your becoming aware that the Goods may have caused injury or death to any person, or caused damage to property and where appropriate allow us to inspect and at our option repair any alleged damage.

9.9 Nothing in these Conditions excludes, limits or restricts our liability for fraudulent misrepresentation, death or personal injury caused by our negligence or any matter in respect of which it would be unlawful for us to exclude, limit or restrict liability.

9.10 If we incur any liability to you as a result of any defect in the Goods once used by you as intended by these Conditions which causes personal injury (so far as not caused by our negligence) or damage to property where our liability falls within the scope of our combined product and public liability insurance policy, our liability is limited to sums recoverable under it (or which could be recovered by you for any negligent act or omission by us which invalidates it) up to its maximum indemnity limit.

9.11 Subject to Conditions 9.2, 9.4, and 9.5, our total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation, restitution or otherwise, whether such liability arises as a result of a breach or series of breaches, of a material term of the Contract or otherwise arising in connection with the performance or contemplated performance of the Contract shall be limited to the price of the Goods. Nor shall we be liable to you for any direct or indirect loss of profits, depletion of goodwill, use, or any indirect or consequential loss or damage, whatsoever and howsoever caused which arises under or in connection with the Contract.

TERMS AND CONDITIONS

Standard terms and conditions of sale for goods sold by Sika Limited.

9.12 Notwithstanding Condition 3.2, if we fail to deliver the Goods, our liability shall be limited to the costs and expenses incurred by you in obtaining replacement goods of similar description and quality in the cheapest market available, less the price of the Goods.

9.13 You shall indemnify us against all actions, claims or demands for losses suffered or incurred by us including (without limitation) claims by third parties for fraud, in tort or otherwise arising directly or indirectly in connection with the use, functioning or state of the Goods except to the extent that the same are caused by our negligence or default.

10. CREDIT CHECKS

10.1 We may refuse to accept any order or perform any Contract if your arrangements for payment or credit appear to be or become unsatisfactory.

10.2 We may, in the event that you are not a limited liability company, make searches of your details, background and credit history with credit reference and fraud prevention agencies prior to carrying out any obligations in these Conditions. Such credit reference agencies may, at their absolute discretion, keep a record of the search and share that information with other businesses.

11. INTELLECTUAL PROPERTY RIGHTS

11.1 No right or licence is granted to you in respect of our Intellectual Property rights except the right to use or resell the Goods in your ordinary course of business.

11.2 You will not without our prior written consent allow the Trademark or any other of our trademarks or other words or marks applied to the Goods to be obliterated, obscured or omitted, nor will you add any additional marks or words.

11.3 You acknowledge that:

11.3.1. the Intellectual Property rights are our property;

11.3.2. nothing in these Conditions shall be construed as conferring any licence or granting any rights in favour of you (or anyone else) in relation to our Intellectual Property rights;

11.3.3. we assert our full rights to control the use of our trade marks within the European Union and you shall assist us, as required, in preventing (so far as may be permitted by law) parallel importers from diluting our rights;

11.3.4. any reputation in any trade marks affixed or applied to the Goods shall accrue to our sole benefit.

11.4. You agree:

11.4.1. not to remove any trademarks, copyright notices or other forms of identification from the Goods (save for any removal which is a necessary result of a manufacturing process), or apply any other trade mark to the Goods;

11.4.2. to promptly and fully notify us of any actual, threatened or suspected infringement of any Intellectual Property rights which comes to your attention; and

11.4.3. not to make any adaptations or additions to or variations of any of our Intellectual Property.

11.5. In the event that you make any discoveries, creations, inventions or improvements in relation to our Intellectual Property, you must, when instructed, transfer all such rights to us and effect all assignments as we may request.

11.6. We will not be liable to you for any costs, claims, damages, expenses or losses incurred by you as a result of any claim that the Goods or the use of any Goods infringes any third party Intellectual Property rights, in particular (but not limited to) where such costs, claims, damages, expenses or losses arise from any unauthorised modification, alteration or adaption of the Goods by or for you.

12. GENERAL

12.1 Any notice or communication to be given under this Contract must be in writing, delivered or sent by email or prepaid first class letter post, and if delivered or sent to you, will be addressed to your last known trading address; or if delivered or sent to us, will be addressed to our Company Secretary at Sika House, Ballymun Industrial Estate, Ballymun, Dublin 11. Any such notice shall be deemed served if delivered by hand, at the time it was delivered at the proper address, if posted within Ireland, two Working Days after posting, and if posted from outside Ireland, fourteen Working Days after posting. Any notice given by email must be to the usual email address as otherwise notified to each other party.

12.2 We may assign, transfer, charge, sub-contract or deal in any other manner with the Contract, or any part of it to any person, firm or company. You may assign the Contract, or any part of it, only if you obtain our prior written consent.

12.3 No waiver of any condition of this Contract shall be effective except where it is in writing and signed by the waiving party. No waiver of any particular breach of the Contract by us shall be held to be a waiver of any other or subsequent breach by you. No omission or delay by us in exercising a right under this Contract shall constitute or operate as a waiver by us of any right to exercise that right in the future or of any other rights under this Contract.

12.4 If any of the terms of this Contract are found by any court or administrative body of competent authority to be illegal, void, voidable, invalid, unreasonable or unenforceable by any reason of law they shall be illegal, void, voidable, invalid, unreasonable or unenforceable to that extent only and all other terms of the Contract shall remain legal, valid, reasonable and fully enforceable.

12.5 We will not be liable to you for any failure or delay or for the consequences of any failure or delay in performance of this Contract, if it is due to any event beyond our reasonable control including, without limitation, acts of God, war, industrial disputes (whether or not with our own workforce), protests, fire, explosion, an act of terrorism and national emergencies and the Company will be entitled to a reasonable extension of time for performing such obligations in such circumstances. All Contracts shall be deemed to be made in Ireland and shall be construed in accordance with and be governed by Irish law and shall be subject to the exclusive jurisdiction of the Irish courts.

Numbers

30 Minute Polyurethane Gel	31
30 Minute Polyurethane Liquid	31
5 Minute Polyurethane Gel	31
5 Minute Polyurethane Liquid	31
502 All Purpose Weatherproof	30
507 Rendagrip	84

A

All Purpose Powder Filler	61
All Purpose Ready Mixed Filler	61
All Purpose Silicone Spray	71
American Duct Tape	65
Aquaseal Waterproof Tanking Membrane	101
Aquaseal Wet Room System Kit	100
Aquaseal Wet Room System Tape	101

C

Caulk Once	7
Clear Fix	29
Constructa-Pro	54

D

D4 Wood Adhesive	30
Dual Purpose	55

E

EuroScrim	67
-----------	----

F

Firefoam B1	55
Forever White	6

H

Heat Mate	11
-----------	----

J

Jetcem Deep	91
Jetcem Plaster	91
Jetcem Rapid	91

L

Leadmate Patination Oil	51
-------------------------	----

M

Mammoth Aluminium Tape	66
Mammoth Gaffa Tape	66
Mammoth Mega All Purpose Tape	66
Mammoth Powerful Grip Tape	64
Maximum Torque	26
Mitre Fast Kit	35
Multi Purpose Joinery Grade	61
Multi Stick	25

O

One Strike	60
------------	----

P

P45 Medium Duty	55
Parex LA Repair Concrete	89
Parex Super FG	89
Parex Tecfast Concrete	89
Parex Thixotropic Joint Filler	89
Pinkgrip	27
Pinkgrip Dry Fix FR	28
Pinkgrip Dry Fix Gun	28
Pinkgrip SF	27
Power Pro Sealant Gun	13
Premium+ 565	11
Pro Point Gun	80
Professional Sealant Gun	13

R

Roll and Stroll Glass Protector	59
Roll and Stroll Hard Surface Protector	59
Roll and Stroll Premium Carpet Protector	58
Roll and Stroll Textured Non-Slip Carpet Protector	59

S

Sika AnchorFix®-1	93
Sika AnchorFix®-2+	93
Sika Boom®-180 Fix & Fill	54
Sika Boom®-580 Fix & Fill	54
Sika Igoflex P-01 IT	77
Sika Igoflex P-10	77
Sika MaxMix® Concentrated Mortar Plasticiser	79
Sika MonoTop-1010	85
Sika MonoTop-108 Water Plug	86
Sika MonoTop-110	86
Sika MonoTop-112	86
Sika MonoTop-3020	85
Sika MonoTop-4012	85
Sika Waterbar® D-240 FPO	78
Sika Waterbar® FB Bracket	78
Sika Waterbar® FB-125	78
Sika® Aktivator-205	19
Sika® Antisol® E	90
Sika® Black Jack® 901	50
Sika® Black Jack® 902	50
Sika® Black Jack® 903	50
Sika® Black Jack® 904	50
Sika® Black Jack® 905	51
Sika® Black Jack® 907	51
Sika® Black Jack® 908	51
Sika® Black Jack® Flashing Tape Trade	49
Sika® Blue Grit	84
Sika® Brick and Patio Cleaner	42

Sika® Damp Proofing Slurry	75
Sika® Drain-850 Geo	78
Sika® Dustproofer & Concrete Hardener	42
Sika® Evercyl® One Coat	46
Sika® FastFix All Weather	38
Sika® Foil Applicator Gun	13
Sika® Igoflex®-301	77
SikaMix Frostproofer and Hardener	80
MaxMix® Powder Mortar Tone	80
Sika® Mould Buster	42
Sika® Path & Patio Sealer	41
Sika® Primer 3N	19
Sika® Primer MB	33
Sika® Release Oil	79
Sika® Remover-208	19
Sika® Setting Sand	40
Sika® Stabilising Solution	42
Sika® Stone Protector	41
Sika® Tarmac Restorer	43
Sika® Water Sealer	40
Sika®-1 Waterproof	74
Sika®-4a	75
SikaBond® Wood Flooring Adhesive	32
SikaBond® PVA+	92
SikaBond® Rapid DPM	33
SikaBond® SBR	92
SikaBond®-52	32
SikaBond®-54	32
SikaCem® Désactivant 4-6	90
SikaCeram® FlowFix	39
SikaCeram®-204 Medium White	98
SikaCeram®-204 Rapid	98
SikaCeram®-62 FlowFix	39
SikaCeram®-621 FlowFix	39
SikaCeram®-690 Elite	99
SikaSeal®-626 Fire Board+	15
Sikacryl®-620 Fire	17
Sikacryl®-621 Fire+	14
Sikadur® 33	93
Sikadur®-41+	87
Sikadur-32+	82
SikaEmaco® T 1100 TIX	90
SikaEmaco® T 1200 PG	90
Sikaflex® -406 KC	18
Sikaflex® PRO-3 Purform	17
Sikaflex®-11 FC Purform®	12
Sikaflex®-403 Tank & Silo	19
Sikaflex®-415 Universal	17
Sikafloor® ProSeal W	83
Sikafloor®-02 Primer	97
Sikafloor®-122 Level	81
Sikafloor-03 Primer	81
Sikafloor-200	81
Sikagard®-700 S	40
SikaGrout®-111 GP	87
SikaGrout®-340+	87
SikaGrout®-510 CS High Flow	87
SikaHyflex®-250	17
Sikalastic®-1K ES	76

Sikalastic®-260 Stop Aqua	96
Sikalastic®-6100 FX	76
SikaMix® Frostproofer and Plasticiser	80
SikaMix® Integral Waterproof	79
SikaMix® Mortar Plasticiser	79
SikaMonoTop-109	86
SikaMur® InjectoCream-100	75
SikaRoof® Liquid Membrane	48
SikaScreed HardTop-60	81
SikaSeal®- 170	9
SikaSeal®- 173	49
SikaSeal®- 174	9
SikaSeal®- 175	9
SikaSeal® Fire Guard	14
SikaSeal® Lead	11
SikaSeal® One Hour Caulk	9
SikaSeal®-623 Fire+	14
SikaSeal®-627 Fire Collar+	15
SikaSeal®-629 Fire Wrap+	15
SikaShield® E80 HDPE SA	77
Sikasil® DW	18
Sikasil®-670 Fire	14
Sikasil®-825	16
SikaSwell® A	76
SikaSwell® S-2	76
Silweld Silicone Self Fusing Repair Tape	66
Smart Tack Handy	29
Stick 2 Carpet Fix Spray Adhesive	34
Stick 2 Industrial Superglue GP	35
Stick 2 Instant Contact Adhesive	34
Stick 2 Instant Spray Contact Adhesive	34
Stixall Extreme Power	22
Surveyline	83

T

Thermofoam	54
------------	----

W

Weather Mate	11
Wonder Wipes Biodegradable	71
Wonder Wipes Heavy Duty	71
Wonder Wipes Multi-Use	70