

PRODUCT DATA SHEET

Sika[®] D-Foam

AIR CONTENT REDUCING CONCRETE ADMIXTURE

PRODUCT DESCRIPTION

Sika[®] D-Foam is a liquid admixture that is used to reduce the air content of concrete.

USES

- Sika[®] D-Foam is used to reduce the air content of concrete
- Improve the quality of recycled water for concrete/mortar production

CHARACTERISTICS / ADVANTAGES

- Reduced air contents of concrete
- Reduced air contents of mortar
- Improved surface finishes
- Improved use of recycled water in concrete/mortar production

PRODUCT INFORMATION

Chemical Base	Modified fatty derivative
Packaging	20 litre drum, 1000 litre IBC
Appearance / Colour	Yellow liquid
Shelf Life	12 months from date of production if stored properly in undamaged containers.
Storage Conditions	Store in dry conditions at temperatures between +5°C and +25°C. Protect from direct sunlight and frost.
Density	0.92 kg/litre (at +20°C)
pH-Value	5.0 +/- 1.0
Total Chloride Ion Content	<0.1% w/w (chloride free)

TECHNICAL INFORMATION

Specific Advice	Freezing Point: + 1°C Effect on Setting: Extension to normal setting Effect of Overdosing: Retardation Alkali Content: <0.1% w/w
------------------------	---

APPLICATION INFORMATION

Recommended Dosage	0.1 -1.5% by weight of cement
---------------------------	-------------------------------

Compatibility	Sika® Admixtures: <ul style="list-style-type: none"> ▪ Compatibility information available on request Cements: <ul style="list-style-type: none"> ▪ All cement combination
Dispensing	Sika® D-Foam should be dispensed through suitable calibrated dosing equipment.

APPLICATION INSTRUCTIONS

APPLICATION METHOD / TOOLS

- The standard rules of good concreting practice, concerning production as well as placing, are to be followed. Refer to relevant standards. Fresh concrete must be cured properly.
- Sika® D-Foam should not be added to dry cement.
- Sika® D-Foam should be added with the mixing water.

NOTES ON APPLICATION / LIMITATIONS

- When using Sika® D-Foam a suitable mix design is required and local material sources should be evaluated.
- Support from our Technical Department is recommended.

VALUE BASE

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

LOCAL RESTRICTIONS

Please note that as a result of specific local regulations the performance of this product may vary from country to country. Please consult the local Product Data Sheet for the exact description of the application fields.

ECOLOGY, HEALTH AND SAFETY

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety-related data.

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The

user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

SIKA LIMITED

Watchmead
Welwyn Garden City
Hertfordshire, AL7 1BQ
Tel: 01707 394444
Web: www.sika.co.uk
Twitter: @SikaLimited

SIKA IRELAND LIMITED

Ballymun Industrial Estate
Ballymun
Dublin 11, Ireland
Tel: +353 1 862 0709
Web: www.sika.ie
Twitter: @SikaIreland



Product Data Sheet
Sika® D-Foam
March 2019, Version 01.02
021403021000000091

SikaD-Foam-en-GB-(03-2019)-1-2.pdf

