

THE COMPLETE PRODUCT GUIDE 2025

BUILDING TRUST



CONTENTS

SEALANTS

Professional	6
DIY	12
Guns	13
Passive Fire Protection	14
Specialist Sealants	16

ADHESIVES

Hybrid Sealants and Adhesives	22
Grab	26
Plasterboard	28
Grab/Specialist Adhesives	29
Wood	30
Flooring	32
Contact, Superglues and Activators	34

LANDSCAPING

Joining Compounds	38
Sealing and Protecting	40
Surface Cleaners and Treatments	42

ROOFING

Roof Repair	46
Bitumen	50

EXPANDING FOAMS

Professional and DIY	54
----------------------	----

FILLERS AND DECORATING SUNDRIES

Surface protectors	58
Decorating Fillers	60

TAPES

Building Tapes	64
Repair Tapes	66

WE ARE SIKA

CLEANERS

Wipes	70
Wipes and Cleaners	71

FIRE AND PLUMBING CEMENT

Fire, Stove and Flue Cements and Mortars	74
Fire and Plumbing Cements	75

BUILDING SUPPLIES

Waterproofing	78
Building Admixtures	83
Self Levelling Compounds and Floor Products	85
Floor Paints and Line Markers	87
Wall Finishing	88
Concrete and Brick Repair	89
Chemical Anchors	101

TILING

Wet Room System	104
-----------------	-----

INTRODUCTION

WELCOME TO SIKA'S COMPLETE PRODUCT GUIDE

Your trusted partner for construction and industry solutions

Sika's Distribution team is part of Sika Ireland Limited, the Irish subsidiary of the worldwide Sika group. Established in 1995, but present in Ireland since 1930, Sika Ireland Limited is focused on supplying the Irish construction and industrial markets with quality products from our site in Dublin.

Specialists in construction chemicals, Sika Ireland Limited offers access to a comprehensive portfolio of problem-solving products for a variety of applications including waterproofing, roofing, concrete repair, flooring and more.

As one of Ireland's leading suppliers of sealants, adhesives and building chemicals, Sika embodies the construction industry, working closely with merchant partners to supply the trade with high quality products and technical expertise.

Bringing Sika's unrivalled innovation in product development, high standards of manufacturing and renowned technical advice into the merchant market, customers now have direct access to the complete product portfolio opening up new opportunities for the trade industry.

FOR ALL YOUR
BUILDING SOLUTIONS






SIGN UP FOR OUR ESHOP AND ORDER QUICKLY AND EASILY 24/7.



UNRIVALLED PRODUCT AND TECHNICAL SUPPORT



DIRECT ACCESS TO THE ENTIRE SIKA PRODUCT PORTFOLIO

Social Media

Stay up to date with all the latest company and product news by following us online.



DEDICATED TRAINING SUPPORT AVAILABLE AT OUR SIKA IRELAND SITE





Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED



SEALANTS

Professional	6
DIY	12
Guns	13
Passive Fire Protection	14
Specialist Sealants	16



SCAN TO SEE THE FULL RANGE


Forever White Silicone Sealant



SGAN	SIZE	COLOUR	QTY	BARCODE
858495	295ML	WHITE	12	5029347603540
858501	295ML	CLEAR	12	5029347603953
858494	295ML	IVORY	12	5029347606404

A superior silicone sealant that's waterproof, flexible and antibacterial – designed to be used around the home.

Forever White is a superior silicone sealant that is permanently waterproof, flexible and ideal for sealing: shower bases and cubicles, wetrooms, around baths, sinks and basins. It is also ideal for use in kitchens and utility rooms and for sealing around window and door frames. Contains Mould Shield which actively protects the sealant against the growth of bacteria, mildew and black mould.



TRUSTED

FOREVER WHITE®
CONTAINS A HIGH
QUALITY ANTIMICROBIAL
ADDITIVE, RIGOROUSLY
TESTED IN ACCREDITED
MICROBIOLOGICAL
LABORATORIES TO SHOW
NO MOULD GROWTH
AFTER 10 YEARS*.

* Simulated ageing.

**PERMANENTLY
FLEXIBLE**

**TOOLS DOWN
SMOOTHLY**

PREMIUM QUALITY

**STARTS WHITE -
STAYS WHITE**

containing
**Mould
Shield®**



Caulk Once Acrylic Caulk

SLUMPING IS OFTEN FOUND
WITH INFERIOR CAULKS



CAULK ONCE IS QUICK
AND EASY TO APPLY



CAULK ONCE TOOLS
DOWN SMOOTHLY FOR
A PERFECT FINISH



SGAN	SIZE	COLOUR	QTY	BARCODE
489516	380ML	WHITE	12	5029347612962

A premium quality acrylic caulk – fast-drying, permanently flexible and tailor-made for a range of jobs.



Caulk Once – the best caulk you will ever use – is a premium quality acrylic caulk that has been formulated to outperform all other conventional decorating caulks and fillers. Caulk Once has been manufactured using an advanced high quality polymer to offer superior adhesion, low shrink as well as tooling down smoothly.

TRUSTED

APPLY ONCE –
JOB DONE

NO SLUMP

EASY SMOOTH



Check out Sika's full passive fire protection range on our website



PROFESSIONAL
FIRE PROTECTION



SCAN ME



FIND OUT MORE

01 862 0709 | info@ie.sika.com
www.sika.ie/passivefire

BUILDING TRUST



SikaSeal®- 170

All Purpose

SGAN	SIZE	COLOUR	QTY	BARCODE
777145	300ML	TRANSPARENT	12	7612895955827
776984	300ML	WHITE	12	7612895955841
777129	300ML	BLACK	12	7612895955803
780482	300ML	BROWN	12	7612895959894
777132	300ml	DARK GREY	12	7612895955780

An acetoxy-curing silicone sealant. It is used for sealing joints in sanitary facilities and other areas of residential homes. It cures to form an airtight and waterproof elastic seal that is resistant to UV and weathering. It contains fungicide to protect the sealant for mold growth in humid areas.



SikaSeal®-171

Glass Seal

SGAN	SIZE	COLOUR	QTY	BARCODE
777119	300ML	TRANSPARENT	12	7612895953748

Acetoxy silicone for interior and exterior glazing applications of residential homes. It contains fungicide to protect the sealant for mold growth in humid areas. It is temperature resistant from -40°C to +100°C and offers very good resistance to UV radiation and weathering.




SikaSeal®- 173

Roof Seal

SGAN	SIZE	COLOUR	QTY	BARCODE
777148	300ML	BLACK	12	7612895956008

Premium quality sealant and adhesive based on modified bitumen. It provides an instant and weatherproof seal for a wide variety of roofing applications. After curing, it remains soft and flexible, and is resistant to very high temperatures, UV and harsh weather conditions.




SikaSeal®- 174

Construction

SGAN	SIZE	COLOUR	QTY	BARCODE
777146	300ML	TRANSPARENT	12	7612895955827
776939	300ML	WHITE	12	7612895955865
777147	300ML	BLACK	12	7612895955902
777155	300ML	DARK GREY	12	7612895955926

High quality neutral alkoxy silicone for perimeter sealing of windows and doors, connection and façade joints. It contains fungicide to protect the sealant for mold growth in humid areas such as bathrooms and showers.




SikaSeal®-175

Bath and Tiles

SGAN	SIZE	COLOUR	QTY	BARCODE
777059	300	TRANSPARENT	12	7612895955964
776985	300	WHITE	12	7612895955940

High quality neutral alkoxy silicone designed for sealing joints in bathrooms, showers and other humid areas. It contains special fungicide for use in applications which require long term resistance to mold growth.



SikaSeal®-176

Masonry

SGAN	SIZE	COLOUR	QTY	BARCODE
777133	300ML	WHITE	12	7612895955988

High performance over-paintable sealant free of solvents and phthalates for sealing low movement and connection joints in exterior and interior applications. Typically used for sealing interior and exterior connection joints, sealing interior window frames, door frames and windowsills, sealing joints between wall and ceiling, sealing joints in lightweight walls; filling holes and cracks on walls.



SikaSeal®-178

Interior

SGAN	SIZE	COLOUR	QTY	BARCODE
788766	300ML	WHITE	12	7612655016966

Acrylic sealant for repair and filling cracks on interior walls. It can be over-painted with most water-based paints.




Contract 125

One Hour Caulk

SGAN	SIZE	COLOUR	QTY	BARCODE
482349	300ML	WHITE	25	5029347000042
485997	380ML	WHITE	12	5029347000059

A fast drying flexible decorators filler and sealant that remains permanently flexible. Can be overpainted with most paint types or covered over with wallpaper – no sanding down required. Ideal for sealing and filling cracks and gaps prior to decorating, and for use around skirting boards, ceiling cornices, window and door frames, stair treads and risings and fixtures adjoining walls. Can be used to fill damaged plaster.



Timber / Plaster / Brick / Concrete

Premium+ 565 Clean Room Silicone

SGAN	SIZE	COLOUR	QTY	BARCODE
486155	295ML	WHITE	25	5029347612399

An advanced neutral curing hygienic sealant that contains Mould Shield®, a powerful anti-bacterial compound, and is food contact approved. Prevents the growth of most common moulds. Offers outstanding adhesion to most substrates including plastics, ceramics and metal. Virtually odourless in application with a slow skinning time. Ideal for long joint runs in larger applications. Remains permanently flexible with a movement capability of +/- 25%. **Approved for food contact to 21CFR177.2600 by IANESCO (France) and meets ISO 11600 F 25LM.**




Metal / Ceramics / Glass / Most Plastics



Heat Mate Heat Resistant Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
484772	295ML	RED	12	5029347113001
484776	295ML	BLACK	12	5029347615307

A high modulus permanently flexible 100% silicone which is temperature resistant up to 275°C. Ideal for sealing industrial and high performance gaskets, oven doors etc. Cures quickly to reduce dirt pick up. Remains permanently flexible, forming a water tight rubber-like seal. Excellent adhesion to most non-porous surfaces.



Lead Mate Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
486216	295ML	GREY	25	5029347007355

Specially formulated as an alternative to mortaring lead flashing and sheet into brick, stone and concrete, providing a fully waterproof joint. Cleaner and easier to apply than conventional mortar, and a great time-saver. Excellent weathering characteristics, permanently flexible and accommodates thermal movement in lead. Tack free in 1 hour. Temperature resistant to 150°C.




Lead / Brick / Concrete / Stone / Timber



Weather Mate Gap Filler and Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
489689	295ML	CLEAR	25	5029347601454
489692	295ML	WHITE	25	5029347000073
489693	295ML	BLACK	25	5029347601447

Based on an advanced isoacrylic formula that provides the ultimate in technology for adhesion to many surfaces. It can be applied in wet weather, to wet surfaces, even under water. Resistant to all weather extremes, remains permanently flexible and can be overpainted with most paints and wood stains when cured, although overpainting is not essential.




Metal / Timber / Galvanised Steel / Bitumen



Sikaflex®-11 FC Purform®

Polyurethane Adhesive, Sealant and Filler

**TRUSTED**

**NO TRAINING ON
THE SAFE USE OF
DIISOCYANATES
(REACH) REQUIRED**

**EASY TO APPLY AND
NON-SAGGING**

**GOOD MECHANICAL
AND WEATHERING
RESISTANCE**

**MOVEMENT
CAPABILITY OF
 $\pm 25\%$**

SGAN	SIZE	COLOUR	QTY	BARCODE
700274	300ML	GREY	12	7612895776668
700275	300ML	BLACK	12	7612895776682
700276	300ML	BROWN	12	7612895776705
617758	300ML	WHITE	12	7612895572505

A one-part moisture curing elastic adhesive and sealant. It is used for interior and exterior multipurpose bonding and joint sealing. It has good and durable adhesion to most construction materials.



Concrete / Masonry / Reconstituted or cast stone / Ceramic / Wood / Metal / Glass



Power Pro Sealant Gun

SGAN	SIZE	QTY	BARCODE
484912	C4/400ML	6	5029347600945

The ultimate heavy duty sealant gun, extra pull trigger, hook end and swivel action barrel for both 310ML and 400ML cartridges. Engineered for the trade.



Professional Sealant Gun

SGAN	SIZE	QTY	BARCODE
485999	C4/400ML	12	5029347600952

Sturdy skeleton gun with hexagonal rod and reinforced ring and hook end.



Sika® Foil Applicator Gun

SGAN	SIZE	QTY	BARCODE
483370	600ML	1	5029347600808

The Foil Pack applicator gun is designed for use with foil packs, the enclosed aluminium barrel can also be used for standard cartridges.



Fire Mate Intumescent Acrylic Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
486028	295ML	WHITE	25	5029347000134

An intumescent acrylic sealant that swells when exposed to temperatures in excess of 125°C to prevent the passage of fire and smoke. Has a fire rating of up to 4 hours in certain joint configurations. **Fire rated to EN1366-4. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1. Tested to EN1366-3.**



Brick / Concrete / Stone / Timber / Plasterboard

Sikacryl®-621 Fire+ Intumescent Acrylic Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
691174	300ML	WHITE	12	7612895745145
695702	600ML	WHITE	12	7612895765594

A fire resistant, intumescent, phthalate-free acrylic sealant used for interior joints and penetration seals in fire compartment walls and floors.



SikaSeal®-623 Fire+ Intumescent Graphite Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
691260	295ML	WHITE	25	7612895745107

A fire resistant intumescent graphite based sealant for interior penetration seals. SikaSeal®-623 Fire+ is designed to provide a high volume expansion and pressure seal during a fire to combustible pipes that pass through floor and wall service openings.



Sikasil®-670 Fire Fire Rated Joint Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
483474	300ML	GREY	12	7612895181462

A fire rated, 1-component, moisture-curing, low-modulus elastic joint sealant. Sikasil®-670 Fire is designed for fire rated movement and connection joints on porous and non-porous substrates.



SikaSeal®-627 Fire Collar+ Fire Resistant Pipe Collar

SGAN	SIZE	QTY	BARCODE
698244	40 MM DIAM, 50 MM DEPTH	24 PER BOX	7612895771465
698212	55 MM DIAM, 50 MM DEPTH	24 PER BOX	7612895771489
698253	82 MM DIAM, 50 MM DEPTH	24 PER BOX	7612895771847
698254	110 MM DIAM, 50 MM DEPTH	24 PER BOX	7612895771885
698245	125 MM DIAM, 60 MM DEPTH	20 PER BOX	7612895771908
698247	160 MM DIAM, 160 MM DEPTH	12 PER BOX	7612895772042

A fire resistant prefabricated pipe collar consisting of a metal casing and an intumescent insert for interior penetration sealing applications. SikaSeal®-627 Fire Collar+ is designed to provide a high volume expansion and pressure seal during a fire to combustible pipes that pass through floor and wall service openings.



SikaSeal®-629 Fire Wrap+ Flexible Pipe Wrap

SGAN	SIZE	QTY	BARCODE
698737	55MM	30 PER BOX	7612895772776
695702	110MM	40 PER BOX	7612895772905
698915	160MM	20 PER BOX	7612895773032
698301	50MM X 25M	1 PER BOX	7612895772127
698227	75MM X 25M	1 PER BOX	7612895772141

A fire resistant flexible pipe wrap available as pre-cut strips or on a roll for interior and exterior penetration sealing applications that pass through floor and wall service openings. It is ready to use and can be cut to suit varying pipe diameters. SikaSeal®-629 Fire Wrap+ is designed to provide a high volume expansion and pressure seal during a fire to combustible pipes.



Sikacrete®-630+ Fire Resistant Penetration Compound

SGAN	SIZE	QTY	BARCODE
691802	15 KG	1 BAG	7612895746630

A fire resistant gypsum-based compound for load bearing penetration seals in fire compartment floors.



FIRE STOPPING SOLUTION FINDER



SCAN QR CODE
to find the right passive fire
protection solution for the job



Sikasil®-825

Silicone Sealant



SGAN	SIZE	COLOUR	QTY	BARCODE
835414	380ML	ANTHRACITE	25	5029347615741
835393	380ML	BLACK	25	5029347615727
835395	380ML	BROWN	25	5029347615710
835396	380ML	BRICK RED	25	5029347615703
835397	380ML	BUFF	25	5029347615697
835398	380ML	DARK GREY	25	5029347615680
835399	380ML	LIMESTONE WHITE	25	5029347615666
835410	380ML	MAGNOLIA	25	5029347615659
835411	380ML	MID GREY	25	5029347615642
835392	380ML	WHITE	25	5029347603977

Shore A Hardness	22-32
Movement Accommodation	+/-35% (ASTM C719)
Skinning Time	30-45 mins
Elastic Recovery	>80%

Sikasil®-825 is a low modulus, neutral curing silicone sealant based on a filled alkoxy curing system.

Conforms to ISO 11600 class F25LM and G25LM.
Used for expansion joints to stone, brick, concrete and composite panels, perimeter pointing around all types of window and door frames. Substrates: glass, aluminium and PVC – all primerless.

**SUBSTRATES: GLASS,
ALUMINIUM AND PVC
- ALL PRIMERLESS.**

**TECHNICAL EXCELLENCE
PROFESSIONAL
PERFORMANCE**

**CONFORMS TO ISO
11600 CLASS F25LM
AND G25LM**



Sikacryl®-620 Fire

Fire Resistant Acrylic Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
835256	380ML	WHITE	25	7612655103451
835258	600ML	WHITE	12	7612655103499

Movement Accommodation	+/-12.5%
Skinning Time	10 mins
Elongation at Break	200%

A fire resistant acrylic sealant for interior joints in walls and floors. Provides up to 4 hours fire resistance to prevent the passage of fire and smoke, according to EN 1366-4. Typically used for joints in walls and floors, and internal perimeter pointing of fire rated doors and window frames.

Reaction to fire tested to EN 13501-1.
Resistance to fire tested to EN 13501-2.
Fire testing BS 476-20. Tested for Sound transmission to ISO 10140-2. UL Product iQ, XHBN.HW-S-0113.



Sikaflex®-415 Universal

Polyurethane sealant for floor and wall joints and general purpose adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
741051	600ML	CONCRETE GREY	20	7612895889276

A one-part, moisture curing, elastic polyurethane sealant with good mechanical properties and durability for sealing floor and wall joints and adhesive applications.




Sikaflex® PRO-3 Purform

Polyurethane Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
693977	600ML	BLACK	20	7612895756448
694153	600ML	GREY	20	7612895755496

Containing new Purform technology for a futureproof polyurethane formula, Sikaflex PRO 3 Purform is a one-part, moisture curing, elastic joint sealant with superior mechanical properties combined with excellent weather and chemical resistance. Ideal for use in floor joint sealing. Ultra-low monomer and VOC content and certified for use in food contact areas.




SikaHyflex®-250

Polyurethane Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
435543	600ML	CONCRETE GREY	20	7612894945478
435616	600ML	DARK GREY	20	7612894946819
435614	600ML	WHITE	20	7612894949094



A high performance, one-part, moisture curing, low-modulus sealant. SikaHyflex®-250 is designed to provide an elastic and waterproof seal on movement and connection joints in commercial building envelopes. This product possesses excellent weathering and ageing resistance along with good adhesion to many substrates.



Sikaflex® -406 KC

SGAN	SIZE	COLOUR	QTY	BARCODE
599493	10L	CONCRETE GREY	1	7612895545141
619221	150ML	CONCRETE GREY	5	7612895519739

A one-part self-levelling booster accelerated elastic floor joint sealant with high mechanical and chemical resistance. Rapid and homogeneous curing throughout the entire sealant is achieved by the addition of the Sikaflex®-406 KC Booster (150ml).




Sikasil® DW

Acetoxy Curing Silicone Sealant for Joints in Contact With Potable (Drinking) Water

SGAN	SIZE	COLOUR	QTY	BARCODE
715585	600ML	SIGNAL GREY	20	7612895817637
680078	600ML	TRANSPARENT	20	7612895717258

Sikasil® DW is suitable for joints in contact with potable (drinking) water, e.g. in the water industry in drinking water reservoirs, tanks, treatment and filtration plants.



Sika® Primer 3N

Adhesion Promoter for use with
Sika® Liquid Detailing System

SGAN	SIZE	COLOUR	QTY	BARCODE
122239	1LTR	TRANSPARENT (Slightly Yellow)	1	7612894543216

A one-component, solvent based primer and adhesion promoter; designed for use on porous substrates and metals. Evaporates quickly.



Sikaflex®-403 Tank & Silo

Elastic polyurethane sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
707904	600ML	BLACK	20	7612895791401
707977	600ML	BLACK	20	7612895791418

A one-part, moisture-curing, elastic polyurethane sealant which is resistant to organic acids as found in liquid manure and silage liquids. The product is used for sealing segmented and bolted tanks, concrete containers, floor joints and sewage systems.



Sika® Aktivator-205

Transparent Solvent-Based Adhesion Promoter

SGAN	SIZE	QTY	BARCODE
117498	1000ML	1	7612894510997

A solvent-based colorless clear adhesion promoter designed for the treatment of bond faces prior to application of Sikaflex® and Sikasil® adhesives and sealants.



Sika® Remover-208

Solvent-Based Cleaning Agent

SGAN	SIZE	QTY	BARCODE
117665	1L	4	612894511116

A solvent-based colourless clear cleaning agent for painted substrates. It is also used to remove traces of Sikaflex® products.





Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED

ADHESIVES

Hybrid Sealants and Adhesives	22
Grab	26
Plasterboard	28
Grab / Specialist Adhesives	29
Wood	30
Flooring	32
Contact, Superglues and Activators	34



SCAN TO SEE THE FULL RANGE

Stixall Extreme Power
Sealant and Adhesive

Stixall Extreme Power is a combined adhesive and sealant, based on hybrid polymer technology, with extreme power to both bond and seal nearly everything in almost all conditions, even underwater and in the rain!



TRUSTED



INTERIOR AND
EXTERIOR
USE



ANTI-SLUMP



OVER-
PAINTABLE



WATERPROOF



RESISTANT TO
CHEMICALS



WORKS UNDER
WATER


Metal / Glass / Brick / Timber / Plastic

SGAN	SIZE	COLOUR	QTY	BARCODE
483107	290ML	BLACK	12	5029347603281
483108	290ML	BROWN	12	5029347603304
483168	290ML	CRYSTAL CLEAR	12	5029347603960
483109	290ML	GREY	12	5029347603298
483110	290ML	WHITE	12	5029347602604



Sikaflex®-11 FC Purform®

Polyurethane Adhesive, Sealant and Filler

**TRUSTED**

**NO TRAINING ON
THE SAFE USE OF
DIISOCYANATES
(REACH) REQUIRED**

**EASY TO APPLY AND
NON-SAGGING**

**GOOD MECHANICAL
AND WEATHERING
RESISTANCE**

**MOVEMENT
CAPABILITY OF
 $\pm 25\%$**

SGAN	SIZE	COLOUR	QTY	BARCODE
700274	300ML	GREY	12	7612895776668
700275	300ML	BLACK	12	7612895776682
700276	300ML	BROWN	12	7612895776705
617758	300ML	WHITE	12	7612895572505

A one-part moisture curing elastic adhesive and sealant. Sikaflex®-11 FC Purform® is used for interior and exterior multipurpose bonding and joint sealing. It has good and durable adhesion to most construction materials.



Concrete / Masonry/ Reconstituted or cast stone / Ceramic / Wood / Metal / Glass

Multi Stick
Hybrid Polymer Adhesive



TRUSTED



EXCELLENT BOND STRENGTH

ANTI-SLIP BONDING



BONDS VIRTUALLY ANYTHING

APPLY TO POROUS AND
NON-POROUS SURFACES
IN THE WET OR DRY!

SGAN	SIZE	COLOUR	QTY	BARCODE
525020	350ML	WHITE	12	5055492701725

A superior grab adhesive with the ability to bond virtually anything to everything in both wet and dry conditions, even underwater or in the rain.

With incredible initial grab, high bonding strength, and almost limitless applications, no tradesman should be without a tube of this next generation adhesive. Think of any bonding application and it is virtually certain Multi-Stick will handle it with ease.



Metal / Brick / Timber / Plastic / Concrete / PVCu



Maximum Torque

High Strength Hybrid Polymer Grab Adhesive

**TRUSTED**

SGAN	SIZE	COLOUR	QTY	BARCODE
484807	290ML	WHITE	12	5029347610814

Maximum Torque, based on next generation hybrid polymer technology is the ultimate high grab adhesive, providing a level of immediate grab strength not previously possible with cartridge packed adhesives.

The unique polymer blend gives incredible initial grab, typically double that of most grab adhesives on the market today, eliminating the need for temporary support in most applications. Maximum Torque has the ability to bond basically everything to anything in virtually all conditions.

INTERIOR AND
EXTERIOR
USEOVER-
PAINTABLERESISTANT TO
CHEMICALS

ANTI-SLUMP

Brick / Metal / Glass / Timber / PVCu

**DOUBLE THE GRAB
STRENGTH OF
MOST ADHESIVES**

**CAN BE APPLIED
TO WET OR DAMP
SURFACES**

**INCREDIBLE
INITIAL GRAB**



Pinkgrip

Solvent Based Adhesive



NON-SLIP BONDING

SOLVENT BASED

NO NEED TO
'DOUBLE STICK'

FAST GRAB

Pinkgrip SF

Solvent Free Adhesive


SGAN	SIZE	COLOUR	QTY	BARCODE
486022	350ML	PINK	12	5029347601690

Pinkgrip's revolutionary grabbing strength usually removes the need to pin under the workpiece to prevent slipping or slumping.


Pinkgrip will stick just about anything on a building site that needs sticking. Its amazing grabbing strength not only removes the need to pin under the workpiece to prevent slumping, but its revolutionary initial 'Direct Bond' eliminates the need for double stick methods.

SGAN	SIZE	COLOUR	QTY	BARCODE
486024	380ML	WHITE	12	5029347610081

A direct bond adhesive with all the legendary grabbing performance of original Pinkgrip but in a solvent free formula. Can be used to replace mechanical fixings in a wide variety of home improvement applications. Ideal for bonding wood, brick, plaster, plasterboard, polystyrene, metals and plastics. Available in Pink and White colours.



Brick / Metal / Timber / Concrete / Plastic



Brick / Metal / Timber / Concrete / Plastic

Pinkgrip Dry Fix FR Plasterboard Adhesive Foam

**SIGNIFICANT TIME SAVING
OVER CONVENTIONAL DRY
WALL ADHESIVES**

**SUITABLE FOR
PLASTERING IN
JUST 1 HOUR**

**BOARDS ONLY NEED
HOLDING
FOR 1 MINUTE**

**NO MIXING,
NO MESS**




SGAN	SIZE	COLOUR	QTY	BARCODE
489721	750ML	PINK	12	5029347606282

Pinkgrip Dry Fix FR is a revolutionary type of fast curing, adhesive foam that has been specially developed for the rapid installation of Plasterboard, Insulation Boards and other sheet materials such as Roof Decking and Floorboards.

The Dual Flow system means that it can be applied using the nozzle provided or attached to the Dry Fix Applicator Gun. Pinkgrip Dry Fix FR provides significant labour saving and convenience benefits when compared to traditional dry wall adhesives. It will bond to most common building substrates; can be applied horizontally or vertically to the board, wall or battens/beams.

Dry Fix FR conforms to the requirement of EN13501-1 Class E for fire rating.



Brick / Stone / Concrete / Timber / Plasterboard

Pinkgrip Dry Fix Applicator Gun

SGAN	SIZE	COLOUR	QTY	BARCODE
486434	-	-	1	5029347606466

Pinkgrip Dry Fix Applicator Gun – for use with Pinkgrip Dry Fix Fast Cure Dry Wall Adhesive.




Clear Fix

Crystal Clear Hybrid Polymer Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
847141	290ML	CLEAR	12	5029347612931

A clear hybrid polymer grab adhesive that has the ability to bond just about everything in both interior and exterior applications. With added UV stabilisers, Clear Fix is the ideal choice for applications where you may see the colour of the product. Clear Fix is a versatile product which can be used in almost every application imaginable – even when immersed under water! Even more, Clear Fix comes in a completely Clear cartridge to illustrate the clarity of the product.




Metal / Glass / Brick / Timber / PVCu

Griptite

Solvent Based Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
486717	350ML	BUFF GREEN	12	5029347611644

An extra-tough, high grab construction adhesive that combines great performance with 'easyflow' gunability. This high bond strength, solvent based adhesive adheres to most common substrates and can be used on direct bond or double stick applications. With good early grab properties Griptite is suitable for a wide variety of applications including being usable in both vertical and horizontal positions.




Brick / Stone / Timber / Concrete

Smart Tack Handy

Aerosol

SGAN	SIZE	COLOUR	QTY	BARCODE
762050	500ML	BLUE	12	TBC

Standard aerosol for smaller jobs. Offers all benefits with lower pressure application. 500ML aerosol will cover 2.5-3.5m² of laminate when applied to both surfaces.




Laminates / Timber / Cork / Rubber / Metal

Smart Tack

Bulk Tank

SGAN	SIZE	COLOUR	QTY	BARCODE
760277	17KG	CLEAR	1	TBC

For large scale use, delivers adhesive via a flexible hose to the gun. Bulk Tank will cover ca. 128m² per 17kg of laminate when applied to both surfaces.



Laminates / Timber / Cork / Rubber / Metal

Smart Tack Bulk Tank Gun

SCAN	SIZE	COLOUR	QTY	BARCODE
488889	-	-	1	NO BARCODE

For use with Smart Tack bulk tank and hose.



Smart Tack Bulk Tank Hose

SCAN	SIZE	COLOUR	QTY	BARCODE
488892	-	-	1	NO BARCODE


For use with Smart Tack bulk tank and gun. Hose length: 3.66 metres.



D4 Wood Adhesive

SCAN	SIZE	COLOUR	QTY	BARCODE
484942	1LTR	WHITE	12	5029347602703
484947	25LTR	WHITE	1	5029347611545


A solvent free industrial grade wood adhesive based upon hybrid resin technology. Can be used internally or externally, gives a high strength, totally waterproof, impact and temperature resistant bond. Dries clear, sets in 10 minutes. Ideal for all general woodworking and joinery uses, assembly line work, RF/HF Cure systems, wood on wood laminating, furniture assembly and household DIY use. **Conforms to EN 204. D4 Strength and WATT91.**



502 All Purpose Weatherproof Wood Adhesive

SCAN	SIZE	COLOUR	QTY	BARCODE
482248	250ML	-	12	5029347005238
482247	500ML	-	20	5029347005207
479511	1L	-	12	5029347005214
488859	5L	-	4	5029347005252
488861	25L	-	1	5029347052492


A high quality, resin based wood adhesive for all wood bonding. It can be used internally and externally and provides a high strength, impact resistant bond that is usually stronger than the wood itself. Ideal for all general woodworking and joinery uses, furniture assembly and household DIY use. Dries clear. Fast cure, initial set in just 10 minutes. **Conforms to the international standard EN 204 D3 and EN 14256 for resistance to static load.**



5 Minute Polyurethane Wood Adhesive Gel

SGAN	SIZE	COLOUR	QTY	BARCODE
484682	310ML	TRANS	12	5029347809034

Lumberjack 5 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in just 5 minutes. This product gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which in turn increases the bond strength. Particularly suitable for equipment manufacture and production line applications where rapid handling is required. **Conforms to EN 204. D4 Strength.**




Wood / Metal / Brick / Concrete / Stone



5 Minute Polyurethane Wood Adhesive Liquid

SGAN	SIZE	COLOUR	QTY	BARCODE
484683	750GR	BROWN	6	5029347601133

Lumberjack 5 minute polyurethane wood adhesive liquid is brown in colour and is ideal for larger applications, or in the workshop where greater economy is required. Sets hard in 5 minutes. The liquid is 100% waterproof, gives exceptionally high bond strength and is resistant to most chemicals. The product foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Strength.**




Wood / Metal / Brick / Concrete / Stone



30 Minute Polyurethane Wood Adhesive Gel

SGAN	SIZE	COLOUR	QTY	BARCODE
484684	310ML	TRANS	12	5029347809010

Lumberjack 30 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in 30 minutes. This one-part, moisture curing gel gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Strength.**



Wood / Metal / Brick / Concrete / Stone



30 Minute Polyurethane Wood Adhesive Liquid

SGAN	SIZE	COLOUR	QTY	BARCODE
484685	750GR	BROWN	6	5029347809027

Lumberjack 30 Minute Polyurethane Wood Adhesive Liquid is brown in colour and ideal for larger, horizontal applications where greater economy is required. Sets hard in 30 minutes. This liquid gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Strength.**





Wood / Metal / Brick / Concrete / Stone



SikaBond®-52 Wood Floor Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
424418	600ML	BEIGE	20	7612894887525



A one-component, solvent-free, fast-curing, elastic wood flooring adhesive for professional use. SikaBond®-52 Wood Floor is suitable for use on most common types of wood floors, even problematic woods such as beech, maple and bamboo using liquid batten. Suitable for use with underfloor heating when used with the Sika® AcouBond System.



SikaBond®-54 Wood Floor Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
427784	13KG	BEIGE	1	7612894907285




A one-component, solvent-free and elastic wood flooring adhesive that is for professional use. SikaBond®-54 Wood Floor is a full stick down adhesive for use on both solid and engineered wood floors. This product is also suitable for use with underfloor heating systems.



SikaBond® MS Wood Floor Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
466914	14KG	PARQUET BROWN	1	5055492700902



A high quality, trowel applied MS adhesive which is specifically designed for bonding wooden floors to all common substrates. SikaBond® MS Wood Floor utilises a formulation that is completely water free, thereby reducing the likelihood of wooden boards cupping or crowning. With an extended open time of 40 minutes, this product is ideal for larger application areas.



SikaBond® 5500 S

SGAN	SIZE	COLOUR	QTY	BARCODE
165745	16KG	BEIGE	1	5055047210177


A one-part, solvent based, rigid adhesive for bonding wood block parquet and engineered boards onto porous substrates. SikaBond®-5500 S provides a high strength bond that is suitable for use with underfloor heating. This product is suitable for use with all types of wood.



SikaBond® Rapid DPM

SGAN	SIZE	COLOUR	QTY	BARCODE
175129	5LTR	BROWN	4	5055047210603


A solvent-free, single-part, moisture curing polyurethane primer and damp proof membrane, ideal for use on cement based substrates. SikaBond® Rapid DPM can be used for priming, consolidating and sealing in various applications. This product is particularly ideal to use on absorbent and non-absorbent subfloors, consolidating weak cement screeds and isolating old adhesive residue. Can be used as DPM on subfloors under hydrostatic pressure.



Sika® Primer MB

SGAN	SIZE	COLOUR	QTY	BARCODE
703839	10KG	BLUE	1	7612895782126

A low viscosity, solvent-free, two-component epoxy resin based primer and moisture barrier for wooden floors. Suitable for use in conjunction with SikaBond® elastic adhesives on critical substrates.



Sika® Silent Layer Mat

SGAN	SIZE	COLOUR	QTY	BARCODE
50368	16.66M	-	1	5055047210252

A high quality, polyethylene foam mat that is specifically designed to reduce the sound of footfall. Ideal for use in conjunction with SikaBond® MS Wood Floor gun grade or SikaBond® 52. Sika® Silent Layer Mat is pressure resistant and dimensionally stable.




Stick 2

Instant Contact Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
484612	750ML	BEIGE	12	5029347065058
484611	5L	BEIGE	4	5029347006556

Stick 2 All Purpose Contact Adhesive is a premium grade rubber based contact adhesive suitable for use with a wide variety of materials for both professional and DIY use. The product may be used for bonding decorative laminates, all types of wood, rigid PVC, ABS, leather, cork, linoleum, rubber, stone, metals and dense fabrics.



Laminates / Timber / Cork / Rubber / Metal




Stick 2

Instant Spray Contact Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
484593	500ML	-	12	5029347060855

A sprayable glue which bonds to most common materials including wood, concrete, stone, tiles, rubber, foam, metals, rigid plastics, polyethylene, canvas fabrics, cardboard, paper and cork. Ideal for securing most carpets/floor coverings. Suitable for internal and external use. Time saving spray – easier and quicker to apply than most trowel/spreader applied adhesives. Repositionable.




Stick 2

Carpet Fix Spray Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
762051	500ML	-	12	5029347603212

Sprayable medium duty glue which fixes P.U. and foam backed carpets, carpet tiles, underlay, paper felt and cork to most common substrates. Economical and time saving – quicker and easier than spreader applied adhesives. Foaming formula gives low soak into substrates.



Stick 2

Industrial Superglue GP

SGAN	SIZE	COLOUR	QTY	BARCODE
484652	50GRM	CLEAR	20	5029347602345

Medium viscosity formula fills gaps to 0.1mm. For use on perfect fit surfaces where fast set is required. Bonds nonporous surfaces eg. most plastics, metals, glass, PVCu, rubber and EPDM. Viscosity at 25°C – 100cPs. Set time 5 to 15 seconds. Packed in self merchandising display boxes.




PVCu / Plastic / Glass / Metal

Mitre Fast


Kit

SGAN	SIZE	COLOUR	QTY	BARCODE
489755	STD	CLEAR	6	5029347601119
462029	STD	CLEAR	24	5029347611637
489750	LRGE	CLEAR	6	5029347601126

A two-part instant adhesive system comprising a cyanoacrylate adhesive and aerosol activator. Mitre Fast is mainly used in the furniture, timber, kitchen and plastics industries where its instant bonding properties dramatically reduce assembly times for mitre joints.



Timber / Plastics / Metal



Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED

LANDSCAPING



Jointing Compounds	38
Sealing and Protecting	40
Surface Cleaners and Treatments	42



SCAN TO SEE THE FULL RANGE


Sika® FastFix All Weather Paving Jointing Compound




SGAN	SIZE	COLOUR	QTY	BARCODE
669017	15KG	DARK BUFF	1	5055492703644
669016	14KG	DEEP GREY	1	5055492703637
626733	15KG	CHARCOAL	1	5055492703125
626734	15KG	FLINT	1	5055492703118
626320	15KG	STONE	1	5055492703101

A self-setting paving jointing compound that provides the ideal solution to perfect pointing on paving, paths and patios. Containing a unique formula, Active Resin Technology for advanced durability, Sika® FastFix All Weather is ready to use with no mixing required.

Suitable for use in all weather conditions; even in the rain. This product will not shrink or crack over time. Available in 5 colours.



Colour swatches are a guide only and may vary.



TRUSTED

**FOR USE ON JOINTS FROM
JUST 20MM DEEP**

EASY TO APPLY - FAST TO SET



**ACTS AS A NATURAL BARRIER
FOR WEED GROWTH**

**NO WASTE - STORE AND REUSE
ONCE OPENED**

SikaCeram® FlowFix Porcelain Paving System


SikaCeram® FlowFix is a high performance porcelain paving installation system, consisting of a bonding primer and jointing compound.

SikaCeram® FlowFix Bonding Primer is used to provide an exceptional bond between porcelain paving and the bedding mortar. Mixed solely with water, SikaCeram® FlowFix Bonding Primer is applied with a brush or roller to the rear of the paving when laying, to prevent the paving system breaking away from the mortar bed.

SikaCeram® FlowFix Jointing Compound is a controlled, emmentitious flowable jointing grout which is applied by mixing with water on site. SikaCeram® FlowFix Jointing Compound is poured over joints with ease and worked into other exposed joints by squeegee. Once dry the surplus is simply washed off. SikaCeram® FlowFix Jointing Compound is a highly workable product that is non-permeable once cured.




SikaCeram®-62 FlowFix Bonding Primer




SGAN	SIZE	COLOUR	QTY	BARCODE
633196	20KG	-	1	5055492703286



SikaCeram®-621 FlowFix Porcelain Jointing Compound



SGAN	SIZE	COLOUR	QTY	BARCODE
711500	15KG	IVORY	1	5055492703972
711449	15KG	LIGHT GREY	1	5055492703965
711447	15KG	DARK GREY	1	5055492703989
711448	15KG	BUFF	1	5055492703996





Colour swatches are a guide only and may vary.

Sika® Setting Sand

Narrow Paving Joint Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
442722	20KG	BUFF	1	5055492700223

A easy to use, moisture curing jointing compound for narrow joints. Sika® Setting Sand can be simply poured or swept into joints before being saturated with water. Provides perfect pointing for all types of block paving; once cured, it will not wash out, shrink or crack over time.

HARD
WEARING


GAP FILLING

**Sika® Water Repel +**


Water Repellent and Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
407296	5LTR	CLEAR	4	5055047210986

A solvent free water repellent and protector for concrete, brick, stone and masonry which protects against rainwater penetration without changing the aesthetic appearance of the substrate.



UV RESISTANT

SOLVENT
FREE5-8M²APPROX
COVERAGE**Sikagard®-700 S**Siloxane Based Water Repellent
Impregnation Class I

SGAN	SIZE	COLOUR	QTY	BARCODE
100861	5LTR	CLEAR	1	5604672000211
100862	25LTR	CLEAR	1	5604672000365


A one-part solvent based water repellent impregnation for absorbent cementitious substrates. It penetrates well into the open pores of the substrate, providing durable water repellency, while still allowing water vapour diffusion in both directions.



Sika® Patio Seal Clear Paving Sealer

SGAN	SIZE	COLOUR	QTY	BARCODE
115338	5LTR	CLEAR	4	5055047206354


A low-odour, water-based, acrylic coating that is ideal for sealing and protecting patios, paths, natural stone, concrete and block paving. Sika® Patio Seal protects against the effects of water, petrol and organic growth. The product dries to a hard-wearing, water repellent film which gives a low sheen slip-resistant finish.



Sika® Stone Protector Water Based Protector and Sealer

SGAN	SIZE	COLOUR	QTY	BARCODE
410465	5LTR	CLEAR	4	5055047210993


A water-based sealer which is suitable for all forms of porous stone. Once applied to a surface, Sika® Stone Protector resists stains without changing the aesthetic look of the surface it is applied to.



409 Block-Guard Block Paving Seal and Joint Sand Stabiliser

SGAN	SIZE	COLOUR	QTY	BARCODE
482659	5L	-	4	5029347603083

A block paving seal and joint sand stabiliser based on a clear solvent based acrylic coating to bind jointing sand and form a durable seal over block paving and other mineral pavers/flags. It penetrates deeply into pavers and jointing sand and then cures by solvent evaporation.



SIKA® MAKE IT PRO



SCAN QR CODE
for help with landscaping
solutions from basement to roof.




Sika® Brick and Patio Cleaner

Cleaning Solution for Brickwork and Patios

SGAN	SIZE	COLOUR	QTY	BARCODE
102476	5LTR	-	4	5055047200581

A fast acting, acid based cleaning solution for brickwork, concrete and paving. Sika® Brick and Patio Cleaner contains a powerful formula that dissolves mortar and cement stains, ingrained dirt, efflorescence on mineral surfaces.




Sikagard®-112

Mortar and Brick Cleaner

SGAN	SIZE	COLOUR	QTY	BARCODE
649545	5LTR	-	4	5055492703347

A highly concentrated, fast acting acid based formula which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, render and concrete.




Sika® Dustproofer

Concrete Surface Hardener

SGAN	SIZE	COLOUR	QTY	BARCODE
102470	5LTR	-	4	5055047200611

A economic, ready to use dustproofer and concrete surface hardener for concrete floors, paths and driveways. Sika® Dustproofer is suitable for hardening and dustproofing both old and new concrete.




Sika® Mould Buster

Mould and Algae Treatment

SGAN	SIZE	COLOUR	QTY	BARCODE
174996	5LTR	-	4	5055047209096


A powerful, fast acting solution which is effective on most surfaces. Sika® Mould Buster removes algae, mould and green growth without the need for scrubbing or pressure washing.



406 Stabilising Solution

SGAN	SIZE	COLOUR	QTY	BARCODE
483195	5L	-	4	5029347601508


A microscopically fine polymer emulsion which penetrates dusty/chalky and badly weathered surfaces to leave a stable sound base for decoration with paint, wallpaper, tiling etc. Suitable for both interior and exterior use.



Patio Wizard Mould and Algae Treatment

SGAN	SIZE	COLOUR	QTY	BARCODE
484818	5LTR	-	4	5029347606312


Patio Wizard kills algae, green growth, mould and fungi on patios, paths, driveways and all hard surfaces. It is so easy to use, just apply and leave to dry, no need for any washing off, scrubbing or pressure washing. Supplied as a concentrate that dilutes with water at 1:10 i.e. 5L makes 50L and 1L makes 10L.



Tarmac Restorer High Performance Surface Coating

SGAN	SIZE	COLOUR	QTY	BARCODE
488956	5LTR	BLACK	4	5029347612856

A high performance surface coating specially formulated to make tired old tarmac look just like new. Tarmac Restorer provides a tough, durable, low sheen finish which protects from weathering, oil and petrol spills and unsightly plant and weed growth. Tarmac restorer is easy to apply, provides long term protection, reduces further tarmac repair needs and restores the deep, black finish of your tarmac. As it is quick drying, driveways can be used after only 4 hours of the product being applied.



Need a quick fix
before you clean and
treat? Check out our
Concrete and brick
repair range.

See page 96





Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED

ROOFING

Roof Repair	46
Bitumen	50



SCAN TO SEE THE FULL RANGE

Sika® Evercryn® One Coat
 Roof Repair Compound


Evercryn is a resin based, fibre re-enforced* roof repair compound which is effective on all common roofing surfaces, giving instant roof repairs even in the wet and on wet surfaces. May also be applied in frosty conditions down to -5°C.

Evercryn is instantly waterproof when applied, there is no fear of wash off so emergency leaks can be tackled immediately as there is no need to wait for the rain to stop. Evercryn is brush applied and dries to a smooth seamless flexible membrane which resists algae and fungal growth. Because of the high level of fibre reinforcement, Evercryn will bridge small cracks and requires only a one coat brush application to give instant and total water protection, even in areas subject to ponding. Evercryn requires no primer on sound non-porous surfaces. Specifically designed for the following applications: general sealing, maintenance, repair and waterproofing of most common roofs in wet or dry conditions – for use on concrete, fibre/cement, roofing felt, mastic asphalt, existing bituminous roof coatings, rigid PVCu, corrugated iron, metals, slates, brickwork, tiles, lead, copper and zinc.

*Excludes translucent.

TRUSTED

CAN BE USED IN THE WET


NO PRIMER NEEDED



ONE COAT APPLICATION

APPLY WITH A BRUSH

SGAN	SIZE	COLOUR	QTY	BARCODE
851479	5KG	BLACK	4	5029347600976
851590	5KG	TRANS	4	5029347612665
851569	5KG	GREY	4	5029347600716



SikaShield® RoofPro Adv. T-02 E50 Elastomeric Bituminous Roof Membrane

SGAN	SIZE	COLOUR	QTY	BARCODE
672848	8X1M	BLACK	1	7612895702292

An SBS modified bituminous waterproofing membrane for flat and sloping roofs, balconies and terraces and as an exposed top sheet in multi-layer system.



SikaShield® RoofPro Adv. T-02 E20 Elastomeric Bituminous Roof Membrane

SGAN	SIZE	COLOUR	QTY	BARCODE
672904	16X1M	-	1	7612895702414

An SBS modified bituminous roof waterproofing membrane for flat roofs, as a base sheet in multi-layer system and protection of many substrate types over wide range of applications.



Sika® Black Jack® Flashing Tape Trade Flashing Tape Trade

SGAN	SIZE	COLOUR	QTY	BARCODE
852659	100MM	LEAD LOOK	6	5029347099022
852563	150MM	LEAD LOOK	4	5029347099039
852564	225MM	LEAD LOOK	2	5029347099046
852565	300MM	LEAD LOOK	2	5029347099053
852566	450MM	LEAD LOOK	1	5029347099060

Black Jack self adhesive flashing with natural lead-look finish. All available in 10mtr long rolls.



SikaSeal®-173 Roof Seal

SGAN	SIZE	COLOUR	QTY	BARCODE
777148	300ML	BLACK	12	7612895956008

Premium quality sealant and adhesive based on modified bitumen. It provides an instant and weatherproof seal for a wide variety of roofing applications. After curing, it remains soft and flexible, and is resistant to very high temperatures, UV and harsh weather conditions



Liquid Roof

All Weather Roofing System



SGAN	SIZE	COLOUR	QTY	BARCODE
511382	7KG	SLATE GREY	4	5029347614164
511383	21KG	SLATE GREY	1	5029347614171
97480	1M X 50M	-	1	7612894436402

An easy to use, all weather roofing system ideal for waterproofing flat or pitched roofs.

Everbuild Liquid Roof is a one-component, fast curing, polyurethane based waterproofing system for flat and pitched roofs.

Applied in two coats by brush or roller, Everbuild Liquid Roof creates a solid, seamless, waterproof membrane that remains permanently flexible, making it the ideal solution for new installations, the refurbishment of old or to overlay most common roofing substrates.

Everbuild Liquid Roof comes ready to use and is cold applied by brush or roller, using moisture in the air to cure meaning no additional catalyst is required. And what's more, it will cure in many weather conditions becoming completely rain resistant in just 10 minutes, even if a pool of water forms on top of it.

Suitable for use on a variety of substrates, Everbuild Liquid Roof is compatible with concrete, mortar, stone, fibre cement, roof tiles and metals. Not only that but it can also be applied to wood, asphalt, roofing felt and bituminous coatings with the use of full reinforcement in the form of Sikalastic Fleece-120.

**TRUSTED**

PU WATERPROOFING LIQUID MEMBRANE FOR FLAT AND PITCHED ROOFS

FAST CURING - RAIN RESISTANT IN 10 MINUTES



MOISTURE CURING TECHNOLOGY - NO CATALYST REQUIRED

FOR NEW ROOFS AND REFURBISHING OLD ROOFS

SOLUTIONS FOR YOUR MODULAR BUILDING

SOLUTIONS FROM THE
**BASEMENT TO
THE ROOF**



AUTOMATION
FOR REDUCTION IN
LABOUR COSTS



ACOUSTIC SOLUTIONS TO AID
NOISE REDUCTION
AND IMPROVE COMFORT



FAST PRODUCTION TIME TO REDUCE
CYCLES AND INCREASE OUTPUTS



FASTER PRODUCTION RESULTING
IN **COST SAVINGS**
FOR THE CUSTOMER



SAFE AND SECURE BUILDINGS
WITH
FIRE PROTECTION
SYSTEMS



HIGH QUALITY PRODUCTS
AND SERVICE TO MEET LOCAL
AND INTERNATIONAL BUILDING
REGULATIONS



EXPERT SPECIFICATION
SUPPORT COMBINING
**INDUSTRY
KNOW-HOW**
WITH CONSTRUCTION
PRODUCTS



IMPROVE **STRUCTURAL
INTEGRITY** AND REDUCE
WEIGHT BY THE USE OF
ADHESIVES



REDUCE MATERIAL HANDLING AND
WASTE FOR A MORE **SUSTAINABLE
MANUFACTURING PROCESS**



DEDICATED **SPECIALIST MMC
DIVISION** OPTIMISING SUPPLY
CHAIN PARTNERSHIP



SCAN HERE




ONLY **SIKA**
CAN PROVIDE
CUSTOMERS
WITH ALL THIS



Sika® Black Jack® 901
 Bitumen Paint



SGAN	SIZE	COLOUR	QTY	BARCODE
852659	5LTR	BLACK	4	5029347009151

A solvent based, full bodied black bituminous paint. When dry, the product forms an odourless and taint free black film suitable for metal protection, and overcoating felt.


Sika® Black Jack® 902
 Bitumen and Flashing Primer


SGAN	SIZE	COLOUR	QTY	BARCODE
852671	5LTR	BLACK	4	5029347009250

A thin black primer used to give a key prior to applying bitumen paints, roof coatings and flashing.


Sika® Black Jack® 903
 Bitumen Trowel Mastic


SGAN	SIZE	COLOUR	QTY	BARCODE
852674	5LTR	BLACK	4	5029347009359

A trowel applied, black, heavily filled bituminous compound with added fibres for reinforcement. The product forms a surface skin, but the mass below remains soft to allow for moderate movement. Suitable for sealing and filling holes in mastic asphalt, roofing felt, corrugated iron, metal guttering and downpipes.


Sika® Black Jack® 904
 Roof Felt Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
852652	5LTR	BLACK	4	5029347009458

A cold applied, oxidised bitumen based adhesive used to bond roofing felt to most surfaces. Specifically designed for bonding all types of roofing felt to metal and concrete, sealing felt laps and as a cold gritting solution for bonding mineral chippings.



Sika® Black Jack® 905 All Weather Roof Coating

SGAN	SIZE	COLOUR	QTY	BARCODE
852567	5LTR	BLACK	4	5029347009557

A solvent based, full bodied black brushable bitumen compound with added fibres for reinforcement. It is an effective general purpose roof coating that is resistant to wash off by rain almost immediately. The product is specifically designed for general waterproofing in all roofing applications.



Sika® Black Jack® 907 Solar Reflective Paint

SGAN	SIZE	COLOUR	QTY	BARCODE
852668	5LTR	SILVER	4	5029347009755

A thin bituminous based aluminium protective paint of brushable consistency which dries to a silvery finish. The product is specifically designed for application over primed metal walls and roofs to reduce heat absorption.



Sika® Black Jack® 908 DPM

SGAN	SIZE	COLOUR	QTY	BARCODE
852663	5LTR	BLACK	4	5029347009854

An rubber enriched bitumen emulsion which provides a highly effective sandwich damp proof membrane for floors. Acts as a waterproofer for walls, above ground structures and foundations. DPM is also suitable as an adhesive for wood block and mosaic panels, insulation boards etc.



Leadmate Patination Oil

SGAN	SIZE	COLOUR	QTY	BARCODE
489041	1LTR	-	10	5029347608873

Specially formulated to provide a protective coating for newly installed leadwork, that helps to prevent the white carbonate staining that affects new lead and surrounding tiles, brickwork, stonework etc. Just one coat of Patination Oil helps to provide a uniform attractive appearance to newly installed lead and helps the ageing process whilst the natural patina of the lead is being formed.





Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED

EXPANDING FOAMS

Professional and DIY

54



SCAN TO SEE THE FULL RANGE

Sika Boom®-180 Fix & Fill Expanding Foam

SGAN	SIZE	COLOUR	QTY	BARCODE
781563	750ML	-	12	7612655000729

A polyurethane, one-part, self-expanding foam designed for insulating and filling cavities and voids, filling joints around window and door frames, insulating against noise, cold and draughts, filling around pipes / conduit penetrations.



Sika Boom®-580 Fix & Fill Expanding Foam

SGAN	SIZE	COLOUR	QTY	BARCODE
781582	750ML	-	12	7612655000293

A polyurethane, one-part, self-expanding foam made for professional application by dispenser gun designed for: Insulating and filling cavities and voids, filling joints around window and door frames, Insulating against noise, cold and draughts, filling around pipes / conduit penetrations.


For professional use only.



Thermofoam Insulating and Acoustic Expanding Foam

SGAN	SIZE	COLOUR	QTY	BARCODE
489712	750ML	-	12	5029347613587

Specially formulated, highly flexible PU foam that absorbs component movement thereby giving an air tight seal to reduce heat loss and improve energy efficiency in buildings.




PVCu / Plastic / Brick / Stone
/ Concrete / Metal / Timber



Constructa-Pro Adhesive Foam

SGAN	SIZE	COLOUR	QTY	BARCODE
538593	750ML	-	12	5029347615024

A high strength adhesive foam designed for use in a multitude of building applications. Adheres well to most common building materials. Once cured, it's rot-proof, and moisture and temperature resistant from -40°C to +80°C. Suitable for a wide range of applications, e.g. as an adhesive for fixing plasterboard, insulation board, fixing skirting boards or a mortar substitute for building rough garden walls, planters etc.



Brick / Stone / Concrete / Metal / Timber



EXPANDING FOAMS

Professional and DIY

55

P45 Medium Duty Metal Gun

SGAN	SIZE	COLOUR	QTY	BARCODE
486679	P45	-	1	5029347603526

P45 Foam Gun gives the user more control to apply the foam precisely in hard to reach places, saving unnecessary wastage.




Firefoam B1 Gun Grade

SGAN	SIZE	COLOUR	QTY	BARCODE
488715	750ML	PINK	12	5029347611729

A quick-setting fire rated, one-part polyurethane foam. It expands on application to yield up to 50 times the can contents. Fire rated up to 4 hours in certain joint configurations, meets requirements of the test criteria DIN 4102 Part 1 for Construction Materials, Class B1 and BS 476 Part 20.

For professional use only.




PVCu / Plastic / Brick / Stone /
Concrete / Metal / Timber



Dual Purpose Foam Cleaner

SGAN	SIZE	COLOUR	QTY	BARCODE
488713	500ML	-	12	5029347126001

Used to remove wet/uncured foam. Attaches to Gun Foam Applicator for purging through; also includes spray nozzle for use without applicator to remove wet foam from outside of the gun and from most building substrates. The unique threaded collar fits most gun foam applicators, including the above Everbuild foam applicators guns.




Firefoam B2 Gun Grade

SGAN	SIZE	COLOUR	QTY	BARCODE
488718	750ML	PINK	12	5029347600464

A quick setting fire rated, one-part polyurethane foam for application by a foam applicator gun. Fire resistant for up to 2 hours in certain joint configurations. It expands on application to up to 50 times the can contents and meets the requirements of the test criteria for BS476 Part 20.

For professional use only.



PVCu / Plastic / Brick / Stone /
Concrete / Metal / Timber





Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED

FILLERS AND DECORATING SUNDRIES

Surface Protectors

58

Decorating Fillers

60



SCAN TO SEE THE FULL RANGE

Roll and Stroll

Premium Carpet Protector



SGAN	SIZE	COLOUR	QTY	BARCODE
462111	25MTR	YELLOW	6	5029347605636
484946	75MTR	YELLOW	1	5029347605643

The ultimate fire-rated, self-adhesive carpet protector with the adhesive coating on the outside making light work of unwinding and applying to the area. Safer than dust sheets, Roll and Stroll is totally waterproof, won't tear and can be left for up to 4 weeks.


**FIRE RATED****TOTALLY WATERPROOF - PROTECTS AGAINST SPILLAGES****WON'T TEAR OR RIP****CAN BE USED ON FLAT SURFACES AND STAIRCASES**

Roll and Stroll

Textured Non-Slip Carpet Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
484868	75MTR	YELLOW	1	5029347610265

Roll and Stroll Textured Non-Slip Carpet Protector is the ultimate self adhesive carpet protection system. With the adhesive coating on the outside, it is easy to unwind, safer than dust sheets and has a multitude of uses across all trade sectors. Totally waterproof and textured to make it non-slip.




Roll and Stroll

Hard Surface Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
462110	25MTR	CLEAR	6	5029347606077

Roll and Stroll Hard Surface Protector is the ultimate self adhesive floor protection, works on all hard surfaces such as timber, ceramic tiles, laminate, vinyl, metal and stone. It is also suitable for use on worktops, window sills; doors and kitchen units. With the adhesive coating on the outside it is easy to unwind, safer than dust sheets and has a multitude of uses, protects against spillage and won't tear or rip.



Roll and Stroll

Glass Protector

SGAN	SIZE	COLOUR	QTY	BARCODE
467445	25MTR	RED	15	5029347611248

Glass Protector is the ultimate self adhesive protector ideal to protect glass against the mess, dirt, staining, spillages and soiling that occurs during general building and decorating work. It also reduces the risk of costly scratches to glass. With the adhesive coating on the outside it is also easy to apply.



One Strike


Ready Mixed Filler



SCAN	SIZE	COLOUR	QTY	BARCODE
461917	450ML	WHITE	12	5029347300050
461916	1LTR	WHITE	6	5029347300012
488534	2.5LTR	WHITE	1	5029347603458
480347	5LTR	WHITE	1	5029347300500

One Strike is a revolutionary filler, formulated using lightweight polymer bubbles that fill most holes and cracks; even deep holes.

For use in plaster, wood, brick, stone and rendering. Ideal for overhead applications as One Strike will not slump out of cracks. One Strike finishes smooth, requiring little or no sanding and is ready to paint or wallpaper over in just 30 minutes.



Brick / Stone / Concrete / Plaster

TRUSTED

**IT WON'T SLUMP
(EVEN OVERHEAD)**

IT WON'T SHRINK OR CRACK

IT WON'T NEED LAYERS TO FILL

IT WON'T NEED SANDING



**IT WON'T TAKE LONG
TO DRY (30 MIN)**

IT WON'T BREAK THE BANK

All Purpose Powder Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
480442	450GM	WHITE	16	5029347600570
480443	1.5KG	WHITE	10	5029347600587

All Purpose Powder Filler for both interior and exterior use, with added PVA for extra strength. Fills holes up to 40mm deep. For repairs to plaster, brick, stone, wood, can be nailed or screwed when dry. Quick setting, non-shrink.



Multi Purpose Joinery Grade Wood Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
480461	250ML	LIGHT STAINABLE	6	5029347603359
480462	250ML	MEDIUM STAINABLE	6	5029347603366
480463	250ML	PINE	6	5029347608286
480464	250ML	MAHOGANY	6	5029347608323
480465	250ML	LIGHT OAK	6	5029347608309
480466	250ML	DARK OAK	6	5029347608316
499701	250ML	TEAK	6	5029347613921
480467	250ML	WHITE	6	5029347608293

Multi-Purpose Wood Filler fills nail holes, cracks, gaps and minor imperfections in wood. It is easy to sand, can be stained, varnished and painted and is solvent free.



Wood / Brick / Stone / Concrete / Plaster

All Purpose Ready Mixed Filler

SGAN	SIZE	COLOUR	QTY	BARCODE
480176	600GM	WHITE	12	5029347000899
480182	1KG	WHITE	12	5029347000882
480266	330GRM	WHITE	12	5029347600389

All Purpose Filler is an easy to use ready mixed filler which is suitable for both interior and exterior use. Fills holes up to 9mm deep. Dries to a smooth but tough crack resistant sandable finish which may be painted, papered or stained. Designed for repairs to plaster, plasterboard, brick, render, wood, stone and most other building materials.



Tarpaulins


SGAN	SIZE	COLOUR	QTY	BARCODE
484997	3.7M X 5.5M (12' X 18')	BLUE	8	5029347605629

Heavy duty tarpaulin. 100% waterproof and tear proof. Reinforced eyelets and corners.

Comes in two sizes:

Standard: 12ft x 9ft - 90gm

Heavy Duty: 12ft x 18ft - 120gm





Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED

TAPES

Building Tapes	64
Repair Tapes	66



SCAN TO SEE THE FULL RANGE

Mammoth Powerful Grip Tape

Extra Strong Double Sided Tape



TRUSTED

ULTIMATE GRIP STRENGTH

BONDS ALMOST ANYTHING

OUTDOOR AND
INDOOR USE

SGAN	SIZE	COLOUR	QTY	BARCODE
484679	2.5MTR	CLEAR	24	5029347605773
484680	2.5MTR	CLEAR	12	5029347605766

Mammoth Powerful Grip Tape is a double sided tape that breaks the rules, with an incredible immediate bond strength that has to be seen to be believed. It will bond to virtually any material, indoors or outdoors including ceramics, brickwork, wood, metal, plastics and PVC.

It is moisture resistant and will not degrade with U.V light. Ideal for use in the home, industry, construction and office. Can be used in many applications to replace drilling, plugging and unsightly screws.



American
Duct Tape



TRUSTED

SGAN	SIZE	COLOUR	QTY	BARCODE
487240	25MTR	ORANGE	12	5029347610326

American Duct Tape is a remarkable tape which is not only thick, strong and 100% waterproof; it also has the most amazing adhesive quality.

DOUBLE STRENGTH ADHESIVE

STRONG WEAVE FABRIC

EASY TEAR

100% WATERPROOF

50MM WIDTH



Mammoth

Mega All Purpose Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
483326	50MTR	BLACK	24	5029347600549
483329	50MTR	SILVER	24	5029347602628

The ultimate all purpose duct tape, top quality cloth with aggressive natural rubber adhesive. Tough, durable and waterproof, for thousands of applications on site, in the home and industry, in the widest possible range of colours.

**Mammoth**

Gaffa Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
467448	45MTR	BLACK	12	5029347611743
696047	45MTR	SILVER	12	5029347611736

Gaffa Tape is a strong, tough and durable utility grade cloth tape for use in repairs in construction, industry, home and garden.

**Mammoth**

Aluminium Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
482270	45MTR	SILVER	24	5029347604509

Heat and light reflective aluminium foil tape, heat resistant to 180°C, flame retardant to Class 0. Excellent moisture resistance, ideal for use as a vapour barrier between foil faced insulation panels in roof and wall applications, duct sealing on all types of air conditioning and ventilation and protecting wires and pipes from heat.

**Silweld**

Silicone Self Fusing Repair Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
484806	3MTR	BLACK	6	5029347611279

Silweld is the incredible silicone self fusing tape that can be used to repair almost anything from an emergency repair to a water hose or air pipe to insulating electrical wires or connections.

It creates an air tight, watertight seal in seconds without the need for any adhesive and even works underwater. Excellent electrical insulator up to 8,000 volts, withstands extreme temperatures -65°C to 260°C and even withstands pressure to 700psi. Silweld also resists petrol, oil, acids, solvents, salt water and UV rays.



EuroScrim

Self Adhesive Scrim Tape

TRUSTED



QUICK AND EASY TO APPLY

SELF ADHESIVE -
ELIMINATES NEED FOR
PRE-PLASTERING

FLEXIBLE, WILL NOT
BUBBLE OR BLISTER

FOR DRYWALL, PLASTER
WALLS AND CEILINGS



SGAN	SIZE	COLOUR	QTY	BARCODE
484687	90MTR	WHITE	24	5029347611750
484688	90MTR	WHITE	12	5029347612627

EuroScrim is a premium quality, quick and easy to apply, self-adhesive scrim tape that is made in Europe to perform!

EuroScrim has a quality high tack adhesive and an open mesh that will not blister or bubble, creating perfect joints every time.





Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED



CLEANERS

Wipes	70
Wipes and Cleaners	71



SCAN TO SEE THE FULL RANGE

Wonder Wipes
 Multi-Use

TRUSTED

SGAN	SIZE	COLOUR	QTY	BARCODE
467442	100	-	6	5029347601522
484948	300	-	1	5029347604172
524290	500	-	1	5029347614379

Multi-Use Wonder Wipes are specially formulated to clean hands, tools and surfaces from wet and semi-cured paint, sealant, adhesive, bitumen, expanding foam, oil, grease and even silicone.

Useful when there is no water on site. Wonder Wipes contain a powerful anti-bacterial additive that is tested by an independent laboratory to BSEN 1276:2009.



**ROBUST AND EXTRA
ABSORBENT TRIPLE LAYER
WIPE THAT TRAPS DIRT
AND ABSORBS MOISTURE**

**ANTIBACTERIAL ADDITIVE
TO PROVIDE PROTECTION**

**CONTAINS VITAMIN E
AND ALOE VERA TO
NOURISH HANDS**



Wonder Wipes Biodegradable

Introducing Sika Wonder Wipes Biodegradable, a fantastic addition to the popular range, offering exceptional cleaning power on hands, tools, and surfaces.

These 100% biodegradable and plastic-free wipes are engineered with extra thickness, providing superior strength for a reliable and durable cleaning experience. Formulated to easily clean tough grime, these wipes can remove Paint, Silicone, Adhesive, Bitumen, Expanding Foam, Oil, Grease, and more.

Sika Wonder Wipes Biodegradable are available in flo-wrap packaging for easy storage, improved accessibility, as well as keeping the wipes fresher for longer.

100% BIODEGRADABLE
AND PLASTIC-FREE WIPES

EXTRA THICK MATERIAL
FOR EXCEPTIONAL
CLEANING

CONTAINS AN
ANTI-BACTERIAL
ADDITIVE



CONTAINS ALOE VERA TO CONDITION SKIN
AND PREVENT DRYNESS AND CRACKING

SGAN	SIZE	COLOUR	QTY	BARCODE
780111	60	-	12	5055492704016



Wonder Wipes Heavy Duty

SGAN	SIZE	COLOUR	QTY	BARCODE
467443	75	-	6	5029347609467


Heavy Duty Wonder Wipes are textured wipes which are specially formulated for the building, engineering and allied trades to clean ingrained dirt from hands, tools and surfaces.



All Purpose Silicone Spray

SGAN	SIZE	COLOUR	QTY	BARCODE
484813	400ML	-	12	5029347600648

All Purpose Silicone Spray is a dry silicone lubricant and mould release agent for the easing of friction between two surfaces. Ideal for use in mould making/release industries, to ease installation of rubber and EPDM gaskets to window and door frames and has 100's of uses around the home, garage, workshop and industry. Silicone Spray will also enhance the appearance of vinyl and hard surfaces such as car dashboards etc, where the dry-bright finish will eliminate the need for polish.





Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED

PLUMBING AND HEATING SUPPLIES

Fire, Stove and Flue Cements and Mortars 74

Fire and Plumbing Cement 75



SCAN TO SEE THE FULL RANGE

KOS


Fire Cement

**TRUSTED****ASBESTOS FREE****RESISTANT TO EXTREME
TEMPERATURES****AVAILABLE IN BUFF
OR BLACK**

SGAN	SIZE	COLOUR	QTY	BARCODE
484670	6KG	BUFF	2	5010618005118
484674	1KG	BLACK	12	5029347606626
484675	2KG	BLACK	6	5029347606633
484676	12.5KG	BLACK	1	5029347606640

KOS Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C.

Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.



KOS

Fire Cement Cartridge

SGAN	SIZE	COLOUR	QTY	BARCODE
488425	300ML	BLACK	12	5029347606886

KOS Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C. Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.



P16

PVC Pipe Cement

SGAN	SIZE	COLOUR	QTY	BARCODE
488408	250ML	-	12	5029347607029

PVC Pipe Cement is a non-drip, thixotropic solvent based pipe cement for bonding non-pressure PVC and ABS thermoplastic pipes and conduits to themselves and each other.

Conforms to BSEN14814 and BSEN14680.



PVC/PVCu/ABS



MORE **PERFORMANCE**
MORE **SUSTAINABLE**

Trusted products are tried and tested by leading tradespeople on the most demanding of projects




TRUSTED

BUILDING SUPPLIES

Waterproofing	78
Building Admixtures	82
Self Levelling Compounds and Floor Products	84
Floor Paints and Line Markers	86
Wall Finishing	87
Concrete and Brick Repair	88
Chemical Anchors	100



SCAN TO SEE THE FULL RANGE

Sika®-1 Waterproofer
 Liquid Waterproofing Additive

TRUSTED
**PROVEN TRACK RECORD
FOR OVER 100 YEARS**
**EXCELLENT RESISTANCE
TO BACKWATER PRESSURE**
**WATERPROOF RENDERS
TO RESIST MOISTURE
ABOVE GROUND**
**CONSUMPTION: 0.75LTR
PER 25KG CEMENT**

SCAN	SIZE	COLOUR	QTY	BARCODE
114448	5LTR	YELLOW	4	5055047200024

A liquid waterproofing additive for mortar and concrete.

The colloidal silicates in the additive swell and block the capillaries and pores in the applied sand/cement renders, screeds and mortar to provide an effective barrier against the transmission of liquid water.


INTERIOR AND EXTERIOR	WATERPROOF	CHLORIDE FREE	DOSAGE



Sika®-2 Water Plug

SGAN	SIZE	COLOUR	QTY	BARCODE
114452	5LTR	RED	4	5055047200048


A ready to use, rapid setting, leak stopping liquid which is mixed with ordinary portland cement to produce a paste for immediate leak sealing against high water pressure infiltration. Suitable to seal severe water leaks and to be applied on surfaces with running surface water.



Sika®-4a Water Stop

SGAN	SIZE	COLOUR	QTY	BARCODE
114454	5LTR	CLEAR	4	5055047200109


A ready to use, quick setting, liquid which is mixed with water and ordinary portland cement to produce a paste for leak stopping. Sika®-4a Water Stop is suitable for use against high or moderate water pressure infiltrations.



Sika® Damp Proofing Slurry Damp-proofing and Waterproof Coating

SGAN	SIZE	COLOUR	QTY	BARCODE
102198	25KG	GREY	1	5055047201021


A high-quality, thin layer, waterproof slurry coating that contains special cements and admixtures that provides a finish that prevents dampness and water penetration. Easy to mix and apply as well as being overpaintable with vapour permeable coatings.



SikaMur® InjectoCream-100

SGAN	SIZE	COLOUR	QTY	BARCODE
425016	300ML	-	12	7612894892604


A silane-based, waterproof cream that can be inserted into holes in mortar course of the wall to provide a Damp Proof Course (DPC) that will block future rising damp.



Sikalastic®-1K

SGAN	SIZE	COLOUR	QTY	BARCODE
489549	20KG	GREY	1	5055492701305

A one-component, highly flexible, cementitious, fibre-reinforced mortar for the waterproofing of concrete structures. It can be used for the outside waterproofing and protection of basement walls as well as on hydraulic structures, such as swimming pools.

**Sikalastic®-6100 FX**

WRAS Approved Waterproofing Mortar

SGAN	SIZE	COLOUR	QTY	BARCODE
799028	15KG	GREY	1	4049499017706

A one-component, cement based, elastic and flexible, lightweight and fast curing membrane for waterproofing and concrete protection. When mixed with water, Sikalastic®-6100 FX obtains a fluid consistency so that it can be easily hand applied or sprayed. Structures waterproofed with Sikalastic®-6100 FX can be filled with water (including potable water) after 72 hours of curing.

**SikaSwell® A**

Acrylic Swellable Joint Sealing Profile

SGAN	SIZE	COLOUR	QTY	BARCODE
169890	10M	RED	1	7612894691900?

An acrylic sealing profile which swells in contact with water to seal all types of joints and penetrations in concrete. It has a rectangular profile used to seal construction joints in Pipe and steel work penetrations through walls and floor slabs, construction joints in cable ducts, etc.

**SikaSwell® S-2**

Hydrophilic Swellable Joint Sealant

SGAN	SIZE	COLOUR	QTY	BARCODE
496478	600ML	OXIDE RED	20	7612895229393

A one-part polyurethane hydrophilic sealant which swells in contact with water to seal all types of construction joints and penetrations in concrete structures. It is used to adhere the SikaSwell® A profiles to the structure.



Sika Igolflex P-01 IT

Water-based bituminous emulsion primer

SGAN	SIZE	COLOUR	QTY	BARCODE
604015	10LTR	-	1	7612894698312

A one-part water-based ready to use bituminous primer. It improves adhesion and consolidation of the substrate prior to the application of thick bitumen coatings and bituminous sheet membranes.

**Sika Igolflex P-10**

Solvent based bituminous primer

SGAN	SIZE	COLOUR	QTY	BARCODE
600656	20LTR	BLACK	1	7612895546209

A solvent-based bituminous primer, ready to use. Suitable surfaces: concrete, timber and metal.

**Sika® Igolflex®-301**

1-part Elastomeric Bituminous Liquid Applied Membrane

SGAN	SIZE	COLOUR	QTY	BARCODE
612196	10KG	BLACK	1	7612895564821

A one-part, water based, elastomeric bituminous liquid applied membrane for waterproofing against water ingress on horizontal and vertical surfaces. Waterproofing and damp proofing of below and above ground concrete structures to protect against water ingress. Waterproofing beneath final finishes such as tiles in wet rooms and swimming pools.

**SikaShield® E80 HDPE SA 1,5 mm**

Self-adhesive bituminous membrane for post-applied below ground waterproofing

SGAN	SIZE	COLOUR	QTY	BARCODE
679736	1 X 20M	BLACK	1	7612895716947

A bituminous, self-adhesive, fully bonded, post-applied, waterproofing sheet membrane with a thickness of 1.5 mm. It consists of a cross-laminated HDPE film that is pre-coated with an SBS modified bitumen compound.



Sika Waterbar® FB-125

Bonded Flexible Waterstop for Sealing Construction Joints

SGAN	SIZE	COLOUR	QTY	BARCODE
674002	50M	GREY	1	7612895706337


A hybrid waterstop with a rough textured surface based on flexible polyolefin (FPO). The waterstop is placed into the fresh concrete and becomes fully embedded in the cured concrete. It provides a fully bonded, durable watertight seal, that prevents any lateral water underflow.

**Sika Waterbar® FB Bracket**

Mounting bracket for Sika Waterbar® FB-125

SGAN	SIZE	COLOUR	QTY	BARCODE
692357	-	GREY	50	7612895748603


Sika Waterbar® FB Bracket is a mounting bracket for Sika Waterbar® FB-125.

**Sika Waterbar® D-240 FPO**

Internal waterbars for expansion joints

SGAN	SIZE	COLOUR	QTY	BARCODE
784392	25M	GREY	1	7612655005342

Sika Waterbar® D-240 FPO are flexible, internal waterbars for expansion joints made from FPO.

**SikaTop®-107 Seal ES**

Cementitious Mortar For Waterproofing And Concrete Protection

SGAN	SIZE	COLOUR	QTY	BARCODE
704328	25KG	-	1	7612895838991

A two-component waterproofing mortar, cement based with special additives and modified polymers is used for: Interior and exterior waterproofing of concrete structures, mortar, concrete blocks or brick structures.

**Sika® Drain-850 Geo**

Dimpled drainage and protection sheet with integral filtration layer

SGAN	SIZE	COLOUR	QTY	BARCODE
514907	30.5M	BLACK	1	7612895306636

Sika® Drain-850 Geo is a high density polyethylene (HDPE), heavy duty drainage and protection sheet with 10 mm high dimples on the bottom layer and a bonded geotextile (PP) filtration layer on the top layer.



Sika® Wintermix

Winter Working Admixture and Frostproof

SGAN	SIZE	COLOUR	QTY	BARCODE
102408	5LTR	AMBER	4	5055047200864

A chloride free admixture for concrete that is suitable for use with steel reinforcement. Sika® Wintermix allows mortars and concretes to be used in sub-zero temperatures, eliminating the need for a separate frostproof.



Sika® Release Oil

Ready to Use Formwork Release Agent

SGAN	SIZE	COLOUR	QTY	BARCODE
513849	5LTR	-	4	5055047200604

A ready to use, formwork release agent that is suitable for mould and shuttering. Sika® Release Oil is suitable for use prior to casting concrete in order to achieve a clean release after removal of formwork.







SikaMix® Plus

Mortar Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
445021	5LTR	-	4	5055492700483
445917	25LTR	-	1	5055492700544

A general purpose, liquid mortar plasticiser for brick and blockwork mortars. SikaMix® Plus increases the workability and improves the quality of mortars, renders and plasters. Also, improves the frost resistance of hardened mortar.

	125-250ML 50KG
AIR ENTRAINING PLASTICISER	DOSAGE
	
CHLORIDE FREE	WATER REDUCING
	
WATER-BASED/ CLEAN UP	






SikaCem® -125

Accelerator

SGAN	SIZE	COLOUR	QTY	BARCODE
749929	5LTR	CLEAR	4	5055047200550

Cold weather and rapid hardening admixture for mortars, screeds and renders. Provides frost protection in the wet mortar during the settling period even in sub-zero temperatures, as well as allowing faster finishing times in the cold weather.

	2.5-5L 50KG
WATER-BASED/ CLEAN UP	DOSAGE
	
CHLORIDE FREE	FROST- PROOFER




Opti-Mix Mortar Plasticiser

SGAN	SIZE	COLOUR	QTY	BARCODE
486210	1LTR	-	12	5029347609870

The world's first 1:25 plasticiser is just Pure Admix, smells and works like the best traditional Admix. Controlled dosage, consistent mix design, easy to use, no waste. 1 litre is equivalent to 25 litres of standard product.



Tested to EN934 (2009) +A1 (2012).



202 Integral Liquid Waterproofer

SGAN	SIZE	COLOUR	QTY	BARCODE
488850	5L	-	4	5029347002251

A liquid additive that provides long term water protection to mortar, concrete and rendering. Reduces water permeability and is suitable for all applications where resistance to water absorption is necessary. **Tested to EN934-3 (2009)+A1(2012).**



Visit **www.sika.ie/makeitpro** for help with the waterproofing solutions from basement to roof.

Sikafloor-200

Self Levelling Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
496772	25KG	GREY	1	7612895230870

Very low emission cement based self levelling compound suitable for interior and exterior areas. Sikafloor®-200 Level is noted for its extremely low shrinkage. It is suitable for filling, smoothing and levelling of suitable substrates before applying parquet, ceramic tiles, textile and elastic floor coverings.



Sikafloor-03 Primer

Dispersion Based Primer

SGAN	SIZE	COLOUR	QTY	BARCODE
498434	10KG	MAGENTA	1	7612895239224

Ready to use, dispersion based primer prior to applying cementitious levelling compounds and tile adhesives. For interior and exterior use.




Sikafloor®-122 Level

Universal Self Levelling Compound

SGAN	SIZE	COLOUR	QTY	BARCODE
813560	20KG	GREY	1	7612655050076

A one-part, multi-purpose, cement based self-leveller for smoothing and levelling uneven internal rigid floors prior to applying a final wearing covering. Suitable for underfloor heating applications beneath heating systems. This product is highly fluid and easy to apply.



SikaScreed HardTop-60

Cementitious, Rapid Hardening, High Strength, Floor Levelling Screed

SGAN	SIZE	COLOUR	QTY	BARCODE
497282	25KG	GREY	1	7612895233383

A cementitious, one-part, rapid hardening, high strength, floor levelling screed and repair mortar for industrial floors. Provides a low maintenance, high mechanical and abrasion resistant smooth screed, suitable as a finished surface or a base layer for resin based coatings.




Sikadur-32+

2-Part Structural Epoxy Adhesive for Bonding, Fixing And Anchoring

SGAN	SIZE	COLOUR	QTY	BARCODE
674401	4.5KG	GREY	1	7612895707785

Two-part structural epoxy adhesive for bonding, fixing and anchoring with sustainable benefits.

**SikaScreed-20 EBB**

Epoxy Bonding Bridge for Sikascreed® Floor Screeding Systems

SGAN	SIZE	COLOUR	QTY	BARCODE
499494	15KG	GREY	1	7612895598383

A two-part, epoxy based, moisture tolerant bonding bridge for SikaScreed® floor screeding systems.



Floor Paint

Heavy Duty, Polyurethane Based Floor Paint

SGAN	SIZE	COLOUR	QTY	BARCODE
538684	5L	GREY	4	5029347602826

A solvent-based polyurethane formula designed to provide a clean hard wearing finish to concrete, stone and wooden floors subject to light to medium traffic. Ideal for use on garage floors, workshops, storerooms, walkways etc, Floor Paint gives enhanced durability, abrasion resistance and a good resistance to dilute acids/alkalis and oils.



Sikafloor®-2510 W

Water-based epoxy coating with low VOC emissions

SGAN	SIZE	COLOUR	QTY	BARCODE
779208	13.6KG	MANY	1	7612895957005
756526	6.4KG	MANY	1	7612895920979

A two-part, water-based, coloured epoxy resin floor coating with low emissions and low maintenance requirements.



Surveyline

Marking Paint

SGAN	SIZE	COLOUR	QTY	BARCODE
490207	700ML	BLUE	12	5029347601560
490213	700ML	RED	12	5029347601577
490214	700ML	WHITE	12	5029347000943
490215	700ML	YELLOW	12	5029347601553

Colour coded for electric, gas, and water use. Semi permanent formula lasts at least 3 months after application. Survey Line is available in: White (General Marker), Red (Electricity), Yellow (General Marker, Gas), Blue (Water).



Sikafloor® ProSeal W

Water Dispersed Curing and Sealing Compound for Concrete Floors


SGAN	SIZE	COLOUR	QTY	BARCODE
83637	25L	CLEAR	1	8428868075428

Used as an anti-dust treatment and improvement of the abrasion resistance of existing concrete surfaces. Suitable for exterior and interior application. Easy application by spray or roller.



Protect your flooring with Roll & Stroll

See the full range
on pages 58-59




Sika MonoTop-1010

Bonding Primer and Reinforcement
Corrosion Protection Cement Based Slurry

SGAN	SIZE	COLOUR	QTY	BARCODE
626202	25KG	GREY	1	7612895585383

A one-part, cementitious, polymer modified coating material used as bonding primer and reinforcement corrosion protection. It contains recycled waste materials which leads to a reduced carbon footprint compared to an equivalent performing mortar.



Sika MonoTop-4012

Cementitious R4 Concrete Repair Mortar
Containing Recycled Waste Materials

SGAN	SIZE	COLOUR	QTY	BARCODE
626200	25KG	GREY	1	7612895585369

A one-part, cementitious, fibre reinforced, low shrinkage repair mortar. It contains recycled waste materials and can reduce the carbon footprint application activity calculations.




Sika MonoTop-3020

Cementitious, R3 Pore filler and Levelling Mortar
Containing Recycled Waste Materials

SGAN	SIZE	COLOUR	QTY	BARCODE
626201	25KG	GREY	1	7612895585376

A one-part, cementitious, polymer modified, low shrinkage surfacing and finishing mortar. It contains recycled waste materials and can reduce the carbon footprint application activity calculations.




Sika MonoTop®-630 Rapid

R4 Fast Setting Cementitious
Repair Mortar

SGAN	SIZE	COLOUR	QTY	BARCODE
570345	25KG	GREY	1	7612895485065

A one-component fast setting cementitious repair mortar, meeting the requirements of Class R4 of EN 1504-3.



Sika MonoTop-108 Water Plug
 Rapid Setting Mortar

SGAN	SIZE	COLOUR	QTY	BARCODE
533495	5KG	GREY	4	7612895364322

A rapid-setting cement mortar for plugging water leaks in concrete and masonry walls. Instant plugging of negative pressure water inlet through cracks, gravel niches and casting joints. Instant plugging of drained water outlets, during waterproofing treatments.


Sika MonoTop-109
 Waterproofing

SGAN	SIZE	COLOUR	QTY	BARCODE
533581	5KG	GREY	4	7612895364148

A ready to use (just add water), high quality, thin waterproof slurry coating, based on special cements and admixtures to provide a water resistant and damp-proof finish.


Sika MonoTop-110
 Quick Setting Ready-to-Use Mortar

SGAN	SIZE	COLOUR	QTY	BARCODE
533446	5KG	GREY	4	7612895363660

A ready to use (just add water), quick setting mortar, based on special cements. It contains selected aggregates and admixtures for improved properties.


Sika MonoTop-112
 Concrete Repair Mortar

SGAN	SIZE	COLOUR	QTY	BARCODE
533449	5KG	GREY	4	7612895363707

A ready to use (just add water), top quality, general purpose mortar, based on special cements and selected aggregates. It contains silica fume, synthetic microfibres and admixtures for improved properties.



SikaGrout®-111 GP

Cementitious General Purpose Grout

SGAN	SIZE	COLOUR	QTY	BARCODE
527763	25KG	GREY	1	5055492702098

A one-part, general purpose, high precision, shrinkage compensated cementitious grout. SikaGrout® 111 GP is easy to mix and apply; it is perfect for a multitude of jobs, such as filling voids, machine and base plates.



INTERIOR AND
EXTERIOR



HIGH WATER &
RAIN RESISTANCE

SikaGrout®-340+

Cementitious High Strength Engineering Grout

SGAN	SIZE	COLOUR	QTY	BARCODE
814385	25KG	GREY	1	7612655051936

A cementitious, 1- part, ready to mix, low shrinkage, high performance, free flowing, pumpable precision grout. Suitable for machine bases, bedding joints, void filling and anchoring. SikaGrout®-340+ meets the class R4 requirements of EN 1504-3 and can be also used for fluid repairs. Application thickness: 10 to 500 mm.



Sika Armorex L2 High Flow Grout

High Flow Rapid Strength Grout

SGAN	SIZE	COLOUR	QTY	BARCODE
102321	25KG	GREY	1	5055492704009

A one-part, high flow, rapid strength cementitious grout for precision, high performance, grouting underneath machine bases, structural steelwork, etc.



Sikadur®-31+

2-part Low VOC Epoxy Adhesive for Structural Bonding and Concrete Repair

SGAN	SIZE	COLOUR	QTY	BARCODE
644950	8 x 1.2KG	GREY	1	7612895650944
647994	6KG	GREY	1	7612895652474
662201	6KG RAPID	GREY	1	7612895674056

A two-part, low-VOC, moisture-tolerant epoxy structural adhesive which bonds to many construction materials. It is also used for structural concrete repairs, joint filling, and crack sealing. It can be used in both do-it-yourself (DIY) and professional applications.



SMALL REPAIRS &
CRACK BRIDGING



STONE, CONCRETE
& BRICKS



MULTI MATERIAL

Sikadur-31 DW

Epoxy Adhesive for Drinking Water Contact

SGAN	SIZE	COLOUR	QTY	BARCODE
743550	6KG RAPID	GREY	1	7612894276206
465341	6KG	GREY	1	7612895085814

A two-part adhesive and repair mortar, based on epoxy resins and special fillers which has been specially formulated to meet the requirements for use in contact with drinking water. Suitable for use in hot and tropical climatic conditions.

**Sikadur®-41+**

Concrete Repair and Structural Strengthening Mortar

SGAN	SIZE	COLOUR	QTY	BARCODE
649424	11KG	GREY	1	7612895655802

A thixotropic, three-part patching and repair mortar, based on a combination of epoxy resins and special fillers, designed for use at temperatures between +10 °C and +30 °C.

**Sikadur® Crack Repair Kit**

Concrete Crack Repair System

SGAN	SIZE	COLOUR	QTY	BARCODE
630233	1.1L	GREY	1	7612895594255

For repairing and sealing of small / minor cracks in concrete and masonry. It includes a two-part polyester surface crack sealer, two-part low viscosity epoxy Injection resin and all the necessary accessories needed for the application.



Parex Thixotropic Joint Filler High Strength Structural Support Mortar

SGAN	SIZE	COLOUR	QTY	BARCODE
628867	25KG	GREY	1	NO BARCODE

A pumped mortar purpose-designed for filling joints and gaps in precast concrete units without the need for formwork. The thixotropic qualities of the mortar and non-shrink additives allow it to stay in place without slumping and to provide a complete high strength bond between sections.



Parex Tecfast Concrete R4 Strength, Rapid Setting Repair Concrete

SGAN	SIZE	COLOUR	QTY	BARCODE
629545	25KG	GREY	1	NO BARCODE

A cement based, one-component, rapid setting, shrinkage compensated repair concrete. Parex Tecfast Concrete is suitable for all concrete works where early strength development is required in order to allow early use of the placed sections. The product may be used for localised repairs plus large area placement or re-instatement of concrete pavements.



Parex LA Repair Concrete R4 Cementitious Micro Concrete

SGAN	SIZE	COLOUR	QTY	BARCODE
629542	25KG	GREY	1	NO BARCODE

A cement based, low alkali, one-component micro concrete with non shrink properties. The mixed mortar produces a flowable repair mortar suitable for pouring applications meeting the requirements of Class R4 of BS EN 1504-3.



Parex Super FG Low Temperature Repair and Ironwork Bedding Mortar

SGAN	SIZE	COLOUR	QTY	BARCODE
629618	25KG	GREY	1	NO BARCODE

A ready to use (just add water), high quality, thin waterproof slurry coating, based on special cements and admixtures to provide a water resistant and damp-proof finish.



Sika® FerroGard®-903+

Independently Verified, Active Corrosion Inhibiting Impregnation Liquid

SGAN	SIZE	COLOUR	QTY	BARCODE
563244	25KG	Transparent liquid	1	7612895468938

Sika® FerroGard®-903+ is a surface applied mixed corrosion inhibitor, independently verified, designed for use as an impregnation of steel reinforced uncoated concrete, and is an improved formulation of the original Sika® FerroGard®-903.

**Sikagard®-552 W Aquaprimer**

Water based primer for coating

SGAN	SIZE	COLOUR	QTY	BARCODE
170487	10L	WHITE	1	7612894696288


A one-component water dispersed adhesion promoting primer for water dispersed polymer paint coatings.

**Sikagard® 5500**

Crack Bridging and Protective Coating

SGAN	SIZE	COLOUR	QTY	BARCODE
718673	15KG	RAL9010	1	7612895822075
718674	15KG	RAL9016	1	7612895822082

A highly crack bridging concrete protective coating with increased sustainability benefits it is a one-part, water-based, elastic protective coating for concrete. Increasing the service life to all types of concrete structures and elements subject to cracking / cyclic movement: buildings, bridges, car parks, silos, chimney or retaining walls.



Sikagard®-850

Anti-Graffiti and Anti-Poster

beat them all!

SGAN	SIZE	COLOUR	QTY	BARCODE
634457	5KG	CLEAR	1	7612895612133
648982	4KG	CLEAR	1	7612895654669
634459	4KG	CLEAR	1	7612895612157

Sika's anti-graffiti system consists of three products:

- Sikagard®-850 Clear, a one-part ready to use, polyorganosiloxane based, permanent anti-graffiti and anti-fly poster clear gloss coating.
- Sikagard®-850 Activator, a one-part, ready to use primer for Sikagard®-850 Clear on existing coated mineral substrates to improve the application and adhesion.
- Sikagard®-850 Primer is a one-part, ready to use primer for Sikagard®-850 Clear on uncoated mineral substrates to improve the application and adhesion.



Sikadur®-31+

STRUCTURAL BONDING

CRACK SEALING

SMALL REPAIR

RIGID BONDING

STRUCTURAL
CONCRETE
REPAIR

REPROFILING

MORE **PERFORMANCE**
MORE **SUSTAINABLE**

CRACK FILLER



THE ALL-IN-ONE LOW VOC EPOXY ADHESIVE

GET IN TOUCH WITH A
LOCAL REPRESENTATIVE



BUILDING TRUST



Jetcem Rapid Repair Cement

SCAN	SIZE	COLOUR	QTY	BARCODE
620460	3KG	GREY	4	5010618043103
620438	6KG	GREY	2	5010618044100

Ideal for rapid patching or when a fast repair job is needed. Sets in approximately 30 minutes. Sets in the cold and wet.



Jetcem Deep Rapid Repair Sand and Cement

SCAN	SIZE	COLOUR	QTY	BARCODE
620326	2KG	GREY	6	5010618047101
620439	6KG	GREY	2	5010618048108


Strong and easy to use rapid setting repair compound. Internal and external repairs to gaps and cracks on walls, floors, steps and kerbstones. Repairs deep holes in concrete, stone and brick.



Jetcem Waterproof Rapid Repair Cement

SCAN	SIZE	COLOUR	QTY	BARCODE
620436	3KG	GREY	4	5029347610166

Fast, strong and easy to use waterproof repair compound. Internal and external repairs to cracks and holes in structures subject to permanent water immersion. Ideal for patch repairs to tanking and water retaining structures including ponds. Suitable for use on concrete, stone and brick.



Jetcem Plaster Rapid Repair

SCAN	SIZE	COLOUR	QTY	BARCODE
620437	6KG	WHITE	2	5029347610173

Fast, strong and easy to use repair compound for patching plaster. Internal repairs for plasterboard, brick wood and stone. With added PVA powder to increase strength and reduce cracking and shrinkage.



SikaEmaco® T 1200 PG
 High Strength Repair Mortar

SGAN	SIZE	COLOUR	QTY	BARCODE
799470	25KG	GREY	1	4049499003808

A single component, fast setting and hardening pourable repair and bedding mortar that meets the requirements of class R4 according to EN 1504 part 3. SikaEmaco® T 1200 PG is a ready-to-use material that contains sulphate resistant Portland cement (HSR LA), hydraulic binders, well graded sands, specially selected polymer fibres (PAN - polyacrylonitril) and special additives provide rapid strength build-up even at sub-zero temperatures, improved durability and unmatched low drying shrinkage.


SikaEmaco® T 1100 TIX
 High Strength Repair Mortar

SGAN	SIZE	COLOUR	QTY	BARCODE
799469	25KG	GREY	1	4049499003815

A single component, fast setting and hardening thixotropic repair and bedding mortar that meets the requirements of class R4 according to EN 1504 part 3. SikaEmaco® T 1100 TIX is a ready-to-use material that contains sulphate resistant Portland cement (HSR LA), hydraulic binders, well graded sands, specially selected polymer fibres (PAN - polyacrylonitril) and special additives providing rapid strength build-up even at sub-zero temperatures, improved durability and unmatched low drying shrinkage.


Pro Point
 Gun Kit

SGAN	SIZE	COLOUR	QTY	BARCODE
489049	-	-	1	5029347603410

Mortar Pointing Gun Kit complete with nozzles for both mortar and tile grout and mixing paddle. Designed to apply mortar deep into joints for maximum protection and strength. Comes complete with two plastic nozzles, a metal ended nozzle and a mixing paddle packed in a high impact printed box.


SikaFiber-200 Export
 Bio-Based Fibers For Concrete,
 Screeds and Mortars

SGAN	SIZE	COLOUR	QTY	BARCODE
739620	0.3KG	WHITE	60	7612895853758

A micronized cellulosic fiber for use in concrete, screeds and mortars to help distribute cracks caused by drying and plastic shrinkage, and thus reduce the risk of early cracking. This natural fiber is an alternative for light crack control reinforcement.



Sika® Antisol® E Concrete Curing Agent

SGAN	SIZE	COLOUR	QTY	BARCODE
764816	25KG	CLEAR	1	8428868004169


A ready to use spray applied liquid curing agent to prevent water loss from the surface of freshly placed concrete. It forms a thin film barrier on the concrete without affecting the normal setting action.



208 Powder Mortar Tone

SGAN	SIZE	COLOUR	QTY	BARCODE
489429	1KG	BLACK	6	5029347002817
489440	1KG	BROWN	6	5029347002831
489441	1KG	BUFF	6	5029347002855
489443	1KG	RED	6	5029347002824

Formulated from best quality oxide pigments for colouring all types of mortars. The pigments disperse easily into the mix to give a uniform shade for each mix batch, shading can be adjusted to provide a wider variety of colour depths. **Tested to EN12878.**



SikaCem® Désactivant 4-6 Surface Retarder For Concrete With Very High Curing Performance

SGAN	SIZE	COLOUR	QTY	BARCODE
538132	20L	WHITE	1	7612895384634

An aqueous phase surface retarder which deactivates to a depth of 4-6 mm. SikaCem® Désactivant 4-6 provides excellent curing performance.



SikaRetarder-50 Set Retarding/Stabilising Admixture

SGAN	SIZE	COLOUR	QTY	BARCODE
584777	18LTR	YELLOW	1	7612895513478

A liquid admixture developed for the control of cement hydration. Sika® Retarder-50 retards/stabilises concrete mixes without negatively influencing their quality.



Sika® Blue Grit

Extra grip plaster bonding agent.

SGAN	SIZE	COLOUR	QTY	BARCODE
849327	10LTR	BLUE	1	5029347608880


A high performance plaster bonding agent specifically designed to provide an improved key to smooth surfaces. Containing a fine aggregate, Sika® Blue Grit provides a mechanical key to backgrounds such as plaster, concrete, painted surfaces and glazed tiles.

**507 Rendagrip**

Render Bonding Agent


SGAN	SIZE	COLOUR	QTY	BARCODE
461975	10L	RED	1	5029347612610

An extra grip render bonding agent that contains a fine aggregate to provide an improved key before applying render on external surfaces e.g. concrete, lightweight blockwork, brick etc. The fine aggregates are suspended in a unique waterproof polymer to ensure easy application and an even spread of aggregate avoiding any weak spots in the key coat and preventing the aggregate particles coming loose during application.

**SikaBond®
SBR+**

SGAN	SIZE	COLOUR	QTY	BARCODE
443839	5LTR	WHITE	4	5055492700476
445916	25LTR	WHITE	1	5055492700537


A one-component, water-based, general purpose bonding agent and mortar admixture. As an admixture diluted with water, it produces a gauging solution for improving adhesion, workability and water resistance of mortars and cementitious mixes. Suitable for improving resistance to abrasion, chemicals and oils.

**501
PVA Bond**

SGAN	SIZE	COLOUR	QTY	BARCODE
479075	1L	WHITE	12	5029347005115
489546	2.5L	WHITE	6	5029347005122
482246	5L	WHITE	4	5029347005153
489547	25L	WHITE	1	5029347005160

A multi-purpose bonding agent, primer, sealer, cement and plaster admixture that adheres to most common building and DIY materials.


Fully conforms to BS 5270.



Sika AnchorFix®-1 Fast Curing Anchoring Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
461476	300ML	GREY	6	5055492700742

A two-component, fast curing, solvent and styrene free, polyester based chemical anchoring adhesive. Sika® AnchorFix®-1 is recommended for standard applications with low to medium loads.



Sika AnchorFix®-2+ Fast Curing Anchoring Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
593183	300ML	GREY	12	7612895531953


Solvent and styrene free, epoxy acrylate based, two-component anchoring adhesive for medium to high loads.



Sikadur® 33 Structural Epoxy Adhesive

SGAN	SIZE	COLOUR	QTY	BARCODE
498629	250ML	GREY	12	7612894403688

A two-component, solvent-free, cold cure, thixotropic epoxy resin, structural adhesive. Sikadur® 33 is supplied in a cartridge with an in-line mixer nozzle.



Anchorset Nozzle

SGAN	SIZE	COLOUR	QTY	BARCODE
489048	-	-	25	-

Nozzle No. 4 - Standard mixer nozzle, 215MM length for use with

**Sika AnchorFix®-1 and
Sika AnchorFix®-2+**



A close-up photograph of a hand wearing a grey, textured safety glove. The hand is holding a metal trowel with a black handle. The trowel is positioned against a wall of white rectangular tiles with dark grey grout. The lighting is bright, creating strong shadows and highlights on the tiles and the glove. The overall composition is diagonal, with the tiles running from the top left to the bottom right.

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUST

TILING

Wet Room System

104



SCAN TO SEE THE FULL RANGE

Aquaseal Wet Room System Kit

TRUSTED

SCAN	SIZE	COLOUR	QTY	BARCODE
487861	LARGE	-	1	5029347611149
487891	STD	-	1	5029347611262

The Aquaseal Wet Room System Kit gives you everything you need to waterproof both walls and floors prior to tiling showers, wet rooms, wet zones and other areas susceptible to water and excessive moisture. Ideal for use on Plasterboard, Plaster, MDF, Plywood, Cementitious Boards, Block work, Concrete and Specialist Wet Room Boards.

The Aquaseal Tanking Kit is available in two sizes; Standard – everything you need to waterproof 4.5m² and Large – everything you need to waterproof 7.5m².


Both kits come complete with:

- Waterproof Tanking Primer (1L)
- Waterproof Tanking Membrane (3LTR – Standard, 5LTR – Large)
- Waterproof Tanking Tape (10MTR)
- Waterproof Tanking Drain Mat
- Aquaseal Wet Room System instruction leaflet

**SIMPLE AND EASY TO APPLY
3 PART SYSTEM**

**COMES COMPLETE WITH ROLLER,
BRUSH AND DRAIN MAT.**

**SUITABLE FOR USE WITH
UNDERFLOOR HEATING**



Aquaseal Waterproof Tanking Membrane

SGAN	SIZE	COLOUR	QTY	BARCODE
487333	5LTR	BLUE	1	5029347611163

Aquaseal Waterproof Tanking Membrane is the ideal product for use when waterproofing before tiling. It forms a permanently flexible watertight membrane, is non hazardous and solvent free. Aquaseal Tanking Membrane is easy to apply by brush, is quick drying and can be tiled after 12 hours.




1 Tanking Primer
Apply primer to surfaces that are to be waterproofed.



2 Tanking Tape and Mat
Apply self-adhesive tape across all joints, corners and pipe penetrations.
Next, apply the self-adhesive drain mat around the drain outlet.



3 Tanking Membrane
The ready-to-use membrane is applied by brush in a 2 coat system at right angles to each other.



Aquaseal Wet Room System Tape

SGAN	SIZE	COLOUR	QTY	BARCODE
683645	10MTR	-	1	NO BARCODE

Aquaseal Waterproof Tanking Tape is a self adhesive joint and corner tape ideal for use when waterproofing showers, wet rooms and wet zones in bathrooms before tiling. A permanently flexible butyl backed fleece with cross directional stability. Waterproof Tanking Tape can be used on all board joints, corners and pipe entries. Can be tiled directly or overcoated with Aquaseal Waterproof Tanking Membrane for full wet zones and is easy to apply with a pre-cut release liner.



TERMS AND CONDITIONS

Standard terms and conditions of sale for goods sold by Sika Limited.

1. General

The following terms are the Company's standard conditions of sale. The Company concludes Contracts or the supply of goods only subject to these terms and the Buyer seeking to be supplied with goods by the company accepts that these terms shall govern relations between himself and the Company to the exclusion of any other terms including conditions warranties and presentations written or oral express or implied even 'contained in any of the Buyer's documents which purports to provide that the Buyer's own terms shall prevail.

2. Variations

No variations of these terms or any quotation or of any contract shall be valid unless and until agreed to in writing by a Director or the Company Secretary of the company.

3. Quotations

Quotations by the Company are not offer's capable of immediate acceptance by the Buyer but are invitations of treat only. All drawings, technical details and particulars of weights and dimensions submitted with the quotations are approximate only. No property shall pass to the Buyer in the documents forming or accompanying a quotation or in any of the material contained therein. If no order based on the quotation; accepted by the Company, the Buyer shall return to the Company all documents and other materials concerned free of charge to the Company on request. All information in and relating to the quotation shall be confidential and shall not be passed without permission of the Company, to any third party, and shall be disclosed only to those employees of the Buyer to whom such disclosure is reasonably necessary. Unless and until an order based on the quotation is accepted by the Company the Buyer shall make no use in its business of the information contained therein except for purposes of determining whether to place an order. The company shall be free to accept or refuse an order for any reason whatsoever.

4. Orders

Orders only become binding on the Company by its submitting to the Buyer confirmation of order or submitting an invoice. Expressions used by the Buyer such as "as previously supplied" or expressions to the similar effect shall be understood to refer only to the quality and not to the previous price.

5. Price

The price or charges specified in any quotation are related to the Company's costs of manufacturing, obtaining, and paying for goods, parts or materials prevailing at the date thereof. In the event of there being an increase in such costs caused by any reason, including increases attributable or alterations in tax or duty or in the exchange rates of any currency, the company shall be entitled to vary its prices or charges from those quoted whether such increase was or should have been foreseen by the Company at the late of the quotation. All prices quoted exclude VAT and any costs of freight and insurance for deliveries outside Ireland unless otherwise specified. The VAT rate applicable shall be the rate prevailing on the date on invoicing.

6. Packing

Delivery is made only in the product containers held in stock at the time the order is processed. All prices quoted include packing material unless otherwise specified. Where packing is expressly stated to be in returnable containers or the cost of packaging materials is separately invoiced the Buyer shall be credited with the full value of those materials as invoiced to him provided that they are returned carriage-free or without my charges to the Company, and in the opinion of the company in a satisfactory condition to the dispatch points from which they were supplied unless otherwise specified in the Company's price list, quotation, delivery note or invoice. For packaging materials on loan, the conditions as mentioned in the Company's prevailing price list and or quotation shall apply.

7. Time of Delivery

The Company shall be entitled to deliver goods supplied pursuant to any order by the Buyer on any weekday during normal working hours after the period for delivery has commenced.

8. Period of Delivery

Where a quotation or any other document or notice issued or state by the Company indicates a specified delivery period for any goods the period shall be understood to run from the date of confirmation of the relevant order provided that any such specified periods are nevertheless estimates only and shall not be of the essence of the Contract and in the event of the Company for any reason whatsoever not being ready to make delivery within the period specified (or if none be specified within a reasonable time) it shall not be liable for any loss or damage whatsoever sustained by the Buyer as a result of such delay.

Without prejudice to the foregoing in the event of the Company not being ready to make delivery at the time specified (or if none be specified, within a reasonable time) the Buyer shall thereupon be entitled to give one month's notice in writing calling for delivery and in the event of the Company remaining unable to make delivery within such a period the Buyer may at the expiry thereof by a further notice in writing cancel the Contract in relation to all undelivered goods subject to it being a condition precedent to the Buyer's right to cancel that he shall first have paid all sums due in respect of goods already delivered under the Contract. For the avoidance of doubt and without prejudice to the Buyer's entitlement to cancel described above the Buyer shall have no other rights whatsoever in relation to any failure by the Company as foresaid.

9. Storage

If the Buyer gives the Company not less than seven days' notice the Company is prepared to store goods. The Company reserves the right to make storage charges for such goods. If the Buyer has not arranged for removal of the goods after twelve months storage the Company shall be entitled to give one month's notice to the Buyer that it intends to dispose of the goods and unless within that one month the Buyer removes the goods from storage the Company shall be entitled to dispose of all or any portion of such goods privately by auction or otherwise and without prejudice to the provisions of Paragraph 18 to set off against the proceeds the above storage charges and all costs in and about affecting such as sale. The provision of this paragraph shall apply irrespective of whether the property in the goods shall have passed to the Buyer. Removal of goods to storage on behalf of the Buyer under this paragraph shall be deemed to be a delivery to the Buyer.

10. Dispatch

The method of transport of the goods shall be at the sole discretion of the Company. All necessary unloading facilities shall be provided by the Buyer at his expense at the time the Company is ready to make delivery.

11. Quantities

The company shall be entitled to deliver the goods in a single delivery or by instalments as it sees fit. The Buyer shall not be entitled to reject any consignment of goods supplied by the Company on the grounds that the quantity supplied is below the quantity ordered and provided that the Buyer notifies the Company and the carrier of the shortage within three working days of delivery the Company shall be responsible for supplying the balance of the goods required to bring the aggregate to the quantity ordered or for giving the Buyer credit for the goods not delivered. Each part delivery constitutes a separate contract. All weights or volumes are ascertained at the time of the filling of the containers used and all invoices are calculated thereon.

12. Insurance and Risk

- (i) Unless otherwise agreed in writing between the parties but subject as hereinafter provided the risk of loss or damage to the goods shall pass to the Buyer upon delivery to the Buyer and the Company will insure accordingly.
- (ii) Notwithstanding sub-paragraph (i) above in the case of goods to be collected by the Buyer or by a carrier engaged by the Buyer all risk of loss or damage howsoever caused shall pass to the Buyer on whichever of the following events occurs earlier:
 - (a) collection of the goods by or on behalf of the Buyer or
 - (b) seven days from the date of the Company's written notice that the goods are ready for collection: and the Buyer should insure accordingly.
- (iii) The Company shall be entitled to charge for storage of the goods after the expiry of the seven-day period referred to in sub-paragraph (ii)(b) above and the provisions of paragraph 9 above shall apply.
- (iv) Where for any reason the Buyer believes that the risk of loss or damage to the goods arising in transit lies with the Company the Buyer shall carefully examine the goods on receipt and shall notify the Company in writing:
 - (a) in the case of loss of the goods within three working days of receipt of a delivery note issued by the Company in respect thereof: and
 - (b) in the case of damage of the goods within three working days of delivery of the same and furthermore in the case of damage the packaging material and contents of packages must be retained by the Buyer for examination by the Company or by the carrier or their agents. In the absence of receipt of such written notice within the prescribed time limit the Company shall be discharged from all liability in respect of loss or damage to the goods arising in transit.

13. Payments

- (i) All prices and charges are strictly net, and payments shall be made without any discount or other reduction and without any deferment on account of any disputes or cross claims unless otherwise agreed by the Company in writing.
- (ii) Payments unless otherwise agreed shall be made by the thirtieth day following the date of the Company's invoice. The sub-clause is subject to and governed by the terms of sub-clause (iv) below.
- (iii) Cheques, money, and postal orders should be crossed and made payable to Sika Ireland Limited.
- (iv) The Company may at its discretion require at any time that all or part of the purchase price or other charge be paid in advance or on account and the sums so demanded shall be immediately payable by the Buyer, the balance remaining payable as otherwise provided hereunder and the Company may decline to make deliveries of any such goods except upon such payment or upon receipt of other security satisfactory to the Company.
- (v) Should the Buyer default in payment for whatever reason on the due date of any sum without prejudice to any other right which the Company may have the Company shall be entitled to claim interest at a maximum of 3% p.a. above the AAA rate charged by A.I.B. Bank on such sum accruing from the due date.
- (vi) All payment shall be credited towards the oldest invoice due and its ancillary charges. Prepayments by cheque or Giro shall be deemed to have been made when the amount is at the Company's disposal unconditionally, payment by bill of exchange when the bill has been cashed. Any bank charges incurred are to be paid by the Buyer. The Company reserves the right to refuse bills of exchange.

**A.I.B Bank Sort Code 932353
Santry Account Sika Ireland Limited
Dublin 9 Number 14359035**

TERMS AND CONDITIONS

107

Standard terms and conditions of sale for goods sold by Sika Limited.

14. Property

- (i) Subject to Condition 14 (iii) but notwithstanding delivery and the passing of risk in the Goods or any other provision of these Conditions, the property in the Goods shall not pass to the Buyer until the Company has received in cash or cleared funds payment in full of the price of the Goods and all other goods agreed to be sold by the Company to the Buyer for which payment is then due without any deduction or deferment whether on account of any dispute or cross claim or otherwise. In the case of the company accepting tender of a cheque, bill of exchange or promissory note the sum paid thereon shall not be deemed to have been wholly paid until the said cheque, bill of exchange or promissory note has been honoured.
- (ii) Until such time as the property in the Goods passes to the Buyer the Buyer shall hold the Goods as the Company's fiduciary agent and bailee, and shall keep the Goods separate from those of the buyer and third parties and properly stored, protected and insured and identified as the Company's property. Until that time the Buyer shall be entitled to resell or use the Goods in the ordinary course of its business but shall account to the Company for the proceeds of sale or otherwise of the Goods, whether tangible or intangible, including insurance proceeds, and shall keep all such proceeds separate from any monies or property of the Buyer and third parties and, in the case of tangible proceeds, properly stored protected and insured. In the event of the Buyer bone fide in the course of the business carried on by it selling, letting, hiring out or otherwise disposing of the Goods the property in the Goods shall pass to the Buyer immediately before such sale, letting, hiring out, disposal or use. Until such time as the property in the Goods passes to the Buyer and provided the Goods are still in existence and have not been resold the Company shall be entitled at any time to require the Buyer to deliver up the Goods to the Company and if the Buyer fails to do so forthwith, to enter upon any premises of the Buyer or any third party where the Goods are stored and to repossess the Goods.
- (iii) In repossessing the Goods under the previous condition, the Company may if necessary, detach or remove the Goods from any other goods. The Buyer shall not be entitled to pledge or in any way charge by way of security for any indebtedness any of the Goods which remain the property of the Company but if the buyer does so all monies owing by the Buyer to the Company shall (without prejudice to any Other right or remedy of the Company) forthwith become due and payable.
- (iv) Until the Buyer has paid the Company for the Goods and all other Goods, which the Company has supplied to the Buyer:
 - a. The Company may trace the proceeds of Sale that the Buyer receives into any Bank or other account which the Buyer maintains.
 - b. If the Buyer sells the Goods the Company may, by written demand require the Buyer to assign to the Company the Buyer's rights to recover the price from its purchaser.
 - c. The Buyer shall not assign to any other person any other rights arising from the sale of the Goods without the Company's written consent.
 - (v) In respect of goods and the products belonging to the Company the Buyer shall inform the Company without delay of any interference by a third party with the Company's interest in the goods and in the case of distraint shall at the same time lodge a plea of opposition in the Company's name with the distraining creditor.

15. General Liability

- (i) The Buyer relies on his own skill and judgment as to the sufficiency capacity and performance of the goods and shall in addition take all reasonable steps to ensure the suitability of the goods for any purposes for which the same are required by the Buyer.
- (ii) The Buyer shall before using any goods the subject of the contract, and before parting with possession of the same take all reasonable steps to test and examine the same to satisfy himself that the goods are of the contractual quality and description and are suitable for the purpose for which they are intended to be used.

(iii) Save as provided below, the contractual rights which the Buyer enjoys by virtue of sections 12, 13, 14 and 15 of the Sale of Goods Act, 1893 are in no way prejudiced by these conditions.

(iv) The Company's liability for any breach of any condition warranty or term whether express or implied and whether implied by virtue of the Sale of Goods Act, 1893, the Sale of Goods and Supply of Services Act, 1980 or otherwise shall be defined and limited to, at the Company's option:

- (A) Where the breach would have become apparent had paragraph (ii) been properly complied with by the Buyer to
 - (a) Replacement of the goods by the Company; or
 - (b) Acceptance of the return of the goods and crediting the Buyer with the price thereof; or
 - (c) Making the Buyer an allowance against the price of the goods representing the difference between the value of the goods in their condition as delivered and the Contract Price.
- Provided the Buyer notifies the Company in writing of any complaint concerning the goods delivered prior to the Buyer parting with possession of the goods or using the same.
- (B) where the breach would not have become apparent had paragraph (ii) been properly complied with by the buyer to a sum not in excess of the amount of the Company's public liability insurance cover in respect of such breach as from time to time in force, provided that the buyer notifies the Company in writing within fourteen days of becoming aware of the defect or receiving any complaint concerning the goods which ever is the earlier and further provided that the goods have been used in accordance with the instructions for use thereof.

For the avoidance of doubt save as aforesaid:

- (a) The Company shall be under no liability whatsoever for any breach of contract whether by an express or implied term howsoever arising and whether amounting to a repudiation or a fundamental breach or not and whether negligent or not and shall only be liable as aforesaid provided the Buyer has taken the necessary steps within the necessary time;
- (b) the Company shall be under no liability in contract tort or otherwise for any injury loss or damage of whatsoever kind howsoever caused or for anything done or omitted in connection with the goods or work in connection therewith or any defect (inherent, latent or otherwise) which may exist or subsequently develop save that the Company shall be liable for any death or personal injury which results from its own negligence, or that of its employees, servants or agents.
- (c) the Buyer shall indemnify the Company against all actions, claims or demands by third parties in tort or otherwise arising directly or indirectly in connection with the use, functioning or state of the goods.
- (d) the Company shall not be liable to the Buyer for any sums whether by way of compensation for loss or damage or otherwise and whether direct or consequential and whether for loss or profit of the Buyer or any third party **AND THE BUYER IS ADVISED TO INSURE AGAINST ALL POTENTIAL RISKS.**
- (v) Any order, receipt, delivery note, invoice or Other document whether issued by the company or by the buyer and purporting to be signed on behalf of the buyer by any of its servants, employees, agents or sub-contractors shall be deemed to be signed with the authority of the buyer.

16. Sub-Contracting

The Company shall be entitled to sub-contract all or any of their obligations out of any quotation or order made in consequence thereof.

17. Forced Majeure

Should the performance of the Company or any of its obligations under the Contract be prevented, hindered or delayed whether directly, indirectly or otherwise howsoever by or in consequence of an event of war, an outbreak of hostilities (whether or not involving Ireland and whether war is declared or not) rebellion, riot, acts of providence, strikes, lock outs, trade disputes or other labour difficulties, breakdown, delays in transport, accident, fire, delay in delivery or raw materials or

components or any other cause reasonably beyond control, or in the event that despite all reasonable efforts having been made the Company is unable to obtain any necessary licenses, consents or authorities for the exportation or importation of or payment for any goods, or in the event of national emergency, or if the Company's works should become either directly or indirectly so engaged on Government contracts or contracts under priority directions so as to prevent, hinder or delay work on other contracts, the Company shall be entitled at any time, on notice to the Buyer, to make partial deliveries only or to determine the contract without liability and without prejudice in any case to rights which have already accrued to the Company in respect of deliveries already made.

18. Lien

Without prejudice to any other right which the Company may have, the Company shall be entitled to exercise a general lien or right of retention of all goods in the Company's possession, which are, or are intended to become, the Buyer's property in regard to all debts, damages or other sums due to the Company under any Contract whatsoever between the Company and the Buyer and/or in the event of the insolvency of the Buyer and pursuant to such lien or right, the Company shall be entitled without notice to the customer to see all or any portion of such goods privately, by auction or otherwise, and to keep the proceeds in diminution or such debts, damages or sums and of all costs and expenses incurred in and about effecting such a sale.

19. Waiver

No time or other indulgence granted by the Company to the Buyer shall operate or be deemed to operate and a waiver or suspension of the Company's rights under these Standard Conditions.

20. Customs, Duties etc.

Without prejudice to paragraph 5 above, all customs or other duties or taxes whatsoever which may be levied on the goods in any territory shall be borne by the Buyer provided always that the Company shall be entitled (but shall be under no obligation) to pass to the Buyer the benefit of any arrangements made with Authorities for the release of goods under bond in which event the Buyer shall indemnify the Company in respect of its costs and expenses thereof and in regard to all other payments which may fall due including any penalties, fines or forfeitures incurred in connection therewith.

21. Industrial Property Rights

The Company does not warrant the goods supplied to any order will be free from infringement of industrial property rights including without limitation patents and registered designs, or third parties. The Company cannot give any assurance of the non-existence of any possible rights of third parties in relation to processing an, application of the Company's products, nor accept any liability for damage or costs to the Buyer or any third party if such rights exist.

22. Trade Marks

The Buyer undertakes to respect all trademarks of the Company and in particular where any such trademark is on goods supplied it undertakes:

- (i) Not to alter remove or obliterate such trademark either partly or wholly
- (ii) Not to apply any other trademark to the goods
- (iii) Not to apply to the goods any other matter in writing that is likely to injure the reputation of the trademark

23. Notices

Any communications or notices under the Contract between the Company and the Buyer may be made or given by sending the same by ordinary paid first class post, in the case of the Buyer to his last known address and in the case of the Company to its Dublin office and if so sent shall be deemed to have been made or given on the date when it was posted.

24. Proper Law and Jurisdiction

Any contract between the Company and the Buyer shall be governed by Irish Law and subject to the jurisdiction of the Irish Courts.

Numbers

125 One Hour Caulk	10
202 Integral Liquid Waterproof	84
208 Powder Mortar Tone	99
30 Minute PU Wood Adhesive Gel	31
30 Minute PU Wood Adhesive Liquid	31
406 Stabilising Solution	43
407 Mortar Stain Remover	43
409 Block-Guard	41
5 Minute PU Wood Adhesive Gel	31
5 Minute PU Wood Adhesive liquid	31
501 PVA Bond	100
502 All Purpose Weatherproof Wood Adhesive	30
507 Rendagrip	100
565 Clean Room Silicone	11
901 Black Bitumen Paint	50
902 Bitumen Flashing and Primer	50
903 Bitumen Trowel Mastic	50
904 Roof Felt Adhesive	50
905 All Weather Roof Coating	51
907 Solar Reflective Paint	51
908 DPM	51

A

All Purpose Powder Filler	61
All Purpose Ready Mixed Filler	61
American Duct Tape	65
Anchorset Nozzle	101
Aquaseal Waterproof Tanking Membrane	105
Aquaseal Wet Room Kit	104
Aquaseal Wet Room Tape	105

B

B1 FireFoam	55
B2 FireFoam	55
Black Jack Flashing Trade	47

C

Caulk Once	7
Clear Fix	29
Constructa-Pro	54

D

D4 Wood Adhesive	30
Damp Proofing Slurry	79
Dual Purpose Foam Cleaner	55

E

Euro Scrim	67
Evercyl One Coat	46

F

Febond Blue-Grit	100
Fire Mate	14
Floor Paint	87
Forever White	6

G

Gaffa Tape	66
Griptite	29

H

Heat Mate	11
Heavy Duty Wonder Wipes	71

I

Industrial Superglue GP	35
-------------------------	----

J

Jetcem Deep Rapid Repair Sand and Cement	97
Jetcem Plaster Rapid Repair	97
Jetcem Rapid Repair Cement	97
Jetcem Waterproof Rapid Repair Cement	97

K

KOS Fire Cement	74
KOS Fire Cement - Cartridge	75

L

Lead Mate	11
Lead Mate Patination Oil	51
Liquid Roof	48

M

Mammoth Aluminium Tape	66
Maximum Torque	26
Mega Tape	66
Mitre Fast Kit	35
MP Wood Filler	61
Multi Stick	25

O

One Strike Ready Mixed Filler	60
Opti-Mix Mortar Plasticiser	84

P

P16 Pipe Cement	75
P45 Medium Duty Foam Gun	55
Parex LA Repair Concrete	93
Parex Super FG	93
Parex Tecfast Concrete	93
Parex Thixotropic Joint Filler	93
Patio Wizard	43
Pinkgrip	27
Pinkgrip Dry Fix Applicator Gun	28
Pinkgrip Dry Fix FR	28
Pinkgrip Solvent Free	27
Power Pro Sealant Gun	13
Powerful Grip Tape	64
Pro Point Gun Kit	98
Professional Sealant Gun	13

R

Roll and Stroll Carpet Protector	58
Roll and Stroll Glass Protector	59
Roll and Stroll Hard Surface Protector	59
Roll and Stroll Textured Carpet Protector	59

S

SikaCem® -125 Accelerator	83
SikaCem® Désactivant 4-6	99
Sika® Aktivator-205	19
Sika AnchorFix®-1	101
Sika AnchorFix®-2+	101
Sika Antisol E	99
Sika® Armorex L2 High Flow Grout	91
Sika Boom®-180 Fix & Fill	54
Sika Boom®-580 Fix & Fill	54
Sika Brick and Patio Cleaner	42
Sika® Drain-850 Geo	82
Sika Dustproof	42
SikaEmaco® T 1200 PG	98
SikaEmaco® T 1100 TIX	98
Sika FastFix All Weather	38
Sika® FerroGard®-903+	94
Sika® Foil Applicator Gun	13
Sika® Igolflex®-301	81
Sika Igolflex P-01 IT	81
Sika Igolflex P-10	81
Sika MonoTop®-1010	89
Sika MonoTop®-108 Water Plug	90
SikaMono Top®-109	90
Sika MonoTop®-110	90
Sika MonoTop®-112	90
Sika MonoTop®-3020	89
Sika MonoTop®-4012	89
Sika MonoTop®-630 Rapid	89
Sika Mould Buster	42
Sika Patio Seal	41
Sika Primer 3N	19
Sika Primer MB	33
Sika Release Oil	83
Sika® Remover-208	19
Sika Setting Sand	40

Sika Silent Layer Mat	33	SikaSeal®- 175	10
Sika® Stone Protector	41	SikaSeal®- 176	10
Sika Waterbar® D-240 FPO	82	SikaSeal®- 178	10
Sika Waterbar® FB Bracket	82	SikaSeal®-623 Fire+	14
Sika Waterbar® FB-125	82	SikaSeal®-627 Fire Collar+	15
Sika Water Repel+	40	SikaSeal®-629 Fire Wrap+	15
Sika Wintermix	83	SikaShield® E80 HDPE SA 1,5 mm	81
Sika-1 Waterproofing	78	SikaShield® RoofPro Adv. T-02 E20	47
Sika-2 Water Plug	79	SikaShield® RoofPro Adv. T-02 E50	47
Sika-4A Water Stop	79	Sikasil®-670 Fire	14
SikaBond MS Wood Floor	32	SikaSwell® A	80
SikaBond Rapid DPM	33	SikaSwell® S-2	80
SikaBond SBR+	100	SikaTop®-107 Seal ES	82
SikaBond-52	32	Sikasil®-825	16
SikaBond-54	32	Silicone Spray	71
SikaBond-5500S	32	Silweld	66
SikaCeram FlowFix Bonding Primer	39	Smart Tack Bulk	29
SikaCeram FlowFix Jointing Compound	39	Smart Tack Bulk Gun	30
Sikacrete®-630+	15	Smart Tack Bulk Hose	30
Sikacryl®-620 Fire	17	Smart Tack Handy	29
Sikacryl®-621 Fire+	14	Stick 2 Carpet Fix Spray Adhesive	35
Sikadur® Crack Repair Kit	92	Stick 2 Contact Adhesive	34
Sikadur-33	101	Stick 2 Spray Contact Adhesive	35
Sikadur®-31+	91	Stixall Extreme Power	22
Sikadur®-41+	92	Surveyline	87
Sikadur-31 DW	92		
Sikadur-32+	86		
SikaFiber-200 Export	98		
Sikaflex®-403 Tank & Silo	19		
Sikaflex® - 406 KC	18		
Sikaflex®-415 Universal	17		
Sikaflex®-11 FC Purform®	12		
Sikafloor® ProSeal W	88		
Sikafloor®-03 Primer	85		
Sikafloor®-122 Level	85		
Sikafloor®-200 Level	85		
Sikafloor®-2510 W	87		
Sikaflex PRO-3 Purform	17		
Sikagard-112 Mortar and Brick Cleaner	42		
Sikagard® 5500	94		
Sikagard®-552 W Aquaprimer	94		
Sikagard®-700 S	40		
Sikagard®-850	95		
SikaGrout-111 GP	91		
SikaGrout®-340	91		
SikaHyflex®-250	17		
Sikalastic-1K	80		
Sikalastic®-6100 FX	80		
SikaMix Plus	83		
SikaMur InjectoCream-100	79		
Sikasil DW	18		
SikaRetarder-50	99		
SikaScreed HardTop-60	85		
SikaScreed-20 EBB	86		
SikaSeal®- 170	9		
SikaSeal®- 171	9		
SikaSeal®- 173	9		
SikaSeal®- 174	9		

T

Tarmac Restorer	43
Tarpaulin	61
Thermofoam	54

W

Weather Mate	11
Wonder Wipes	70
Wonder Wipes Biodegradable	71

CUSTOMER SERVICE SIKA IRELAND:

☎ +353 (0) 1862 0709

✉ salesorders@ie.sika.com

Sika Ireland Limited
Sika House
Ballymun Industrial Estate
Dublin
D11 DA2V

☎ +353 (0) 1862 0709

✉ info@sika.ie

🌐 www.sika.ie

BUILDING TRUST

