

PRODUCT DATA SHEET

Sarnabar[®] stainless steel

SARNABAR STAINLESS STEEL IS A HEAVY-DUTY, 'U'-SHAPED, ROLL-FORMED STAINLESS STEEL BAR

PRODUCT DESCRIPTION

Sarnabar[®] stainless steel is a heavy-duty, 'U'-shaped, roll-formed stainless steel bar used to secure the waterproofing membrane at the base of walls, transitions, and penetrations.

USES

Used with Sarnafasteners[®] to clamp membrane to the roof deck in Mechanically Attached, Ballasted, or Adhered roof systems.

Areas of Application

- Hurricane Prone Areas
- Additional Enhancement

CHARACTERISTICS / ADVANTAGES

- Easy to install

PRODUCT INFORMATION

Packaging	<ul style="list-style-type: none"> ▪ Individual ▪ 10 per bundle
Appearance / Colour	Gray
Shelf Life	n/a
Storage Conditions	n/a
Dimensions	Length: 10' (3.05 m) Width: 1" (25 mm) Thickness: 0.0785" (2 mm) Weight: 4.7 lb. (2.13 kg)

SYSTEM INFORMATION

System Structure	Sarnabars SS is normally mechanically attached through the waterproofing membrane as close to the base of the walls, curbs, transitions and penetrations as possible. The Sarnabar and fasteners effectively clamp the membrane to the substrate or the structural deck.
-------------------------	--

MAINTENANCE

Standard maintenance of roofs should include regular inspection of flashings, drains and termination sealants at least twice a year and after each storm.

FURTHER DOCUMENTS

Availability

From Authorized Applicators when used within Sarnafil® or Sikaplan® roofing and waterproofing systems.

Warranty

As a Sika supplied accessory, Sarnabar® stainless steel is covered under Sika Corporation warranties.

VALUE BASE

All technical data stated in this Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

LOCAL RESTRICTIONS

Note that as a result of specific local regulations the declared data and recommended uses for this product may vary from country to country. Consult the local Product Data Sheet for the exact product data and uses.

ECOLOGY, HEALTH AND SAFETY

Local safety regulations must be observed and it advisable to wear PPI when working with this product with particular attention paid to cutting and handling. Transportation Class: The product is not classified as hazardous good for transport. Disposal: The material is recyclable. Disposal must be according to local regulations. Please contact your local Sika sales organisation for more information.

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

SIKA IRELAND LIMITED
Ballymun Industrial Estate
Ballymun
Dublin 11, Ireland
Tel: +353 1 862 0709
Web: www.sika.ie
Twitter: @Sikalreland



Product Data Sheet
Sarnabar® stainless steel
June 2019, Version 01.01
020945051100000005

Sarnabarstainlesssteel-en-IE-(06-2019)-1-1.pdf

