

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika® Ucrete® UD 200 SR Part 3



Revision Date: 06.01.2025  
Date of last issue: -

Version 1.0

Print Date 28.03.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Sika® Ucrete® UD 200 SR Part 3

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier : Sika Ireland Ltd  
Sika House  
Ballymun Industrial Estate  
Dublin 11  
Telephone : +353 1862 0709  
E-mail address of person : EHS@UK.Sika.com  
responsible for the SDS

#### 1.4 Emergency telephone number

National Poisons Information Centre (NPIC) (01) 809 2166  
(available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1 H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika® Ucrete® UD 200 SR Part 3



Revision Date: 06.01.2025

Version 1.0

Print Date 28.03.2025

Date of last issue: -

### Precautionary statements : **Prevention:**

P260 Do not breathe dust.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### **Response:**

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

### **Hazardous components which must be listed on the label:**

Cement, portland, chemicals

### **2.3 Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

### **3.2 Mixtures**

#### **Components**

| Chemical name               | CAS-No.<br>EC-No.<br>Registration number | Classification                                                                   | Concentration<br>(% w/w) |
|-----------------------------|------------------------------------------|----------------------------------------------------------------------------------|--------------------------|
| Cement, portland, chemicals | 65997-15-1<br>266-043-4                  | Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>Skin Sens. 1; H317<br>STOT SE 3; H335 | >= 10 - < 20             |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika® Ucrete® UD 200 SR Part 3



Revision Date: 06.01.2025

Version 1.0

Print Date 28.03.2025

Date of last issue: -

|                                              |                                                 |                                                                                    |              |
|----------------------------------------------|-------------------------------------------------|------------------------------------------------------------------------------------|--------------|
| calcium dihydroxide                          | 1305-62-0<br>215-137-3<br>01-2119475151-45-XXXX | Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>STOT SE 3; H335<br>(Respiratory system) | >= 1 - < 2,5 |
| White mineral oil (petroleum)                | 8042-47-5<br>232-455-8<br>01-2119487078-27-XXXX | Asp. Tox. 1; H304                                                                  | >= 1 - < 2,5 |
| Substances with a workplace exposure limit : |                                                 |                                                                                    |              |
| Quartz (SiO <sub>2</sub> )                   | 14808-60-7<br>238-878-4                         |                                                                                    | >= 40 - < 60 |
| Quartz (SiO <sub>2</sub> )                   | 14808-60-7<br>238-878-4                         |                                                                                    | >= 25 - < 40 |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Keep eye wide open while rinsing.
- If swallowed : Do not induce vomiting without medical advice.  
Rinse mouth with water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Allergic reactions  
Dermatitis

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika® Ucrete® UD 200 SR Part 3



Revision Date: 06.01.2025

Version 1.0

Print Date 28.03.2025

Date of last issue: -

See Section 11 for more detailed information on health effects and symptoms.

Risks : May cause an allergic skin reaction.  
Causes serious eye damage.  
Causes severe burns.

Health injuries may be delayed.  
corrosive effects  
sensitising effects

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Standard procedure for chemical fires.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Deny access to unprotected persons.

### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust.  
Keep in suitable, closed containers for disposal.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika® Ucrete® UD 200 SR Part 3



Revision Date: 06.01.2025

Version 1.0

Print Date 28.03.2025

Date of last issue: -

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see section 8).  
Do not get in eyes, on skin, or on clothing.  
For personal protection see section 8.  
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Smoking, eating and drinking should be prohibited in the application area.  
Follow standard hygiene measures when handling chemical products

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Consult most current local Product Data Sheet prior to any use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components                 | CAS-No.    | Value type (Form of exposure) | Control parameters *  | Basis * |
|----------------------------|------------|-------------------------------|-----------------------|---------|
| Quartz (SiO <sub>2</sub> ) | 14808-60-7 | OELV - 8 hrs                  | 0,1 mg/m <sup>3</sup> | IE OEL  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika® Ucrete® UD 200 SR Part 3



Revision Date: 06.01.2025

Version 1.0

Print Date 28.03.2025

Date of last issue: -

|                               |                                                                                                |                                         |                                |             |
|-------------------------------|------------------------------------------------------------------------------------------------|-----------------------------------------|--------------------------------|-------------|
|                               |                                                                                                | (TWA) (Respirable dust)                 | (Silica)                       |             |
|                               | Further information: Carcinogenic, see List of Carcinogenic Substances, Mixtures and Processes |                                         |                                |             |
| Quartz (SiO <sub>2</sub> )    | 14808-60-7                                                                                     | OELV - 8 hrs (TWA) (Respirable dust)    | 0,1 mg/m <sup>3</sup> (Silica) | IE OEL      |
|                               | Further information: Carcinogenic, see List of Carcinogenic Substances, Mixtures and Processes |                                         |                                |             |
| Cement, portland, chemicals   | 65997-15-1                                                                                     | OELV - 8 hrs (TWA) (Respirable dust)    | 1 mg/m <sup>3</sup>            | IE OEL      |
| calcium dihydroxide           | 1305-62-0                                                                                      | TWA (Respirable fraction)               | 1 mg/m <sup>3</sup>            | 2017/164/EU |
|                               | Further information: Indicative                                                                |                                         |                                |             |
|                               |                                                                                                | STEL (Respirable fraction)              | 4 mg/m <sup>3</sup>            | 2017/164/EU |
|                               |                                                                                                | OELV - 8 hrs (TWA) (respirable)         | 1 mg/m <sup>3</sup>            | IE OEL      |
|                               |                                                                                                | OELV - 15 min (STEL) (respirable)       | 4 mg/m <sup>3</sup>            | IE OEL      |
| White mineral oil (petroleum) | 8042-47-5                                                                                      | OELV - 8 hrs (TWA) (inhalable fraction) | 5 mg/m <sup>3</sup>            | IE OEL      |

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

### general dust value

| Form of exposure | Peak-limit: excursion factor (category) | Value type         | Control parameters   | Basis  |
|------------------|-----------------------------------------|--------------------|----------------------|--------|
| Respirable dust  |                                         | OELV - 8 hrs (TWA) | 4 mg/m <sup>3</sup>  | IE OEL |
| inhalable dust   |                                         | OELV - 8 hrs (TWA) | 10 mg/m <sup>3</sup> | IE OEL |

## 8.2 Exposure controls

### Engineering measures

Maintain air concentrations below occupational exposure standards.  
Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

- Eye/face protection : Safety glasses with side-shields conforming to EN166  
Eye wash bottle with pure water  
Wear eye/face protection.
- Hand protection : Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.  
Recommended: Butyl rubber/nitrile rubber gloves.  
Contaminated gloves should be removed.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika® Ucrete® UD 200 SR Part 3



Revision Date: 06.01.2025

Version 1.0

Print Date 28.03.2025

Date of last issue: -

- Skin and body protection : Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
- Respiratory protection : In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

### Environmental exposure controls

- General advice : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Physical state : solid
- Appearance : Amorphous powder
- Colour : beige
- Odour : odourless

Melting point/ range / Freezing point : No data available

Boiling point/boiling range : No data available

Flammability (solid, gas) : No data available

### Upper/lower flammability or explosive limits

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : > 100 °C

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika® Ucrete® UD 200 SR Part 3



Revision Date: 06.01.2025

Version 1.0

Print Date 28.03.2025

Date of last issue: -

Method: closed cup  
Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 12

### Viscosity

Viscosity, kinematic : Not applicable

### Solubility(ies)

Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : No data available

Density : No data available

Relative vapour density : No data available

Particle characteristics : No data available

## 9.2 Other information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika® Ucrete® UD 200 SR Part 3



Revision Date: 06.01.2025

Version 1.0

Print Date 28.03.2025

Date of last issue: -

### 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

:  
No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### Components:

##### White mineral oil (petroleum):

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

#### Skin corrosion/irritation

Causes severe burns.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

##### Skin sensitisation

May cause an allergic skin reaction.

##### Respiratory sensitisation

Not classified due to lack of data.

##### Germ cell mutagenicity

Not classified due to lack of data.

##### Carcinogenicity

Not classified due to lack of data.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika® Ucrete® UD 200 SR Part 3



Revision Date: 06.01.2025

Version 1.0

Print Date 28.03.2025

Date of last issue: -

### **Reproductive toxicity**

Not classified due to lack of data.

### **STOT - single exposure**

Not classified due to lack of data.

### **STOT - repeated exposure**

Not classified due to lack of data.

### **Aspiration toxicity**

Not classified due to lack of data.

## **11.2 Information on other hazards**

### **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

#### **Components:**

##### **White mineral oil (petroleum):**

Toxicity to fish : (Leuciscus idus (Golden orfe)): > 1.000 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l  
Exposure time: 72 h

### **12.2 Persistence and degradability**

No data available

### **12.3 Bioaccumulative potential**

No data available

### **12.4 Mobility in soil**

No data available

### **12.5 Results of PBT and vPvB assessment**

#### **Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika® Ucrete® UD 200 SR Part 3



Revision Date: 06.01.2025

Version 1.0

Print Date 28.03.2025

Date of last issue: -

very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : There is no data available for this product.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The generation of waste should be avoided or minimized wherever possible.  
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.  
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.  
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.  
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.2 UN proper shipping name

ADR : Not regulated as a dangerous good

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika® Ucrete® UD 200 SR Part 3



Revision Date: 06.01.2025

Version 1.0

Print Date 28.03.2025

Date of last issue: -

**IMDG** : Not regulated as a dangerous good

**IATA** : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

**ADR** : Not regulated as a dangerous good

**IMDG** : Not regulated as a dangerous good

**IATA** : Not regulated as a dangerous good

### 14.4 Packing group

**ADR** : Not regulated as a dangerous good

**IMDG** : Not regulated as a dangerous good

**IATA (Cargo)** : Not regulated as a dangerous good

**IATA (Passenger)** : Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable  
Schedules of Toxic Chemicals and Precursors

REACH Information: All substances contained in our Products are  
- registered by our upstream suppliers, and/or  
- registered by us, and/or  
- excluded from the regulation, and/or  
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 47: Cement, port-land, chemicals

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : None of the components are listed  
(=> 0.1 %).

REACH - List of substances subject to authorisation : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika® Ucrete® UD 200 SR Part 3



Revision Date: 06.01.2025

Version 1.0

Print Date 28.03.2025

Date of last issue: -

(Annex XIV)

Regulation (EC) on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV)  
Volatile organic compounds (VOC) content: < 0,01% w/w  
no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: < 0,01% w/w

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environmental regulation/legislation specific for the substance or mixture: : Environmental Protection Act 1990 & Subsidiary Regulations  
Health and Safety at Work Act 1974 & Subsidiary Regulations  
Control of Substances Hazardous to Health Regulations (COSHH)  
May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

### Other regulations:

This product contains cement. Wet cement or mortar may cause alkali burns if in direct and/or prolonged contact with the skin. Wear protective clothing at all times when working with cement based products.

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika® Ucrete® UD 200 SR Part 3



Revision Date: 06.01.2025

Version 1.0

Print Date 28.03.2025

Date of last issue: -

### SECTION 16: Other information

#### Full text of H-Statements

|      |   |                                               |
|------|---|-----------------------------------------------|
| H304 | : | May be fatal if swallowed and enters airways. |
| H315 | : | Causes skin irritation.                       |
| H317 | : | May cause an allergic skin reaction.          |
| H318 | : | Causes serious eye damage.                    |
| H335 | : | May cause respiratory irritation.             |

#### Full text of other abbreviations

|                               |   |                                                                                                                                                                                                                                      |
|-------------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Asp. Tox.                     | : | Aspiration hazard                                                                                                                                                                                                                    |
| Eye Dam.                      | : | Serious eye damage                                                                                                                                                                                                                   |
| Skin Irrit.                   | : | Skin irritation                                                                                                                                                                                                                      |
| Skin Sens.                    | : | Skin sensitisation                                                                                                                                                                                                                   |
| STOT SE                       | : | Specific target organ toxicity - single exposure                                                                                                                                                                                     |
| 2017/164/EU                   | : | Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values                                                                                                                 |
| IE OEL                        | : | Ireland. List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2                                                                                                        |
| 2017/164/EU / STEL            | : | Short term exposure limit                                                                                                                                                                                                            |
| 2017/164/EU / TWA             | : | Limit Value - eight hours                                                                                                                                                                                                            |
| IE OEL / OELV - 8 hrs (TWA)   | : | Occupational exposure limit value (8-hour reference period)                                                                                                                                                                          |
| IE OEL / OELV - 15 min (STEL) | : | Occupational exposure limit value (15-minute reference period)                                                                                                                                                                       |
| ADR                           | : | European Agreement concerning the International Carriage of Dangerous Goods by Road                                                                                                                                                  |
| CAS                           | : | Chemical Abstracts Service                                                                                                                                                                                                           |
| DNEL                          | : | Derived no-effect level                                                                                                                                                                                                              |
| EC50                          | : | Half maximal effective concentration                                                                                                                                                                                                 |
| GHS                           | : | Globally Harmonized System                                                                                                                                                                                                           |
| IATA                          | : | International Air Transport Association                                                                                                                                                                                              |
| IMDG                          | : | International Maritime Code for Dangerous Goods                                                                                                                                                                                      |
| LD50                          | : | Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)                                                                                               |
| LC50                          | : | Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)                                                                                                 |
| MARPOL                        | : | International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978                                                                                                                        |
| OEL                           | : | Occupational Exposure Limit                                                                                                                                                                                                          |
| PBT                           | : | Persistent, bioaccumulative and toxic                                                                                                                                                                                                |
| PNEC                          | : | Predicted no effect concentration                                                                                                                                                                                                    |
| REACH                         | : | Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency |
| SVHC                          | : | Substances of Very High Concern                                                                                                                                                                                                      |
| vPvB                          | : | Very persistent and very bioaccumulative                                                                                                                                                                                             |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika® Ucrete® UD 200 SR Part 3



Revision Date: 06.01.2025

Version 1.0

Print Date 28.03.2025

Date of last issue: -

### Further information

#### Classification of the mixture:

|              |      |
|--------------|------|
| Skin Corr. 1 | H314 |
| Eye Dam. 1   | H318 |
| Skin Sens. 1 | H317 |

#### Classification procedure:

|                                     |
|-------------------------------------|
| Based on product data or assessment |
| Based on product data or assessment |
| Calculation method                  |

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.



Changes as compared to previous version !

IE / EN