

Revision Date: 09.09.2024 Date of last issue: - Version 1.0

Print Date 28.03.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sikaflex<sup>®</sup>-406 KC Booster

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Ireland Ltd
		Sika House
		Ballymun Industrial Estate
		Dublin 11
Telephone	:	+353 1862 0709
E-mail address of person	:	EHS@UK.Sika.com
responsible for the SDS		

#### **1.4 Emergency telephone number**

National Poisons Information Centre (NPIC) (01) 809 2166 (available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Eye irritation, Category 2	H319: Causes serious eye irritation.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H317 H319	May cause an allergic skin reaction. Causes serious eye irritation.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sikaflex<sup>®</sup>-406 KC Booster



 Revision Date: 09.09.2024
 Version 1.0
 Print Date 28.03.2025

 Date of last issue:

Precautionary statements	:	Prevention:	
		P261 P280	Avoid breathing mist or vapours. Wear protective gloves/ eye protection/ face protection.
		Response:	
		P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
		P337 + P313	If eye irritation persists: Get medical advice/ attention.
		P362 + P364	Take off contaminated clothing and wash it before reuse.
		Disposal:	
		P501	Dispose of contents/container in accordance with local regulation.

#### Hazardous components which must be listed on the label:

2-methyl-2H-isothiazol-3-one (MIT)

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 09.09.2024 Date of last issue: - Version 1.0

Print Date 28.03.2025

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
2-methyl-2H-isothiazol-3-one (MIT)	2682-20-4 220-239-6 01-2120764690-50- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 	>= 0,0025 - < 0,025
For explanation of approviations as		200 mg/kg	

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	Move out of dangero Consult a physician. Show this safety data	
If inhaled	Move to fresh air. Consult a physician a	after significant exposure.
In case of skin contact	Take off contaminate	ed clothing and shoes immediately.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikaflex<sup>®</sup>-406 KC Booster



evision Date: 09.09.2024 ate of last issue: -	Version 1.0	Print Date 28.03.20
	Wash off with soap and plenty of water. If symptoms persist, call a physician.	
In case of eye contact	: Immediately flush eye(s) with plenty of wate Remove contact lenses.	er.
	Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	: Do not induce vomiting without medical adv Rinse mouth with water.	ice.
	Do not give milk or alcoholic beverages. Never give anything by mouth to an uncons	cious person.
.2 Most important symptoms ar	d effects, both acute and delayed	
Symptoms	: Allergic reactions Excessive lachrymation See Section 11 for more detailed informatio and symptoms.	n on health effects
Risks	: irritant effects sensitising effects	
	May cause an allergic skin reaction. Causes serious eye irritation.	
.3 Indication of any immediate r	Causes serious eye irritation.	ed
<b>.3 Indication of any immediate r</b> Treatment		ed
Treatment	Causes serious eye irritation. nedical attention and special treatment need : Treat symptomatically.	ed
Treatment	Causes serious eye irritation. nedical attention and special treatment need : Treat symptomatically.	ed
Treatment SECTION 5: Firefighting meas	Causes serious eye irritation. nedical attention and special treatment need : Treat symptomatically.	jet/carbon diox-
Treatment SECTION 5: Firefighting meas	Causes serious eye irritation. nedical attention and special treatment need : Treat symptomatically. ures : In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chemi extinction.	jet/carbon diox-
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	Causes serious eye irritation. nedical attention and special treatment need : Treat symptomatically. ures : In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chemi extinction.	jet/carbon diox- cal powder for
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod-	Causes serious eye irritation. nedical attention and special treatment need : Treat symptomatically. ures : In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chemi extinction. the substance or mixture	jet/carbon diox- cal powder for
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts	Causes serious eye irritation. nedical attention and special treatment need : Treat symptomatically. ures : In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chemi extinction. the substance or mixture : No hazardous combustion products are known	jet/carbon diox- cal powder for



Revision Date: 09.09.2024 Date of last issue: - Version 1.0

Print Date 28.03.2025

## **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.

#### **6.2 Environmental precautions**

Environmental precautions : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>		
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.		
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.		
7.2 Conditions for safe storage, including any incompatibilities				

Requirements for storage	:	Keep container tightly closed in a dry and well-ventilated
areas and containers		place. Containers which are opened must be carefully re-

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sikaflex<sup>®</sup>-406 KC Booster



Revision Date: 09.09.2024 Date of last issue: -		Version 1.0	Print Date 28.03.2025
		sealed and kept upright to prevent leakage. Sto ance with local regulations.	re in accord-
Further information on stor- age stability	:	No decomposition if stored and applied as direc	ted.
7.3 Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet p	prior to any
• • • • • •	:	Consult most current local Product Data Sheet puse.	prior to any

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Containe no substances with accurational exposure limit values				

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water		
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.		
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.		
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection :	No special measures required.		
Environmental exposure controls			

General advice	: Do not flush into surface water or sanitary sewer system.
----------------	---



Revision Date: 09.09.2024 Date of last issue: - Version 1.0

Print Date 28.03.2025

If the product contaminates rivers and lakes or drains inform respective authorities.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid white
Odour	:	odourless
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
		La sina limita
Upper/lower flammability or e Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 100 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Solubility(ies)		

insoluble

:



# Sikaflex<sup>®</sup>-406 KC Booster

Revision Date: 09.09.2024 Date of last issue: -	Version 1.0	Print Date 28.03.2025	
Partition coefficient: n-	: No data available		

Vapour pressure	: 23 hPa
Density	: ca. 1,23 g/cm3 (20 °C)
Relative vapour density	: No data available
Particle characteristics	: No data available

## 9.2 Other information

octanol/water

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

## 10.5 Incompatible materials

Materials to avoid	: No data availabl	е
--------------------	--------------------	---

## **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.



Revision Date: 09.09.2024 Date of last issue: -

Version 1.0

Print Date 28.03.2025

## Components:

# 2-methyl-2H-isothiazol-3-one (MIT):

Acute oral toxicity : LD50 (Rat): 200 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

## Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 09.09.2024 Date of last issue: - Version 1.0

Print Date 28.03.2025

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

#### 2-methyl-2H-isothiazol-3-one (MIT):

M-Factor (Acute aquatic tox- : 10 icity)

M-Factor (Chronic aquatic : 1 toxicity)

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### **12.6 Endocrine disrupting properties**

Product:	

Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
		levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized
---------	--

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikaflex<sup>®</sup>-406 KC Booster



Revision Date: 09.09.2024 Date of last issue: - Version 1.0

Print Date 28.03.2025

wherever possible.

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards				
Not regulated as a dangerous	s go	od		

#### 14.6 Special precautions for user Not applicable

## **14.7 Maritime transport in bulk according to IMO instruments** Not applicable for product as supplied.



Revision Date: 09.09.2024 Date of last issue: - Version 1.0

Print Date 28.03.2025

## **SECTION 15: Regulatory information**

<b>15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture</b> International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors						
REACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.					
the market and use of certain	REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)		Conditions of restriction for the fol- lowing entries should be considered: Number on list 3			
			Number on list 75:			
REACH - Candidate List of Su Concern for Authorisation (Art		:	None of the components are listed (=> 0.1 %).			
REACH - List of substances s (Annex XIV)	REACH - List of substances subject to authorisation (Annex XIV)		Not applicable			
Regulation (EC) on substances that deplete the ozone layer		:	Not applicable			
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)			Not applicable			
Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals						
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable						
Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties						



Revision Date: 09.09.2024 Date of last issue: - Version 1.0

Print Date 28.03.2025

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environmental regulation/legislation specific for the substance or mixture:  Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH) May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

Full text of H-Statements

Full text of H-Statements					
H301	:	Toxic if swallowed.			
H311	:	Toxic in contact with skin.			
H314	:	Causes severe skin burns and eye damage.			
H317	:	May cause an allergic skin reaction.			
H318	:	Causes serious eye damage.			
H330	:	Fatal if inhaled.			
H400	:	Very toxic to aquatic life.			
H410	:	Very toxic to aquatic life with long lasting effects.			
Full text of other abbreviations					
Acute Tox.	:	Acute toxicity			
Aquatic Acute	:	Short-term (acute) aquatic hazard			
Aquatic Chronic	:	Long-term (chronic) aquatic hazard			
Eye Dam.	:	Serious eye damage			
Skin Corr.	:	Skin corrosion			
Skin Sens.	:	Skin sensitisation			
ADR	:	European Agreement concerning the International Carriage of			
		Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
ΙΑΤΑ	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at			
		once, which causes the death of 50% (one half) of a group of test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in			
	•				

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sikaflex<sup>®</sup>-406 KC Booster



Revision Date: 09.09.2024 Date of last issue: -		Version 1.0	Print Date 28.03.2025
MARPOL	:	air that kills 50% of the test animals duri period) International Convention for the Prevent	
		Ships, 1973 as modified by the Protocol	of 1978
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the Eu and of the Council of 18 December 2006 istration, Evaluation, Authorisation and F cals (REACH), establishing a European	6 concerning the Reg- Restriction of Chemi-
SVHC	:	Substances of Very High Concern	
vPvB	:	Very persistent and very bioaccumulativ	e
Further information			

Classification of the mixtu	Classification procedure:	
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

IE / EN