Parex[®] Parinter Renovation



Revision Date: 08.05.2025	Version
Date of last issue: 19.03.2024	

Print Date 08.05.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Parex[®] Parinter Renovation

1.2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Ireland Ltd
		Sika House
		Ballymun Industrial Estate
		Dublin 11
Telephone	:	+353 1862 0709
E-mail address of person responsible for the SDS	:	EHS@UK.Sika.com

1.4 Emergency telephone number

National Poisons Information Centre (NPIC) (01) 809 2166 (available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

2

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Parex[®] Parinter Renovation



Revision Date: 08.05.2025 Date of last issue: 19.03.2024		N	/ersion 1.2	Print Date 08.05.2025
Hazard statements	:	H317 M	auses skin irritation. ay cause an allergic skin reaction. auses serious eye damage.	
Precautionary statements	:	Prevention:		
		P261	Avoid breathing dust/ fume/ ga pours/ spray.	s/ mist/ va-
		P264	Wash skin thoroughly after har	ndling.
		P280	Wear protective gloves/ eye proprotection.	0
		Response:		
		P305 + P351 +	P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
		P333 + P313	If skin irritation or rash occurs: advice/ attention.	Get medical
		P362 + P364	Take off contaminated clothing before reuse.	and wash it

Hazardous components which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponents			
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Cement, portland, chemicals	65997-15-1 266-043-4	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT SE 3; H335	>= 10 - < 20
calcium dihydroxide	1305-62-0 215-137-3 01-2119475151-45- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 2,5 - < 3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Parex® Parinter Renovation

Revision Date: 08.05.2025 Date of last issue: 19.03.2024	Version 1.2	Print Date 08.05.2025
Substances with a workplace exposure limit :		

Substances with a workplace exposure limit.			
Quartz (SiO2)	14808-60-7		>= 40 - < 60
	238-878-4		
Limestone	1317-65-3		>= 25 - < 40
Contains:	215-279-6		
Crystalline silica $>= 0,1 \%$			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measure	es		
General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.		
If inhaled :	Move to fresh air. Consult a physician after significant exposure.		
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.		
In case of eye contact :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.		
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.		
4.2 Most important symptoms and effects, both acute and delayed			
Symptoms :	Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.		
Risks :	irritant effects sensitising effects		
Country IE 10000034244	Causes skin irritation. May cause an allergic skin reaction.		

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Parex[®] Parinter Renovation



	Version 1.2	Print Date 08.05.2025
	Causes serious eye damage.	
me	dical attention and special treatment needed	l
:	Treat symptomatically.	
sur	es	
:	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	
n the	e substance or mixture	
:	No hazardous combustion products are known	n
:	In the event of fire, wear self-contained breath	ing apparatus.
:	Standard procedure for chemical fires.	
	: sur : :	Causes serious eye damage. medical attention and special treatment needed : Treat symptomatically. Isures : In case of fire, use water/water spray/water jet ide/sand/foam/alcohol resistant foam/chemical extinction. the substance or mixture : No hazardous combustion products are known : In the event of fire, wear self-contained breath

Personal precautions	:	Use personal protective equipment.
		Avoid breathing dust.
		Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
---------------------------	---	---

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Pick up and arrange disposal without creating dust.
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Parex® Parinter Renovation



Revision Date: 08.05.2025 Date of last issue: 19.03.2024	Version 1.2	Print Date 08.05.2025
Advice on safe handling	 Do not breathe vapours/dust. Avoid exceeding the given occupation section 8). Do not get in eyes, on skin, or on clop For personal protection see section 8 Persons with a history of skin sensiti ma, allergies, chronic or recurrent re not be employed in any process in w used. Smoking, eating and drinking should plication area. Follow standard hygiene measures w products 	othing. 8. sation problems or asth- spiratory disease should rhich this mixture is being be prohibited in the ap-
Advice on protection against fire and explosion	: Avoid dust formation. Provide approp at places where dust is formed.	priate exhaust ventilation
Hygiene measures	: Handle in accordance with good indupractice. When using do not eat or d smoke. Wash hands before breaks a	rink. When using do not
7.2 Conditions for safe storage, i	cluding any incompatibilities	
Requirements for storage	: Keep container tightly closed in a dry	y and well-ventilated

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	OELV - 8 hrs (TWA) (Respira- ble dust)	0,1 mg/m3 (Silica)	IE OEL
		nation: Carcinogenic ures and Processes	, see List of Carc	inogenic Sub-
Limestone	1317-65-3	OELV - 8 hrs (TWA) (Respira- ble dust)	4 mg/m3	IE OEL
		OELV - 8 hrs (TWA) (inhalable dust)	10 mg/m3	IE OEL
Cement, portland, chemicals	65997-15-1	OELV - 8 hrs (TWA) (Respira-	1 mg/m3	IE OEL

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Parex® Parinter Renovation

Revision Date: 08.05.2025 Date of last issue: 19.03.2024 Version 1.2

Print Date 08.05.2025

ble dust) calcium dihydroxide 1305-62-0 TWA (Respirable 1 mg/m3 2017/164/EU fraction) Further information: Indicative STEL (Respirable 2017/164/EU 4 mg/m3 fraction) OELV - 8 hrs 1 mg/m3 IE OEL (TWA) (respirable) OELV - 15 min 4 mg/m3 IE OEL (STEL) (respirable)

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Value type	Control parameters	Basis
Respirable dust	OELV - 8 hrs (TWA)	4 mg/m3	IE OEL
inhalable dust	OELV - 8 hrs (TWA)	10 mg/m3	IE OEL

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.



Revision Date: 08.05.2025	Version 1.2	Print Date 08.05.2025
Date of last issue: 19.03.2024		

Environmental exposure controls

Parex® Parinter Renovation

General advice : Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Physical state 5 solid Appearance powder 2 Colour No data available 2 Odour No data available ÷ Melting point/ range / Freez-: No data available ing point Boiling point/boiling range No data available Flammability (solid, gas) : No data available Upper/lower flammability or explosive limits Upper explosion limit / Up- : No data available per flammability limit Lower explosion limit / : No data available Lower flammability limit Flash point Not applicable No data available Auto-ignition temperature : Decomposition temperature No data available : pН • No data available Viscosity Viscosity, kinematic : No data available Solubility(ies) Water solubility : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Parex® Parinter Renovation



Revision Date: 08.05.2025 Date of last issue: 19.03.2024	Version 1.2	Print Date 08.05.2025

Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	> 1 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	: No data available
---------------------	---------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



Parex® Parinter Renovation

Revision Date: 08.05.2025 Date of last issue: 19.03.2024 Version 1.2

Print Date 08.05.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Parex® Parinter Renovation



Revision Date: 08.05.2025 Date of last issue: 19.03.2024 Version 1.2

Print Date 08.05.2025

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed
	waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
Country IE 100000034244			10 / 14

_

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Parex[®] Parinter Renovation



Revision Date: 08.05.2025 Date of last issue: 19.03.2024		Version 1.2	Print Date 08.05.2025
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards			
Not regulated as a dangerous good			
14.6 Special precautions for user			
Not applicable			

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environ International Chemical Wea Schedules of Toxic Chemica		
REACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.	
REACH - Restrictions on the the market and use of certai mixtures and articles (Anne)	n dangerous substances,	

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

REACH - Candidate List of Substances of Very High : None of the components are listed

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Parex[®] Parinter Renovation



Revision Date: 08.05.2025 Date of last issue: 19.03.2024	Version 1.2		Print Date 08.05.2025
Concern for Authorisation (Article	59).	(=> 0.1 %).	
REACH - List of substances subje (Annex XIV)	ect to authorisation :	Not applicable	
Regulation (EU) No 2024/590 on plete the ozone layer	substances that de- :	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu- :	Not applicable	
Seveso III: Directive 2012/18/EU jor-accident hazards involving dar		and of the Council on t	the control of ma-
Volatile organic compounds :	Law on the incentive tax for (VOCV) no VOC duties	or volatile organic comp	ounds
	Directive 2010/75/EU of 2 livestock rearing emission and control) Not applicable		
If other regulatory information app Sheet, then it is described in this		ided elsewhere in the S	Safety Data
Health, safety and environ- : mental regulation/legislation	Environmental Protection Health and Safety at Work		5

Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	:	Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH) May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.
		Regulations (COMAR), and amendments.
		Regulations (COMAH), and amendments.

Other regulations:

This product contains cement. Wet cement or mortar may cause alkali burns if in direct and/or prolonged contact with the skin. Wear protective clothing at all times when working with cement based products.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Parex[®] Parinter Renovation



Revision Date: 08.05.2025 Date of last issue: 19.03.2024 Version 1.2

Print Date 08.05.2025

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H317		May cause an allergic skin reaction.
H318		Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviations		
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a
		fourth list of indicative occupational exposure limit values
IE OEL	:	Ireland. List of Chemical Agents and Carcinogens with Occu-
		pational Exposure Limit Values - Code of Practice, Schedule 1
		and 2
2017/164/EU / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
IE OEL / OELV - 8 hrs (TWA)	:	Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min	:	Occupational exposure limit value (0 hour reference period)
(STEL)	•	od)
ADR		,
ADR	•	European Agreement concerning the International Carriage of
C45		Dangerous Goods by Road
CAS	•	Chemical Abstracts Service
DNEL	•	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	÷	Very persistent and very bioaccumulative
··· · =		



Revision Date: 08.05.2025 Version 1.2 Date of last issue: 19.03.2024

Print Date 08.05.2025

Further information

Classification o	f the mixture:	Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

IE / EN