THE COMPLETE PRODUCT GUIDE 2025



CONTENTS

Surface Cleaners and Treatments

| SEALANTS | | ROOFING | |
|---|----------------|---------------------------------------|----------|
| Professional | 6 | Roof Repair | 46 |
| DIY | 12 | Bitumen | 50 |
| Guns | 13 | | |
| Passive Fire Protection | 14 | | |
| Specialist Sealants | 16 | EXPANDING FOAMS | |
| ADHESIVES | | Professional and DIY | 54 |
| Hybrid Sealants and Adhesives | 22 | FILLERS AND DECORATING | |
| Grab | 26 | SUNDRIES | |
| Plasterboard Grab/Specialist Adhesives Wood | 28 29 30 | Surface protectors Decorating Fillers | 58 60 |
| Flooring | 32 | TAPES | |
| Contact, Superglues and Activators LANDSCAPING | 34 | Building Tapes Repair Tapes | 64 66 |
| | | | |
| Jointing Compounds | 38 | | |
| Sealing and Protecting | 40 | | |

42

WE ARE SIKA

CLEANERS Wipes 70 Wipes and Cleaners 71 FIRE AND PLUMBING CEMENT Fire, Stove and Flue Cements and Mortars Fire and Plumbing Cements 75

BUILDING SUPPLIES

| Waterproofing | 78 |
|--|-----|
| Building Admixtures | 83 |
| Self Levelling Compounds and Floor Products | 85 |
| Floor Paints and Line Markers | 87 |
| Wall Finishing | 88 |
| Concrete and Brick Repair | 89 |
| Chemical Anchors | 101 |

TILING

Wet Room System 104



INTRODUCTION

WELCOME TO SIKA'S COMPLETE PRODUCT GUIDE

Your trusted partner for construction and industry solutions

Sika's Distribution team is part of Sika Ireland Limited, the Irish subsidiary of the worldwide Sika group. Established in 1995, but present in Ireland since 1930, Sika Ireland Limited is focused on supplying the Irish construction and industrial markets with quality products from our site in Dublin.

Specialists in construction chemicals, Sika Ireland Limited offers access to a comprehensive portfolio of problem-solving products for a variety of applications including waterproofing, roofing, concrete repair, flooring and more.

As one of Irelands leading suppliers of sealants, adhesives and building chemicals, Sika embodies the construction industry, working closely with merchant partners to supply the trade with high quality products and technical expertise.

Bringing Sika's unrivalled innovation in product development, high standards of manufacturing and renowned technical advice into the merchant market, customers now have direct access to the complete product portfolio opening up new opportunities for the trade industry.

FOR ALL YOUR BUILDING SOLUTIONS Setting San Figure 1 Figure 1







Social Media

Stay up to date with all the latest company and product news by following us online.





















Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED



SEALANTS

| Professional | 6 |
|-------------------------|----|
| DIY | 12 |
| Guns | 13 |
| Passive Fire Protection | 14 |
| Specialist Sealants | 16 |



Forever White Silicone Sealant





TRUSTED

FOREVER WHITE®
CONTAINS A HIGH
QUALITY ANTIMICROBIAL
ADDITIVE, RIGOROUSLY
TESTED IN ACCREDITED
MICROBIOLOGICAL
LABORATORIES TO SHOW
NO MOULD GROWTH
AFTER 10 YEARS*.

* Simulated ageing.

PERMANENTLY FLEXIBLE

TOOLS DOWN
SMOOTHLY

PREMIUM QUALITY

STARTS WHITE -STAYS WHITE





A superior silicone sealant that's waterproof, flexible and antibacterial – designed to be used around the home.

Forever White is a superior silicone sealant that is permanently waterproof, flexible and ideal for sealing: shower bases and cubicles, wetrooms, around baths, sinks and basins. It is also ideal for use in kitchens and utility rooms and for sealing around window and door frames. Contains Mould Shield which actively protects the sealant against the growth of bacteria, mildew and black mould.













Caulk Once Acrylic Caulk



TRUSTED





 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 489516
 380ML
 WHITE
 12
 5029347612962

A premium quality acrylic caulk - fast-drying, permanently flexible and tailor-made for a range of jobs.

Caulk Once – the best caulk you will ever use – is a premium quality acrylic caulk that has been formulated to outperform all other conventional decorating caulks and fillers. Caulk Once has been manufactured using an advanced high quality polymer to offer superior adhesion, low shrink as well as tooling down smoothly.

APPLY ONCE -JOB DONE

NO SLUMP

EASY SMOOTH















Check out Sika's full passive fire protection range on our website



PROFESSIONAL FIRE PROTECTION







SikaSeal®- 170 All Purpose

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|-------------|-----|---------------|
| 777145 | 300ML | TRANSPARENT | 12 | 7612895955827 |
| 776984 | 300ML | WHITE | 12 | 7612895955841 |
| 777129 | 300ML | BLACK | 12 | 7612895955803 |
| 780482 | 300ML | BROWN | 12 | 7612895959894 |
| 777132 | 300ml | DARK GREY | 12 | 7612895955780 |

An acetoxy-curing silicone sealant. It is used for sealing joints in sanitary facilities and other areas of residential homes. It cures to form an airtight and waterproof elastic seal that is resistant to UV and weathering. It contains fungicide to protect the sealant for mold growth in humid areas.









SikaSeal®-171 Glass Seal

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|-------------|-----|---------------|
| 777119 | 300ML | TRANSPARENT | 12 | 7612895953748 |

Acetoxy silicone for interior and exterior glazing applications of residential homes. It contains fungicide to protect the sealant for mold growth in humid areas. It is temperature resistant from -40°C to +100°C and offers very good resistance to UV radiation and weathering.











SikaSeal®- 173 Roof Seal

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 777148 | 300ML | BLACK | 12 | 7612895956008 |

Premium quality sealant and adhesive based on modified bitumen. It provides an instant and weatherproof seal for a wide variety of roofing applications. After curing, it remains soft and flexible, and is resistant to very high temperatures, UV and harsh weather conditions









SikaSeal®-174Construction

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|-------------|-----|---------------|
| 777146 | 300ML | TRANSPARENT | 12 | 7612895955827 |
| 776939 | 300ML | WHITE | 12 | 7612895955865 |
| 777147 | 300ML | BLACK | 12 | 7612895955902 |
| 777155 | 300ML | DARK GREY | 12 | 7612895955926 |

High quality neutral alkoxy silicone for perimeter sealing of windows and doors, connection and façade joints. It contains fungicide to protect the sealant for mold growth in humid areas such as bathrooms and showers.











SikaSeal®-175 Bath and Tiles

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|-------------|-----|---------------|
| 777059 | 300 | TRANSPARENT | 12 | 7612895955964 |
| 776985 | 300 | WHITE | 12 | 7612895955940 |

High quality neutral alkoxy silicone designed for sealing joints in bathrooms, showers and other humid areas. It contains special fungicide for use in applications which require long term resistance to mold growth.











SikaSeal®-176 Masonry

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 777133 | 300ML | WHITE | 12 | 7612895955988 |

High performance over-paintable sealant free of solvents and phthalates for sealing low movement and connection joints in exterior and interior applications. Typically used for sealing interior and exterior connection joints, sealing interior window frames, door frames and windowsills, sealing joints between wall and ceiling, sealing joints in lightweight walls; filling holes and cracks on walls.











SikaSeal®-178 Interior

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-------|---------------|
| 788766 | 300MI | 12 | WHITE | 7612655016966 |

Acrylic sealant for repair and filling cracks on interior walls. It can be over-painted with most water-based paints.



Contract 125 One Hour Caulk

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 482349 | 300ML | WHITE | 25 | 5029347000042 |
| 485997 | 380ML | WHITE | 12 | 5029347000059 |

A fast drying flexible decorators filler and sealant that remains permanently flexible. Can be overpainted with most paint types or covered over with wallpaper - no sanding down required. Ideal for sealing and filling cracks and gaps prior to decorating, and for use around skirting boards, ceiling cornices, window and door frames, stair treads and risings and fixtures adjoining walls. Can be used to fill damaged plaster.













Timber / Plaster / Brick / Concrete











Premium+ 565 Clean Room Silicone

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 486155 | 295ML | WHITE | 25 | 5029347612399 |

An advanced neutral curing hygienic sealant that contains Mould Shield®, a powerful anti-bacterial compound, and is food contact approved. Prevents the growth of most common moulds. Offers outstanding adhesion to most substrates including plastics, ceramics and metal. Virtually odourless in application with a slow skinning time. Ideal for long joint runs in larger applications. Remains permanently flexible with a movement capability of +/- 25%. Approved for food contact to 21CFR177.2600 by IANESCO (France) and meets ISO 11600 F 25LM.



Metal / Ceramics / Glass / Most Plastics

Lead Mate Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 486716 | 295MI | CREV | 25 | 5029347007355 |

Specially formulated as an alternative to mortaring lead flashing and sheet into brick, stone and concrete, providing a fully waterproof joint. Cleaner and easier to apply than conventional mortar, and a great time-saver. Excellent weathering characteristics, permanently flexible and accommodates thermal movement in lead. Tack free in 1 hour. Temperature resistant to 150°C.



Lead / Brick / Concrete / Stone / Timber

Heat Mate Heat Resistant Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 484772 | 295ML | RED | 12 | 5029347113001 |
| 484776 | 295ML | BLACK | 12 | 5029347615307 |

A high modulus permanently flexible 100% silicone which is temperature resistant up to 275°C. Ideal for sealing industrial and high performance gaskets, oven doors etc. Cures quickly to reduce dirt pick up. Remains permanently flexible, forming a water tight rubber-like seal. Excellent adhesion to most non-porous surfaces.







Weather Mate Gap Filler and Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 489689 | 295ML | CLEAR | 25 | 5029347601454 |
| 489692 | 295ML | WHITE | 25 | 5029347000073 |
| 489693 | 295ML | BLACK | 25 | 5029347601447 |

Based on an advanced isoacrylic formula that provides the ultimate in technology for adhesion to many surfaces. It can be applied in wet weather, to wet surfaces, even under water. Resistant to all weather extremes, remains permanently flexible and can be overpainted with most paints and wood stains when cured, although overpainting is not essential.







Sikaflex®-11 FC Purform®

Polyurethane Adhesive, Sealant and Filler



TRUSTED

NO TRAINING ON THE SAFE USE OF DIISOCYANATES (REACH) REQUIRED

EASY TO APPLY AND NON-SAGGING

GOOD MECHANICAL AND WEATHERING RESISTANCE

MOVEMENT CAPABILITY OF ± 25 %

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 700274 | 300ML | GREY | 12 | 7612895776668 |
| 700275 | 300ML | BLACK | 12 | 7612895776682 |
| 700276 | 300ML | BROWN | 12 | 7612895776705 |
| 617758 | IMODE | WHITE | 12 | 7612895572505 |

A one-part moisture curing elastic adhesive and sealant. It is used for interior and exterior multipurpose bonding and joint sealing. It has good and durable adhesion to most construction materials.









Power Pro Sealant Gun

| SGAN | SIZE | QTY | BARCODE |
|--------|----------|-----|---------------|
| 484912 | C4/400ML | 6 | 5029347600945 |

The ultimate heavy duty sealant gun, extra pull trigger, hook end and swivel action barrel for both 310ML and 400ML cartridges. Engineered for the trade.



Professional Sealant Gun

| SGAN | SIZE | QTY | BARCODE | |
|--------|----------|-----|---------------|--|
| 485999 | C4/400ML | 12 | 5029347600952 | |

Sturdy skeleton gun with hexagonal rod and reinforced ring and hook end. $% \label{eq:condition}%$



Sika® Foil Applicator Gun

| SGAN | SIZE | QTY | BARCODE |
|--------|-------|-----|---------------|
| 483370 | 600ML | 1 | 5029347600808 |

The Foil Pack applicator gun is designed for use with foil packs, the enclosed aluminium barrel can also be used for standard cartridges.





SEALANTS Passive Fire Protection

Fire Mate Intumescent Acrylic Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 486028 | 295ML | WHITE | 25 | 5029347000134 |

An intumescent acrylic sealant that swells when exposed to temperatures in excess of 125°C to prevent the passage of fire and smoke. Has a fire rating of up to 4 hours in certain joint configurations. Fire rated to EN1366-4. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1. Tested to EN1366-3.



Brick / Concrete / Stone / Timber / Plasterboard

SikaSeal®-623 Fire+ Intumescent Graphite Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 691260 | 295ML | WHITE | 25 | 7612895745107 |

A fire resistant intumescent graphite based sealant for interior penetration seals. SikaSeal®-623 Fire+ is designed to provide a high volume expansion and pressure seal during a fire to combustible pipes that pass through floor and wall service openings.



Sikacryl®-621 Fire+ Intumescent Acrylic Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 691174 | 300ML | WHITE | 12 | 7612895745145 |
| 695702 | 600ML | WHITE | 12 | 7612895765594 |

A fire resistant, intumescent, phthalate-free acrylic sealant used for interior joints and penetration seals in fire compartment walls and floors.



Sikasil®-670 FireFire Rated Joint Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 483474 | 300ML | GREY | 12 | 7612895181462 |

A fire rated, 1-component, moisturecuring, low-modulus elastic joint sealant. Sikasil®-670 Fire is designed for fire rated movement and connection joints on porous and non-porous substrates.



















SikaSeal®-627 Fire Collar+ Fire Resistant Pipe Collar

| SGAN | SIZE | QTY | BARCODE |
|--------|---------------------------|------------|---------------|
| 698244 | 40 MM DIAM, 50 MM DEPTH | 24 PER BOX | 7612895771465 |
| 698212 | 55 MM DIAM, 50 MM DEPTH | 24 PER BOX | 7612895771489 |
| 698253 | 82 MM DIAM, 50 MM DEPTH | 24 PER BOX | 7612895771847 |
| 698254 | 110 MM DIAM, 50 MM DEPTH | 24 PER BOX | 7612895771885 |
| 698245 | 125 MM DIAM, 60 MM DEPTH | 20 PER BOX | 7612895771908 |
| 698247 | 160 MM DIAM, 160 MM DEPTH | 12 PER BOX | 7612895772042 |

A fire resistant prefabricated pipe collar consisting of a metal casing and an intumescent insert for interior penetration sealing applications. SikaSeal®-627 Fire Collar+ is designed to provide a high volume expansion and pressure seal during a fire to combustible pipes that pass through floor and wall service openings.











SikaSeal®-629 Fire Wrap+ Flexible Pipe Wrap

SGAN SIZE QTY BARCODE 698737 55MM 30 PER BOX 7612895772776 695702 110MM 40 PER BOX 7612895772905 698915 160MM 20 PER BOX 7612895773032 698301 50MM X 25M 1 PER BOX 7612895772127 698227 75MM X 25M 1 PER BOX 7612895772141

A fire resistant flexible pipe wrap available as pre-cut strips or on a roll for interior and exterior penetration sealing applications that pass through floor and wall service openings. It is ready to use and can be cut to suit varying pipe diameters. SikaSeal®-629 Fire Wrap+ is designed to provide a high volume expansion and pressure seal during a fire to combustible pipes.













Sikacrete®-630+Fire Resistant Penetration Compound

| SGAN | SIZE | QTY | BARCODE |
|--------|-------|-------|---------------|
| 691802 | 15 KG | 1 BAG | 7612895746630 |

A fire resistant gypsum-based compound for load bearing penetration seals in fire compartment floors.















FIRE STOPPING SOLUTION FINDER



SCAN OR CODE

to find the right passive fire protection solution for the job



Sikasil®-825 Silicone Sealant





| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|-----------------|-----|---------------|
| 835414 | 380ML | ANTHRACITE | 25 | 5029347615741 |
| 835393 | 380ML | BLACK | 25 | 5029347615727 |
| 835395 | 380ML | BROWN | 25 | 5029347615710 |
| 835396 | 380ML | BRICK RED | 25 | 5029347615703 |
| 835397 | 380ML | BUFF | 25 | 5029347615697 |
| 835398 | 380ML | DARK GREY | 25 | 5029347615680 |
| 835399 | 380ML | LIMESTONE WHITE | 25 | 5029347615666 |
| 835410 | 380ML | MAGNOLIA | 25 | 5029347615659 |
| 835411 | 380ML | MID GREY | 25 | 5029347615642 |
| 835392 | 380ML | WHITE | 25 | 5029347603977 |

| Shore A Hardness | 22-32 |
|------------------------|--------------------|
| Movement Accommodation | +/-35% (ASTM C719) |
| Skinning Time | 30-45 mins |
| Elastic Recovery | >80% |

Sikasil®-825 is a low modulus, neutral curing silicone sealant based on a filled alkoxy curing system.

Conforms to ISO 11600 class F25LM and G25LM. Used for expansion joints to stone, brick, concrete and composite panels, perimeter pointing around all types of window and door frames. Substrates: glass, aluminium and PVC – all primerless.

SUBSTRATES: GLASS, ALUMINIUM AND PVC - ALL PRIMERLESS.

TECHNICAL EXCELLENCE PROFESSIONAL PERFORMANCE

CONFORMS TO ISO 11600 CLASS F25LM AND G25LM



Sikacryl®-620 Fire Fire Resistant Acrylic Sealant

| SGAN | SIZE | COLOU | R QTY | BARCODE |
|--------|------|----------|-------|---------------|
| 835250 | 380M | IL WHITE | 25 | 7612655103451 |
| 835258 | 600M | IL WHITE | 12 | 7612655103499 |
| | | | | |

| Movement Accommodation | +/-12.5% |
|------------------------|----------|
| Skinning Time | 10 mins |
| Elongation at Break | 200% |

A fire resistant acrylic sealant for interior joints in walls and floors. Provides up to 4 hours fire resistance to prevent the passage of fire and smoke, according to EN 1366-4. Typically used for joints in walls and floors, and internal perimeter pointing of fire rated doors and window frames.

Reaction to fire tested to EN 13501-1. Resistance to fire tested to EN 13501-2. Fire testing BS 476-20. Tested for Sound transmission to ISO 10140-2. UL Product iQ, XHBN.HW-S-0113.



Sikaflex®-415 Universal

Polyurethane sealant for floor and wall joints and general purpose adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|---------------|-----|---------------|
| 741051 | 600ML | CONCRETE GREY | 20 | 7612895889276 |

A one-part, moisture curing, elastic polyurethane sealant with good mechanical properties and durability for sealing floor and wall joints and adhesive applications.



Sikaflex® PRO-3 Purform Polyurethane Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 693977 | 600ML | BLACK | 20 | 7612895756448 |
| 694153 | 600ML | GREY | 20 | 7612895755496 |

Containing new Purform technology for a futureproof polyurethane formula, Sikaflex PRO 3 Purform is a one-part, moisture curing, elastic joint sealant with superior mechanical properties combined with excellent weather and chemical resistance. Ideal for use in floor joint sealing. Ultra-low monomer and VOC content and certified for use in food contact areas.











SikaHyflex®-250Polyurethane Sealant

| | SGAN | SIZE | COLOUR | QTY | BARCODE |
|--|--------|-------|---------------|-----|---------------|
| | 435543 | 600ML | CONCRETE GREY | 20 | 7612894945478 |
| | 435616 | 600ML | DARK GREY | 20 | 7612894946819 |
| | 435614 | EUUMI | WHITE | 20 | 7612894949094 |

A high performance, one-part, moisture curing, low-modulus sealant. SikaHyflex®-250 is designed to provide an elastic and waterproof seal on movement and connection joints in commercial building envelopes. This product possesses excellent weathering and ageing resistance along with good adhesion to many substrates.







Sikaflex® -406 KC

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|---------------|-----|---------------|
| 599493 | 10L | CONCRETE GREY | 1 | 7612895545141 |
| 619221 | 150ML | CONCRETE GREY | 5 | 7612895519739 |

A one-part self-levelling booster accelerated elastic floor joint sealant with high mechanical and chemical resistance. Rapid and homogeneous curing throughout the entire sealant is achieved by the addition of the Sikaflex®-406 KC Booster (150ml).









Sikasil® DW

Acetoxy Curing Silicone Sealant for Joints in Contact With Potable (Drinking) Water

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|-------------|-----|---------------|
| 715585 | 600ML | SIGNAL GREY | 20 | 7612895817637 |
| 680078 | 600MI | TRANSPARENT | 20 | 7612895717258 |

Sikasil® DW is suitable for joints in contact with potable (drinking) water, e.g. in the water industry in drinking water reservoirs, tanks, treatment and filtration plants.











Sika® Primer 3N Adhesion Promoter for use with Sika® Liquid Detailing System

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|-------------------------------|-----|---------------|
| 122239 | 1LTR | TRANSPARENT (Slightly Yellow) | 1 | 7612894543216 |

A one-component, solvent based primer and adhesion promoter; designed for use on porous substrates and metals. Evaporates quickly.

Sikaflex®-403 Tank & Silo Elastic polyurethane sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 707904 | 600ML | BLACK | 20 | 7612895791401 |
| 707977 | 600ML | BLACK | 20 | 7612895791418 |

A one-part, moisture-curing, elastic polyurethane sealant which is resistant to organic acids as found in liquid manure and silage liquids. The product is used for sealing segmented and bolted tanks, concrete containers, floor joints and sewage systems.



Sika® Aktivator-205

Transparent Solvent-Based Adhesion Promoter

| SGAN | SIZE | QTY | BARCODE |
|--------|--------|-----|---------------|
| 117498 | 1000ML | 1 | 7612894510997 |

A solvent-based colorless clear adhesion promoter designed for the treatment of bond faces prior to application of Sikaflex® and Sikasil® adhesives and sealants.

Sika® Remover-208 Solvent-Based Cleaning Agent

| SGAN | SIZE | QTY | BARCODE |
|--------|------|-----|--------------|
| 117665 | 11 | 4 | 612894511116 |

A solvent-based colourless clear cleaning agent for painted substrates. It is also used to remove traces of Sikaflex $^{\circ}$ products.









ADHESIVES

| Hybrid Sealants and Adhesives | 22 |
|------------------------------------|----|
| Grab | 26 |
| Plasterboard | 28 |
| Grab / Specialist Adhesives | 29 |
| Wood | 30 |
| Flooring | 32 |
| Contact, Superglues and Activators | 34 |
| | |





Stixall Extreme Power Sealant and Adhesive

Stixall Extreme Power is a combined adhesive and sealant, based on hybrid polymer technology, with extreme power to both bond and seal nearly everything in almost all conditions, even underwater and in the rain!







TRUSTED













Metal / Glass / Brick / Timber / Plastic

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|---------------|-----|---------------|
| 483107 | 290ML | BLACK | 12 | 5029347603281 |
| 483108 | 290ML | BROWN | 12 | 5029347603304 |
| 483168 | 290ML | CRYSTAL CLEAR | 12 | 5029347603960 |
| 483109 | 290ML | GREY | 12 | 5029347603298 |
| 483110 | 290ML | WHITE | 12 | 5029347602604 |



Sikaflex®-11 FC Purform®



TRUSTED

NO TRAINING ON THE SAFE USE OF DIISOCYANATES (REACH) REQUIRED

EASY TO APPLY AND NON-SAGGING

GOOD MECHANICAL AND WEATHERING **RESISTANCE**

MOVEMENT **CAPABILITY OF** ± 25 %

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 700274 | 300ML | GREY | 12 | 7612895776668 |
| 700275 | 300ML | BLACK | 12 | 7612895776682 |
| 700276 | 300ML | BROWN | 12 | 7612895776705 |
| 617758 | IMOUE | WHITE | 12 | 7612895572505 |

A one-part moisture curing elastic adhesive and sealant. Sikaflex®-11 FC Purform® is used for interior and exterior multipurpose bonding and joint sealing. It has good and durable adhesion to most construction materials.









Multi Stick Hybrid Polymer Adhesive



TRUSTED



EXCELLENT BOND STRENGTH

ANTI-SLIP BONDING



BONDS VIRTUALLY ANYTHING

APPLY TO POROUS AND NON-POROUS SURFACES IN THE WET OR DRY!

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 525020
 350ML
 WHITE
 12
 5055492701725

A superior grab adhesive with the ability to bond virtually anything to everything in both wet and dry conditions, even underwater or in the rain.

With incredible initial grab, high bonding strength, and almost limitless applications, no tradesman should be without a tube of this next generation adhesive. Think of any bonding application and it is virtually certain Multi-Stick will handle it with ease.









Metal / Brick / Timber / Plastic / Concrete / PVCu

Maximum Torque

High Strength Hybrid Polymer Grab Adhesive







TRUSTED



Maximum Torque, based on next generation hybrid polymer technology is the ultimate high grab adhesive, providing a level of immediate grab strength not previously possible with cartridge packed adhesives.

5029347610814

SGAN SIZE COLOUR QTY BARCODE

WHITE

The unique polymer blend gives incredible initial grab, typically double that of most grab adhesives on the market today, eliminating the need for temporary support in most applications. Maximum Torque has the ability to bond basically everything to anything in virtually all conditions.










Brick / Metal / Glass / Timber / PVCu

DOUBLE THE GRAB STRENGTH OF MOST ADHESIVES

CAN BE APPLIED TO WET OR DAMP SURFACES

INCREDIBLE INITIAL GRAB



PinkgripSolvent Based Adhesive





| ı | SGAN | SIZE | COLOUR | QTY | BARCODE |
|---|--------|-------|--------|-----|---------------|
| | 486022 | 350ML | PINK | 12 | 5029347601690 |

Pinkgrip's revolutionary grabbing strength usually removes the need to pin under the workpiece to prevent slipping or slumping.

Pinkgrip will stick just about anything on a building site that needs sticking. Its amazing grabbing strength not only removes the need to pin under the workpiece to prevent slumping, but its revolutionary initial 'Direct Bond' eliminates the need for double stick methods.



Pinkgrip SF Solvent Free Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 486024 | 380ML | WHITE | 12 | 5029347610081 |

A direct bond adhesive with all the legendary grabbing performance of original Pinkgrip but in a solvent free formula. Can be used to replace mechanical fixings in a wide variety of home improvement applications. Ideal for bonding wood, brick, plaster, plasterboard, polystyrene, metals and plastics. Available in Pink and White colours.



Brick / Metal / Timber / Concrete / Plastic



Brick / Metal / Timber / Concrete / Plastic

Pinkgrip Dry Fix FR

SIGNIFICANT TIME SAVING **OVER CONVENTIONAL DRY WALL ADHESIVES**


SUITABLE FOR **PLASTERING IN JUST 1 HOUR**

BOARDS ONLY NEED HOLDING **FOR 1 MINUTE**

NO MIXING. NO MESS







Dry Fix FR conforms to the requirement of EN13501-1 Class E for fire rating.

applied horizontally or vertically to the board,





wall or battens/beams.



Brick / Stone / Concrete / Timber / Plasterboard

Pinkgrip Dry Fix

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 486434 | - | - | 1 | 5029347606466 |

Pinkgrip Dry Fix Applicator Gun – for use with Pinkgrip Dry Fix Fast Cure Dry Wall Adhesive.





Pinkgrip Dry Fix FR is a revolutionary type of fast curing, adhesive foam that has been





Clear Fix

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 461970 | 290ML | CLEAR | 12 | 5029347612931 |

A clear hybrid polymer grab adhesive that has the ability to bond just about everything in both interior and exterior applications. With added UV stabilisers, Clear Fix is the ideal choice for applications where you may see the colour of the product. Clear Fix is a versatile product which can be used in almost every application imaginable - even when immersed under water! Even more, Clear Fix comes in a completely Clear cartridge to illustrate the clarity of the product.





Smart Tack Handy

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------|
| 762050 | 500MI | BLUE | 12 | TRC |

Standard aerosol for smaller jobs. Offers all benefits with lower pressure application. 500ML aerosol will cover 2.5-3.5m² of laminate when applied to both surfaces.





Griptite

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|------------|-----|---------------|
| 486717 | 350ML | BUFF GREEN | 12 | 5029347611644 |

An extra-tough, high grab construction adhesive that combines great performance with 'easyflow' gunability. This high bond strength, solvent based adhesive adheres to most common substrates and can be used on direct bond or double stick applications. With good early grab properties Griptite is suitable for a wide variety of applications including being usable in both vertical and horizontal positions.



Brick / Stone / Timber / Concrete

Smart Tack

| SGAN | SIZE | COLOUR | QTY | BARCODE | |
|--------|------|--------|-----|---------|--|
| 760277 | 17KG | CLEAR | 1 | TBC | |

For large scale use, delivers adhesive via a flexible hose to the gun. Bulk Tank will cover ca. 128m² per 17kg of laminate when applied to both surfaces.



Laminates / Timber / Cork / Rubber / Metal

Smart Tack Bulk Tank Gur

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|------------|
| 488889 | - | - | 1 | NO BARCODE |

For use with Smart Tack bulk tank and hose.



Smart Tack Bulk Tank Hose

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|------------|
| 488892 | _ | _ | 1 | NO BARCODE |

For use with Smart Tack bulk tank and gun. Hose length: 3.66 metres.



Mood Adhosiva

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 484942 | 1LTR | WHITE | 12 | 5029347602703 |
| 484947 | 25LTR | WHITE | 1 | 5029347611545 |

A solvent free industrial grade wood adhesive based upon hybrid resin technology. Can be used internally or externally, gives a high strength, totally waterproof, impact and temperature resistant bond. Dries clear, sets in 10 minutes. Ideal for all general woodworking and joinery uses, assembly line work, RF/HF Cure systems, wood on wood laminating, furniture assembly and household DIY use. Conforms to EN 204. D4 Strength and WATT91.

502 All Purpose Weatherproof Wood Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 482248 | 250ML | - | 12 | 5029347005238 |
| 482247 | 500ML | - | 20 | 5029347005207 |
| 479511 | 1L | - | 12 | 5029347005214 |
| 488859 | 5L | - | 4 | 5029347005252 |
| 488861 | 25L | - | 1 | 5029347052492 |

A high quality, resin based wood adhesive for all wood bonding. It can be used internally and externally and provides a high strength, impact resistant bond that is usually stronger than the wood itself. Ideal for all general woodworking and joinery uses, furniture assembly and household DIY use. Dries clear. Fast cure, initial set in just 10 minutes. Conforms to the international standard EN 204 D3 and EN 14256 for resistance to static load.









5 Minute Polyurethane

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 484682 | 310ML | TRANS | 12 | 5029347809034 |

Lumberjack 5 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in just 5 minutes. This product gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which in turn increases the bond strength. Particularly suitable for equipment manufacture and production line applications where rapid handling is required. **Conforms to EN 204. D4 Strength.**



Wood / Metal / Brick / Concrete / Stone

30 Minute Polyurethane Wood Adhesive Gel

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 484684 | 310ML | TRANS | 12 | 5029347809010 |

Lumberjack 30 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in 30 minutes. This one-part, moisture curing gel gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. Conforms to EN 204. D4 Strength.



Wood / Metal / Brick / Concrete / Stone

5 Minute Polyurethane Wood Adhesive Liquid

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 484683 | 750GR | BROWN | 6 | 5029347601133 |

Lumberjack 5 minute polyurethane wood adhesive liquid is brown in colour and is ideal for larger applications, or in the workshop where greater economy is required. Sets hard in 5 minutes. The liquid is 100% waterproof, gives exceptionally high bond strength and is resistant to most chemicals. The product foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Strength.**



Wood / Metal / Brick / Concrete / Stone

30 Minute Polyurethane Wood Adhesive Liquid

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 484685 | 750GR | BROWN | 6 | 5029347809027 |

Lumberjack 30 Minute Polyurethane Wood Adhesive Liquid is brown in colour and ideal for larger, horizontal applications where greater economy is required. Sets hard in 30 minutes. This liquid gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Strength.**



Wood / Metal / Brick / Concrete / Stone

SikaBond®-52Wood Floor Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 424418 | 600ML | BEIGE | 20 | 7612894887525 |

A one-component, solvent-free, fast-curing, elastic wood flooring adhesive for professional use. SikaBond®-52 Wood Floor is suitable for use on most common types of wood floors, even problematic woods such as beech, maple and bamboo using liquid batten. Suitable for use with underfloor heating when used with the Sika® AcouBond System.





SikaBond®-54 Wood Floor Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 427784 | 13KG | BEIGE | 1 | 7612894907285 |

A one-component, solvent-free and elastic wood flooring adhesive that is for professional use. SikaBond®-54 Wood Floor is a full stick down adhesive for use on both solid and engineered wood floors. This product is also suitable for use with underfloor heating systems.





SikaBond® MS Wood Floor Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|---------------|-----|---------------|
| 466914 | 14KG | PARQUET BROWN | 1 | 5055492700902 |

A high quality, trowel applied MS adhesive which is specifically designed for bonding wooden floors to all common substrates. SikaBond® MS Wood Floor utilises a formulation that is completely water free, thereby reducing the likelihood of wooden boards cupping or crowning. With an extended open time of 40 minutes, this product is ideal for larger application areas.

SikaBond®

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 165745 | 16KC | BEICE | 1 | 5055047210177 |

A one-part, solvent based, rigid adhesive for bonding wood block parquet and engineered boards onto porous substrates. SikaBond®-5500 S provides a high strength bond that is suitable for use with underfloor heating. This product is suitable for use with all types of wood.





SikaBond® Rapid DPM

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 175129
 5LTR
 BROWN
 4
 5055047210603

A solvent-free, single-part, moisture curing polyurethane primer and damp proof membrane, ideal for use on cement based substrates. SikaBond® Rapid DPM can be used for priming, consolidating and sealing in various applications. This product is particularly ideal to use on absorbent and non-absorbent subfloors, consolidating weak cement screeds and isolating old adhesive residue. Can be used as DPM on subfloors under hydrostatic pressure.



 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 703839
 10KG
 BLUE
 1
 7612895782126

A low viscosity, solvent-free, two-component epoxy resin based primer and moisture barrier for wooden floors. Suitable for use in conjunction with SikaBond® elastic adhesives on critical substrates.











Sika® Silent Laver Mat

 SGAN
 SIZE
 COLOUR
 QTY
 BARCODE

 50368
 16.66M
 1
 5055047210252

A high quality, polyethylene foam mat that is specifically designed to reduce the sound of footfall. Ideal for use in conjunction with SlkaBond® MS Wood Floor gun grade or SikaBond® 52. Sika® Silent Layer Mat is pressure resistant and dimensionally stable.



Stick 2 Instant Contact Adhesive


| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 484612 | 750ML | BEIGE | 12 | 5029347065058 |
| 484611 | 5L | BEIGE | 4 | 5029347006556 |

Stick 2 All Purpose Contact Adhesive is a premium grade rubber based contact adhesive suitable for use with a wide variety of materials for both professional and DIY use. The product may be used for bonding decorative laminates, all types of wood, rigid PVC, ABS, leather, cork, linoleum, rubber, stone, metals and dense fabrics.



Laminates / Timber / Cork / Rubber / Metal





Contact, Superglues and Activators

Stick 2

SGAN SIZE COLOUR QTY BARCODE 484593 500ML 12 5029347060855

A sprayable glue which bonds to most common materials including wood, concrete, stone, tiles, rubber, foam, metals, rigid plastics, polyethylene, canvas fabrics, cardboard, paper and cork. Ideal for securing most carpets/floor coverings. Suitable for internal and external use. Time saving spray - easier and quicker to apply than most trowel/spreader applied adhesives. Repositionable.



Stick 2

SGAN SIZE COLOUR QTY BARCODE 762051 500ML 12 5029347603212

Sprayable medium duty glue which fixes P.U. and foam backed carpets, carpet tiles, underlay, paper felt and cork to most common substrates. Economical and time saving - quicker and easier than spreader applied adhesives. Foaming formula gives low soak into substrates.





Stick 2

4-8M APPROX COVER AGI

Ò

SOLVEN:

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 484652 | 50GRM | CLEAR | 20 | 5029347602345 |

Medium viscosity formula fills gaps to 0.1mm. For use on perfect fit surfaces where fast set is required. Bonds nonporous surfaces eg. most plastics, metals, glass, PVCu, rubber and EPDM. Viscosity at 25°C – 100cPs. Set time 5 to 15 seconds. Packed in self merchandising display boxes.

Mitre Fast

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 489755 | STD | CLEAR | 6 | 5029347601119 |
| 462029 | STD | CLEAR | 24 | 5029347611637 |
| 489750 | LRGE | CLEAR | 6 | 5029347601126 |

A two-part instant adhesive system comprising a cyanoacrylate adhesive and aerosol activator. Mitre Fast is mainly used in the furniture, timber, kitchen and plastics industries where its instant bonding properties dramatically reduce assembly times for mitre joints.










Timber / Plastics / Metal









ANDSCAPING

minim

| Jointing Compounds | 38 |
|---------------------------------|----|
| Sealing and Protecting | 40 |
| Surface Cleaners and Treatments | 42 |



Sika® FastFix All Weather Paving Jointing Compound





| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|-----------|-----|---------------|
| 669017 | 15KG | DARK BUFF | 1 | 5055492703644 |
| 669016 | 14KG | DEEP GREY | 1 | 5055492703637 |
| 626733 | 15KG | CHARCOAL | 1 | 5055492703125 |
| 626734 | 15KG | FLINT | 1 | 5055492703118 |
| 626320 | 15KG | STONE | 1 | 5055492703101 |

A self-setting paving jointing compound that provides the ideal solution to perfect pointing on paving, paths and patios. Containing a unique formula, Active Resin Technology for advanced durability, Sika® FastFix All Weather is ready to use with no mixing required.

Suitable for use in all weather conditions; even in the rain. This product will not shrink or crack over time. Available in 5 colours.











Colour swatches are a guide only and may vary.









TRUSTED

FOR USE ON JOINTS FROM JUST 20MM DEEP

EASY TO APPLY - FAST TO SET



ACTS AS A NATURAL BARRIER FOR WEED GROWTH

NO WASTE – STORE AND REUSE ONCE OPENED

SikaCeram® FlowFix Porcelain Paving System

SikaCeram® FlowFix is a high performance porcelain paving installation system, consisting of a bonding primer and jointing compound.

SikaCeram® FlowFix Bonding Primer is used to provide an exceptional bond between porcelain paving and the bedding mortar. Mixed solely with water, SikaCeram® FlowFix Bonding Primer is applied with a brush or roller to the rear of the paving when laying, to prevent the paving system breaking away from the mortar bed.

SikaCeram® FlowFix Jointing Compound is a controlled, ementitious flowable jointing grout which is applied by mixing with water on site. SikaCeram® FlowFix Jointing Compound is poured over joints with ease and worked into other exposed joints by squeegee. Once dry the surplus is simply washed off. SikaCeram® FlowFix Jointing Compound is a highly workable product that is non-permeable once cured.





SikaCeram®-62 FlowFix Bonding Primer



















SikaCeram®-621 FlowFix Porcelain Jointing Compound











| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|------------|-----|---------------|
| 711500 | 15KG | IVORY | 1 | 5055492703972 |
| 711449 | 15KG | LIGHT GREY | 1 | 5055492703965 |
| 711447 | 15KG | DARK GREY | 1 | 5055492703989 |
| 711448 | 15KG | BUFF | 1 | 5055492703996 |
| | | | | |









Colour swatches are a guide only and may vary.

LANDSCAPING

Jointing Compounds / Sealing and Protecting

Sika® Setting SandNarrow Paving Joint Filler

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 442722 | 20KG | BUFF | 1 | 5055492700223 |

A easy to use, moisture curing jointing compound for narrow joints. Sika® Setting Sand can be simply poured or swept into joints before being saturated with water. Provides perfect pointing for all types of block paving; once cured, it will not wash out. shrink or crack over time.









Sika® Water Repel + Water Repellent and Protector

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 407296 | 5LTR | CLEAR | 4 | 5055047210986 |

A solvent free water repellent and protector for concrete, brick, stone and masonry which protects against rainwater penetration without changing the aesthetic appearance of the substrate.

Sikagard°-700 S Siloxane Based Water Repellent Impregnation Class I

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 100861 | 5LTR | CLEAR | 1 | 5604672000211 |
| 100862 | 25LTR | CLEAR | 1 | 5604672000365 |

A one-part solvent based water repellent impregnation for absorbent cementitious substrates. It penetrates well into the open pores of the substrate, providing durable water repellency, while still allowing water vapour diffusion in both directions.









LANDSCAPING Sealing and Protecting

Sika® Patio Seal Clear Paving Sealer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 115338 | 5LTR | CLEAR | 4 | 5055047206354 |

A low-odour, water-based, acrylic coating that is ideal for sealing and protecting patios, paths, natural stone, concrete and block paving. Sika® Patio Seal protects against the effects of water, petrol and organic growth. The product dries to a hard-wearing, water repellent film which gives a low sheen slip-resistant finish.



Sika® Stone Protector Water Based Protector and Sealer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 410465 | 5LTR | CLEAR | 4 | 5055047210993 |

A water-based sealer which is suitable for all forms of porous stone. Once applied to a surface, Sika® Stone Protector resists stains without changing the aesthetic look of the surface it is applied to.



409 Block-GuardBlock Paving Seal and Joint Sand Stabiliser

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 482659 | 5L | - | 4 | 5029347603083 |

A block paving seal and joint sand stabiliser based on a clear solvent based acrylic coating to bind jointing sand and form a durable seal over block paving and other mineral pavers/flags. It penetrates deeply into pavers and jointing sand and then cures by solvent evaporation.





Sika® Brick and Patio Cleaner Cleaning Solution for Brickwork and Patios

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 102476 | 5LTR | _ | 4 | 5055047200581 |

A fast acting, acid based cleaning solution for brickwork, concrete and paving. Sika® Brick and Patio Cleaner contains a powerful formula that dissolves mortar and cement stains, ingrained dirt, efflorescence on mineral surfaces.

Sikagard®-112 Mortar and Brick Cleaner

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 649545 | 5LTR | - | 4 | 5055492703347 |

A highly concentrated, fast acting acid based formula which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, render and concrete.







APPROX COVERAGE



Sika® Dustproofer Concrete Surface Hardener

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 102470 | 5LTR | - | 4 | 5055047200611 |

A economic, ready to use dustproofer and concrete surface hardener for concrete floors, paths and driveways. Sika® Dustproofer is suitable for hardening and dustproofing both old and new concrete.

Sika® Mould Buster Mould and Algae Treatment

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 174996 | 5LTR | _ | 4 | 5055047209096 |

A powerful, fast acting solution which is effective on most surfaces. Sika® Mould Buster removes algae, mould and green growth without the need for scrubbing or pressure washing.







NATER-BASED




LANDSCAPING

Surface Cleaners and Treatments

406 Stabilising Solution

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 483195 | 51 | _ | 4 | 5029347601508 |

A microscopically fine polymer emulsion which penetrates dusty/chalky and badly weathered surfaces to leave a stable sound base for decoration with paint, wallpaper, tiling etc. Suitable for both interior and exterior use.





Patio Wizard Mould and Algae Treatment

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 484818 | 5LTR | - | 4 | 5029347606312 |

Patio Wizard kills algae, green growth, mould and fungi on patios, paths, driveways and all hard surfaces. It is so easy to use, just apply and leave to dry, no need for any washing off, scrubbing or pressure washing. Supplied as a concentrate that dilutes with water at 1:10 i.e. 5L makes 50L and 1L makes 10L.









Tarmac RestorerHigh Performance Surface Coating

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 400056 | FLTD | DI ACI | | E0202476420E6 |

A high performance surface coating specially formulated to make tired old tarmac look just like new. Tarmac Restorer provides a tough, durable, low sheen finish which protects from weathering, oil and petrol spills and unsightly plant and weed growth. Tarmac restorer is easy to apply, provides long term protection, reduces further tarmac repair needs and restores the deep, black finish of your tarmac. As it is quick drying, driveways can be used after only 4 hours of the product being applied.





Need a quick fix before you clean and treat? Check out our Concrete and brick repair range.

See page 96





Roof Repair Bitumen

50



Evercryl One CoatRoof Repair Compound





Evercryl is a resin based, fibre re-enforced* roof repair compound which is effective on all common roofing surfaces, giving instant roof repairs even in the wet and on wet surfaces. May also be applied in frosty conditions down to -5°C.

Evercryl is instantly waterproof when applied, there is no fear of wash off so emergency leaks can be tackled immediately as there is no need to wait for the rain to stop. Evercryl is brush applied and dries to a smooth seamless flexible membrane which resists algae and fungal growth. Because of the high level of fibre reinforcement, Evercryl will bridge small cracks and requires only a one coat brush application to give instant and total water protection, even in areas subject to ponding. Evercryl requires no primer on sound non-porous surfaces. Specifically designed for the following applications: general sealing, maintenance, repair and waterproofing of most common roofs in wet or dry conditions - for use on concrete, fibre/cement, roofing felt, mastic asphalt, existing bituminous roof coatings, rigid PVCu, corrugated iron, metals, slates, brickwork, tiles, lead, copper and zinc.

*Excludes translucent.

TRUSTED

CAN BE USED IN THE WET

NO PRIMER NEEDED



ONE COAT APPLICATION

APPLY WITH A BRUSH

| SGAN | CODE | SIZE | COLOUR | QTY | BARCODE |
|--------|-----------|------|--------|-----|--|
| 484625 | EVCBK5 | 5KG | BLACK | 4 | 5029347600976 |
| 484620 | EVCCL5 | 5KG | TRANS | 4 | 5029347612665 |
| 484628 | EVCRYL5GY | 5KG | GREY | 4 | 5029347600716 |
| | | - | | - | THE RESERVE AND ADDRESS OF THE PERSON NAMED IN |











SikaShield® RoofPro Adv. T-02 E50 Elastomeric Bituminous Roof Membrane

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 672848 | 8X1M | BLACK | 1 | 7612895702292 |

An SBS modified bituminous waterproofing membrane for flat and sloping roofs, balconies and terraces and as an exposed top sheet in multi-layer system.



SikaShield® RoofPro Adv. T-02 E20 Elastomeric Bituminous Roof Membrane

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 672904 | 16X 1M | - | 1 | 7612895702414 |

An SBS modified bituminous roof waterproofing membrane for flat roofs, as a base sheet in multi-layer system and protection of many substrate types over wide range of applications.



Black Jack Flashing Tape Trade

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|-----------|-----|---------------|
| 482959 | 100MM | LEAD LOOK | 6 | 5029347099022 |
| 482960 | 150MM | LEAD LOOK | 4 | 5029347099039 |
| 482961 | 225MM | LEAD LOOK | 2 | 5029347099046 |
| 482962 | 300MM | LEAD LOOK | 2 | 5029347099053 |
| 482963 | 450MM | LEAD LOOK | 1 | 5029347099060 |

Black Jack self adhesive flashing with natural lead-look finish. All available in 10mtr long rolls.







SikaSeal®-173 Roof Seal

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 777148 | 300ML | BLACK | 12 | 7612895956008 |

Premium quality sealant and adhesive based on modified bitumen. It provides an instant and weatherproof seal for a wide variety of roofing applications. After curing, it remains soft and flexible, and is resistant to very high temperatures, UV and harsh weather conditions









Liquid RoofAll Weather Roofing System



TRUSTED

PU WATERPROOFING LIQUID MEMBRANE FOR FLAT AND PITCHED ROOFS

FAST CURING - RAIN
RESISTANT IN 10 MINUTES

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|----------|------------|-----|---------------|
| 511382 | 7KG | SLATE GREY | 4 | 5029347614164 |
| 511383 | 21KG | SLATE GREY | 1 | 5029347614171 |
| 97480 | 1M X 50M | - | 1 | 7612894436402 |

An easy to use, all weather roofing system ideal for waterproofing flat or pitched roofs.

Everbuild Liquid Roof is a one-component, fast curing, polyurethane based waterproofing system for flat and pitched roofs.

Applied in two coats by brush or roller, Everbuild Liquid Roof creates a solid, seamless, waterproof membrane that remains permanently flexible, making it the ideal solution for new installations, the refurbishment of old or to overlay most common roofing substrates.

Everbuild Liquid Roof comes ready to use and is cold applied by brush or roller, using moisture in the air to cure meaning no additional catalyst is required. And what's more, it will cure in many weather conditions becoming completely rain resistant in just 10 minutes, even if a pool of water forms on top of it.

Suitable for use on a variety of substrates, Everbuild Liquid Roof is compatible with concrete, mortar, stone, fibre cement, roof tiles and metals. Not only that but it can also be applied to wood, asphalt, roofing felt and bituminous coatings with the use of full reinforcement in the form of Sikalastic Fleece-120.











MOISTURE CURING TECHNOLOGY
- NO CATALYST REQUIRED

FOR NEW ROOFS AND REFURBISHING OLD ROOFS

SOLUTIONS FOR YOUR MODULAR BUILDING

SOLUTIONS FROM THE BASEMENT TO THE ROOF



AUTOMATION FOR REDUCTION IN

LABOUR COSTS



ACOUSTIC SOLUTIONS TO AID NOISE REDUCTION AND IMPROVE COMPORT



FAST PRODUCTION TIME TO REDUCE CYCLES AND INCREASE OUTPUTS

IN COST SAVINGS
FOR THE CUSTOMER

SAFE AND SECURE BUILDINGS WITH FIRE PROTECTION



HIGH QUALITY PROBUCTS
AND SERVICE TO MEET LOCAL
AND INTERNATIONAL BUILDING
REGULATIONS

EXPERT SPECIFICATION
SUPPORT COMBINING
INDUSTRY
KNOW-HOW
WITH CONSTRUCTION
PRODUCTS

IMPROVE STRUCTURAL INTEGRITY AND REDUCE

WEIGHT BY THE USE OF ADHESIVES



REDUCE MATERIAL HANDLING AND WASTE FOR A MORE SUSTAINABLE MANUFACTURING PROCESS



DEDICATED SPECIALIST MMC DIVISION OPTIMISING SUPPLY CHAIN PARTNERSHIP

SYSTEMS.



SCAN HERE







901 Black Bitumen Paint

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 486939 | 5LTR | BLACK | 4 | 5029347009151 |

A solvent based, full bodied black bituminous paint. When dry, the product forms an odourless and taint free black film suitable for metal protection, and overcoating felt.

902 Bitumen and Flashing Primer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 486986 | 5LTR | BLACK | 4 | 5029347009250 |

A thin black primer used to give a key prior to applying bitumen paints, roof coatings and flashing.

















Bitumen Trowel Mastic

| I | SGAN | SIZE | COLOUR | QTY | BARCODE |
|---|--------|------|--------|-----|---------------|
| | 486991 | SLTR | BI ACK | 4 | 5029347009359 |

A trowel applied, black, heavily filled bituminous compound with added fibres for reinforcement. The product forms a surface skin, but the mass below remains soft to allow for moderate movement. Suitable for sealing and filling holes in mastic asphalt, roofing felt, corrugated iron, metal guttering and downpipes.

904 Roof Felt Adhesive

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 486995 | SLTR | BI ACK | 4 | 5029347009458 |

A cold applied, oxidised bitumen based adhesive used to bond roofing felt to most surfaces. Specifically designed for bonding all types of roofing felt to metal and concrete, sealing felt laps and as a cold gritting solution for bonding mineral chippings.



















905 All Weather Roof Coating

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 486998 | 5LTR | BLACK | 4 | 5029347009557 |

A solvent based, full bodied black brushable bitumen compound with added fibres for reinforcement. It is an effective general purpose roof coating that is resistant to wash off by rain almost immediately. The product is specifically designed for general waterproofing in all roofing applications.

907 Solar Reflective Paint

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 482683 | 5LTR | SILVER | 4 | 5029347009755 |

A thin bituminous based aluminium protective paint of brushable consistency which dries to a silvery finish. The product is specifically designed for application over primed metal walls and roofs to reduce heat absorption.

















908 D.P.M

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 407000 | FLTD | DI VCN | 4 | EN202470000E4 |

An rubber enriched bitumen emulsion which provides a highly effective sandwich damp proof membrane for floors. Acts as a waterproofer for walls, above ground structures and foundations. DPM is also suitable as an adhesive for wood block and mosaic panels, insulation boards etc.

LeadmatePatination Oil

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 489041 | 1LTR | - | 10 | 5029347608873 |

Specially formulated to provide a protective coating for newly installed leadwork, that helps to prevent the white carbonate staining that affects new lead and surrounding tiles, brickwork, stonework etc. Just one coat of Patination Oil helps to provide a uniform attractive appearance to newly installed lead and helps the ageing process whilst the natural patina of the lead is being formed.

















EXPANDING FOANS

Professional and DIY

54



EXPANDING FOAMS

Professional and DIY

Sika Boom®-180 Fix & Fill Expanding Foam

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 781563 | 750ML | - | 12 | 7612655000729 |

A polyurethane, one-part, self-expanding foam designed for insulating and filling cavities and voids, filling joints around window and door frames, insulating against noise, cold and draughts, filling around pipes / conduit penetrations.



Sika Boom®-580 Fix & Fill Expanding Foam

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 781582 | 750ML | - | 12 | 7612655000293 |

A polyurethane, one-part, self-expanding foam made for professional application by dispenser gun designed for: Insulating and filling cavities and voids, filling joints around window and door frames, Insulating against noise, cold and draughts, filling around pipes / conduit penetrations.

For professional use only.















ThermofoamInsulating and Acoustic Expanding Foam

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 489712 | 750ML | - | 12 | 5029347613587 |

Specially formulated, highly flexible PU foam that absorbs component movement thereby giving an air tight seal to reduce heat loss and improve energy efficiency in buildings.



Constructa-Pro Adhesive Foam

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 538593 | 750MI | _ | 12 | 5029347615024 |

A high strength adhesive foam designed for use in a multitude of building applications. Adheres well to most common building materials. Once cured, it's rot-proof, and moisture and temperature resistant from -40°C to +80°C. Suitable for a wide range of applications, e.g. as an adhesive for fixing plasterboard, insulation board, fixing skirting boards or a mortar substitute for building rough garden walls, planters etc.







Brick / Stone / Concrete / Metal / Timber





PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Professional and DIY

P45 Medium Duty Metal Gun

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 486679 | P45 | - | 1 | 5029347603526 |

P45 Foam Gun gives the user more control to apply the foam precisely in hard to reach places, saving unnecessary wastage.



Firefoam B1 Gun Grade

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 488715 | 750ML | PINK | 12 | 5029347611729 |

A quick-setting fire rated, one-part polyurethane foam. It expands on application to yield up to 50 times the can contents. Fire rated up to 4 hours in certain joint configurations, meets requirements of the test criteria DIN 4102 Part 1 for Construction Materials, Class B1 and BS 476 Part 20.

For professional use only.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber



Dual Purpose Foam Cleaner

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 488713 | 500ML | _ | 12 | 5029347126001 |

Used to remove wet/uncured foam. Attaches to Gun Foam Applicator for purging through; also includes spray nozzle for use without applicator to remove wet foam from outside of the gun and from most building substrates. The unique threaded collar fits most gun foam applicators, including the above Everbuild foam applicators guns.



Firefoam B2 Gun Grade

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 488718 | 750MI | DINK | 12 | 5029347600464 |

A quick setting fire rated, one-part polyurethane foam for application by a foam applicator gun. Fire resistant for up to 2 hours in certain joint configurations. It expands on application to up to 50 times the can contents and meets the requirements of the test criteria for BS476 Part 20.

For professional use only.







PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber













FILLERS AND DECORATING SUNDRIES



58

Surface Protectors

Decorating Fillers

FILLERS AND DECORATING SUNDRIES

Surface Protectors

Roll and Stroll Premium Carpet Protector





| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|---------|-----|---------------|
| 462111 | 25MTR | YELLOW | 6 | 5029347605636 |
| 181916 | 75MTD | VELLOW/ | 1 | 5029347605643 |

The ultimate fire-rated, self-adhesive carpet protector with the adhesive coating on the outside making light work of unwinding and applying to the area. Safer than dust sheets, Roll and Stroll is totally waterproof, won't tear and can be left for up to 4 weeks.













FIRE RATED

TOTALLY WATERPROOF -**PROTECTS AGAINST** SPILLAGES

WON'T TEAR OR RIP

CAN BE USED ON FLAT SURFACES AND STAIRCASES



ROLL & STROLL

PREMIUM CARPET Protection film

- The ultimate fire cated, self-adoesive carpet protector
- Potects carpets against part splatters, stains and dir.
- # Eine to apply and remove
- # Saferthan dust sheets # Reverse wound for quick
- and easy application





60cm x 25m

Surface Protectors

Roll and StrollTextured Non-Slip Carpet Protector

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 484868 | 75MTR | YELLOW | 1 | 5029347610265 |

Roll and Stroll Textured Non-Slip Carpet Protector is the ultimate self adhesive carpet protection system. With the adhesive coating on the outside, it is easy to unwind, safer than dust sheets and has a multitude of uses across all trade sectors. Totally waterproof and textured to make it non-slip.







Roll and Stroll Hard Surface Protector

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 462110 | 25MTR | CLEAR | 6 | 5029347606077 |

Roll and Stroll Hard Surface Protector is the ultimate self adhesive floor protection, works on all hard surfaces such as timber, ceramic tiles, laminate, vinyl, metal and stone. It is also suitable for use on worktops, window sills; doors and kitchen units. With the adhesive coating on the outside it is easy to unwind, safer than dust sheets and has a multitude of uses, protects against spillage and won't tear or rip.













| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 467445 | 25MTR | RED | 15 | 5029347611248 |

Glass Protector is the ultimate self adhesive protector ideal to protect glass against the mess, dirt, staining, spillages and soiling that occurs during general building and decorating work. It also reduces the risk of costly scratches to glass. With the adhesive coating on the outside it is also easy to apply.











FILLERS AND DECORATING SUNDRIES Decorating Fillers

One Strike Ready Mixed Filler





| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 461917 | 450ML | WHITE | 12 | 5029347300050 |
| 461916 | 1LTR | WHITE | 6 | 5029347300012 |
| 488534 | 2.5LTR | WHITE | 1 | 5029347603458 |
| 480347 | 5LTR | WHITE | 1 | 5029347300500 |


One Strike is a revolutionary filler, formulated using lightweight polymer bubbles that fill most holes and cracks; even deep holes.

For use in plaster, wood, brick, stone and rendering. Ideal for overhead applications as One Strike will not slump out of cracks. One Strike finishes smooth, requiring little or no sanding and is ready to paint or wallpaper over in just 30 minutes.



Brick / Stone / Concrete / Plaster

TRUSTED





IT WON'T TAKE LONG TO DRY (30 MIN)

IT WON'T BREAK THE BANK

FILLERS AND DECORATING SUNDRIES

Decorating Fillers

61

All Purpose Powder Filler

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 480442 | 450GM | WHITE | 16 | 5029347600570 |
| 480443 | 1.5KG | WHITE | 10 | 5029347600587 |

All Purpose Powder Filler for both interior and exterior use, with added PVA for extra strength. Fills holes up to 40mm deep. For repairs to plaster, brick, stone, wood, can be nailed or screwed when dry. Quick setting, non-shrink.









Multi Purpose Joinery GradeWood Filler

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|------------------|-----|---------------|
| 480461 | 250ML | LIGHT STAINABLE | 6 | 5029347603359 |
| 480462 | 250ML | MEDIUM STAINABLE | 6 | 5029347603366 |
| 480463 | 250ML | PINE | 6 | 5029347608286 |
| 480464 | 250ML | MAHOGANY | 6 | 5029347608323 |
| 480465 | 250ML | LIGHT OAK | 6 | 5029347608309 |
| 480466 | 250ML | DARK OAK | 6 | 5029347608316 |
| 499701 | 250ML | TEAK | 6 | 5029347613921 |
| 480467 | 250ML | WHITE | 6 | 5029347608293 |
| | | | | |


Multi-Purpose Wood Filler fills nail holes, cracks, gaps and minor imperfections in wood. It is easy to sand, can be stained, varnished and painted and is solvent free.











Wood / Brick / Stone / Concrete / Plaster

All Purpose Ready Mixed Filler

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 480176 | 600GM | WHITE | 12 | 5029347000899 |
| 480182 | 1KG | WHITE | 12 | 5029347000882 |
| 480266 | 330GRM | WHITE | 12 | 5029347600389 |

All Purpose Filler is an easy to use ready mixed filler which is suitable for both interior and exterior use. Fills holes up to 9mm deep. Dries to a smooth but tough crack resistant sandable finish which may be painted, papered or stained. Designed for repairs to plaster, plasterboard, brick, render, wood, stone and most other building materials.



Tarpaulins

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------------------------|--------|-----|---------------|
| 484997 | 3.7M X 5.5M (12' X 18') | BLUE | 8 | 5029347605629 |

Heavy duty tarpaulin. 100% waterproof and tear proof. Reinforced eyelets and corners.

Comes in two sizes: Standard: 12ft x 9ft – 90gm Heavy Duty: 12ft x 18ft – 120gm







TAPÉS

| Building Tapes | 6 |
|----------------|---|
| Repair Tapes | E |






Mammoth Powerful Grip Tape Extra Strong Double Sided Tape





TRUSTED



| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 484679 | 2.5MTR | CLEAR | 24 | 5029347605773 |
| 484680 | 2.5MTR | CLEAR | 12 | 5029347605766 |

Mammoth Powerful Grip Tape is a double sided tape that breaks the rules, with an incredible immediate bond strength that has to be seen to be believed. It will bond to virtually any material, indoors or outdoors including ceramics, brickwork, wood, metal, plastics and PVC.

It is moisture resistant and will not degrade with U.V light. Ideal for use in the home, industry, construction and office. Can be used in many applications to replace drilling, plugging and unsightly screws.



AmericanDuct Tane



TRUSTED




American Duct Tape is a remarkable tape which is not only thick, strong and 100% waterproof; it also has the most amazing adhesive quality.

DOUBLE STRENGTH ADHESIVE

STRONG WEAVE FABRIC

EASY TEAR



Mammoth Maga All Durnoso To

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 483326 | 50MTR | BLACK | 24 | 5029347600549 |
| 483329 | 50MTR | SILVER | 24 | 5029347602628 |

The ultimate all purpose duct tape, top quality cloth with aggressive natural rubber adhesive. Tough, durable and waterproof, for thousands of applications on site, in the home and industry, in the widest possible range of colours.

MammothGaffa Tape

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 467448 | 45MTR | BLACK | 12 | 5029347611743 |
| 696047 | 45MTR | SILVER | 12 | 5029347611736 |

Gaffa Tape is a strong, tough and durable utility grade cloth tape for use in repairs in construction, industry, home and garden.





Mammoth Aluminium Tape

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 482270 | 45MTR | SILVER | 24 | 5029347604509 |

Heat and light reflective aluminium foil tape, heat resistant to 180° c, flame retardant to Class O. Excellent moisture resistance, ideal for use as a vapour barrier between foil faced insulation panels in roof and wall applications, duct sealing on all types of air conditioning and ventilation and protecting wires and pipes from heat.

SilweldSilicone Self Fusing Repair Tape

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 484806 | 3MTR | BLACK | 6 | 5029347611279 |

Silweld is the incredible silicone self fusing tape that can be used to repair almost anything from an emergency repair to a water hose or air pipe to insulating electrical wires or connections.

It creates an air tight, watertight seal in seconds without the need for any adhesive and even works underwater. Excellent electrical insulator up to 8,000 volts, withstands extreme temperatures -65°C to 260°C and even withstands pressure to 700psi. Silweld also resists petrol, oil, acids, solvents, salt water and UV rays.





EuroScrimSelf Adhesive Scrim Tape



FLEXIBLE, WILL NOT BUBBLE OR BLISTER

FOR DRYWALL, PLASTER WALLS AND CEILINGS

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|---------|-----|---------------|
| 484687 | 90MTR | WHITE | 24 | 5029347611750 |
| 10100 | OUTMOD | \A/LITE | 12 | E0202/7612627 |

EuroScrim is a premium quality, quick and easy to apply, self-adhesive scrim tape that is made in Europe to perform!

EuroScrim has a quality high tack adhesive and an open mesh that will not blister or bubble, creating perfect joints every time.






TRUSTED

QUICK AND EASY TO APPLY

SELF ADHESIVE – ELIMINATES NEED FOR PRE-PLASTERING









CLEANERS

| W | ipes |
|---|------|
| | |

70

Wipes and Cleaners

71



Wonder Wipes Multi-Use



TRUSTED

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 467442 | 100 | - | 6 | 5029347601522 |
| 484948 | 300 | - | 1 | 5029347604172 |
| 524290 | 500 | - | 1 | 5029347614379 |

Multi-Use Wonder Wipes are specially formulated to clean hands, tools and surfaces from wet and semi-cured paint, sealant, adhesive, bitumen, expanding foam, oil, grease and even silicone.

Useful when there is no water on site. Wonder Wipes contain a powerful anti-bacterial additive that is tested by an independent laboratory to BSEN 1276:2009.



ROBUST AND EXTRA
ABSORBENT TRIPLE LAYER
WIPE THAT TRAPS DIRT
AND ABSORBS MOISTURE

ANTIBACTERIAL ADDITIVE TO PROVIDE PROTECTION

CONTAINS VITAMIN E AND ALOE VERA TO NOURISH HANDS





Wonder Wipes Biodegradable

Introducing Sika Wonder Wipes Biodegradable, a fantastic addition to the popular range, offering exceptional cleaning power on hands, tools, and surfaces.

These 100% biodegradable and plastic-free wipes are engineered with extra thickness, providing superior strength for a reliable and durable cleaning experience. Formulated to easily clean tough grime, these wipes can remove Paint, Silicone, Adhesive, Bitumen, Expanding Foam, Oil, Grease, and more.

Sika Wonder Wipes Biodegradable are available in flowrap packaging for easy storage, improved accessibility, as well as keeping the wipes fresher for longer.

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 780111 | 60 | - | 12 | 5055492704016 |





Wonder Wipes Heavy Duty

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 467443 | 75 | _ | 6 | 5029347609467 |

Heavy Duty Wonder Wipes are textured wipes which are specially formulated for the building, engineering and allied trades to clean ingrained dirt from hands, tools and surfaces.



All Purpose Silicone Spray

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 484813 | 400ML | - | 12 | 5029347600648 |


All Purpose Silicone Spray is a dry silicone lubricant and mould release agent for the easing of friction between two surfaces. Ideal for use in mould making/release industries, to ease installation of rubber and EPDM gaskets to window and door frames and has 100's of uses around the home, garage, workshop and industry. Silicone Spray will also enhance the appearance of vinyl and hard surfaces such as car dashboards etc, where the dry-bright finish will eliminate the need for polish.













PLUMBING AND HEATING SUPPLIES

Fire, Stove and Flue Cements and Mortars

Fire and Plumbing Cement

75



PLUMBING AND HEATING SUPPLIES


Fire, Stove and Flue Cements and Mortars

KOSFire Cement



TRUSTED





| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 484670 | 6KG | BUFF | 2 | 5010618005118 |
| 484674 | 1KG | BLACK | 12 | 5029347606626 |
| 484675 | 2KG | BLACK | 6 | 5029347606633 |
| 484676 | 12.5KG | BLACK | 1 | 5029347606640 |

KOS Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C.

Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.









Fire and Plumbing Cement

KOS

Fire Cement Cartridge

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 488425 | 300ML | BLACK | 12 | 5029347606886 |

KOS Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C. Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.





P16 PVC Pipe Cement

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 100100 | SEUMI | | 12 | E020247607020 |

PVC Pipe Cement is a non-drip, thixotropic solvent based pipe cement for bonding non-pressure PVC and ABS thermoplastic pipes and conduits to themselves and each other.

Conforms to BSEN14814 and BSEN14680.













| Waterproofing | 78 |
|---|----|
| Building Admixtures | 82 |
| Self Levelling Compounds and Floor Products | 84 |
| Floor Paints and Line Markers | 86 |
| Wall Finishing | 87 |
| Concrete and Brick Repair | 88 |
| Chemical Anchors | 10 |
| | |



BUILDING SUPPLIES Waterproofing

Sika®-1 Waterproofer Liquid Waterproofing Additive



TRUSTED

PROVEN TRACK RECORD FOR OVER 100 YEARS

> EXCELLENT RESISTANCE TO BACKWATER PRESSURE

> > WATERPROOF RENDERS TO RESIST MOISTURE ABOVE GROUND

CONSUMPTION: 0.75LTR
PER 25KG CEMENT

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 114448 | 5LTR | YELLOW | 4 | 5055047200024 |

A liquid waterproofing additive for mortar and concrete.

The colloidal silicates in the additive swell and block the capillaries and pores in the applied sand/cement renders, screeds and mortar to provide an effective barrier against the transmission of liquid water.











Sika®-2 Water Plug

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 114452 | 5LTR | RED | 4 | 5055047200048 |

A ready to use, rapid setting, leak stopping liquid which is mixed with ordinary portland cement to produce a paste for immediate leak sealing against high water pressure infiltration. Suitable to seal severe water leaks and to be applied on surfaces with running surface water.



Sika®-4a Water Stop

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 114454 | 5LTR | CLEAR | 4 | 5055047200109 |

A ready to use, quick setting, liquid which is mixed with water and ordinary portland cement to produce a paste for leak stopping .Sika®-4a Water Stop is suitable for use against high or moderate water pressure infiltrations.



Sika® Damp Proofing Slurry Damp-proofing and Waterproof Coating

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 102198 | 25KG | GREV | 1 | 5055047201021 |

A high-quality, thin layer, waterproof slurry coating that contains special cements and admixtures that provides a finish that prevents dampness and water penetration. Easy to mix and apply as well as being overpaintable with vapour permeable coatings.



SikaMur® InjectoCream-100

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 425016 | 300MI | _ | 12 | 7612894892604 |

A silane-based, waterproof cream that can be inserted into holes in mortar course of the wall to provide a Damp Proof Course (DPC) that will block future rising damp.









BUILDING SUPPLIES Waterproofing

Sikalastic®-1K

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 489549 | 20KG | GREY | 1 | 5055492701305 |

A one-component, highly flexible, cementitous, fibre-reinforced mortar for the waterproofing of concrete structures. It can be used for the outside waterproofing and protection of basement walls as well as on hydraulic structures, such as swimming pools.



1.2KG/M²/mm

SikaSwell® AAcrylic Swellable Joint Sealing Profile

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|----------------|
| 169890 | 10M | RED | 1 | 7612894691900? |

An acrylic sealing profile which swells in contact with water to seal all types of joints and penetrations in concrete. It has a rectangular profile used to seal construction joints in Pipe and steel work penetrations through walls and floor slabs, construction joints in cable ducts, etc.

Sikalastic®-6100 FX WRAS Approved Waterproofing Mortar

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 799028 | 15KG | GREY | 1 | 4049499017706 |

A one-component, cement based, elastic and flexible, lightweight and fast curing membrane for waterproofing and concrete protection. When mixed with water, Sikalastic®-6100 FX obtains a fluid consistency so that it can be easily hand applied or sprayed. Structures waterproofed with Sikalastic®-6100 FX can be filled with water (including potable water) after 72 hours of curing.



SikaSwell® S-2 Hydrophilic Swellable Joint Sealant

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|-----------|-----|---------------|
| 496478 | EUUMI | OYINE DED | 20 | 7617895779393 |

A one-part polyurethane hydrophilic sealant which swells in contact with water to seal all types of construction joints and penetrations in concrete structures. It is used to adhere the SikaSwell® A profiles to the structure.





...

Sika Igolflex P-01 ITWater-based bituminous emulsion primer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 604015 | 10LTR | - | 1 | 7612894698312 |

A one-part water-based ready to use bituminous primer. It improves adhesion and consolidation of the substrate prior to the application of thick bitumen coatings and bituminous sheet membranes.

Sika Igolflex P-10Solvent based bituminous primer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 600656 | 20LTR | BLACK | 1 | 7612895546209 |

A solvent-based bituminous primer, ready to use. Suitable surfaces: concrete, timber and metal.





Sika® Igolflex®-301 1-part Elastomeric Bituminous Liquid Applied Membrane

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 612196 | 10KG | BLACK | 1 | 7612895564821 |
| | | | | |

A one-part, water based, elastomeric bituminous liquid applied membrane for waterproofing against water ingress on horizontal and vertical surfaces. Waterproofing and damp proofing of below and above ground concrete structures to protect against water ingress. Waterproofing beneath final finishes such as tiles in wet rooms and swimming pools.



SikaShield® E80 HDPE SA 1,5 mm

Self-adhesive bituminous membrane for post-applied below ground waterproofing

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|---------|--------|-----|---------------|
| 679736 | 1 X 20M | BLACK | 1 | 7612895716947 |

A bituminous, self-adhesive, fully bonded, post-applied, waterproofing sheet membrane with a thickness of 1.5 mm. It consists of a cross-laminated HDPE film that is precoated with an SBS modified bitumen compound.



Waterproofing

Sika Waterbar® FB-125

Bonded Flexible Waterstop for Sealing Construction Joints

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 674002 | 50M | GREY | 1 | 7612895706337 |

A hybrid waterstop with a rough textured surface based on flexible polyolefin (FPO). The waterstop is placed into the fresh concrete and becomes fully embedded in the cured concrete. It provides a fully bonded, durable watertight seal, that prevents any lateral water underflow.

SikaTop®-107 Seal ESCementitious Mortar For Waterproofing And Concrete Protection

| SGAN | SIZE | COLOUR Q | ΤY | BARCODE |
|--------|------|----------|----|---------------|
| 704328 | 25KG | - | 1 | 7612895838991 |

A two-component waterproofing mortar, cement based with special additives and modified polymers is used for: Interior and exterior waterproofing of concrete structures, mortar, concrete blocks or brick structures.



Sika Waterbar® FB Bracket Mountingbracket for Sika Waterbar® FB-125

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 692357 | - | GREY | 50 | 7612895748603 |

Sika Waterbar® FB Bracket is a mountingbracket for Sika Waterbar® FB-125.



Sika Waterbar® D-240 FP0Internal waterbars for expansion joins

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 784392 | 25M | GREY | 1 | 7612655005342 |

Sika Waterbar® D-240 FPO are flexible, internal waterbars for expansion joints made from FPO.



Sika® Drain-850 Geo

Dimpled drainage and protection sheet with integral filtration layer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 514907 | 30.5M | BLACK | _1_ | 7612895306636 |

Sika® Drain-850 Geo is a high density polyethylene (HDPE), heavy duty drainage and protection sheet with 10 mm high dimples on the bottom layer and a bonded geotextile (PP) filtration layer on the top layer.

Building Admixtures

Sika® Wintermix Winter Working Admixture and Frostproofer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 102408 | 5LTR | AMBER | 4 | 5055047200864 |

A chloride free admixture for concrete that is suitable for use with steel reinforcement. Sika® Wintermix allows mortars and concretes to be used in sub-zero temperatures, eliminating the need for a separate frostproofer.

Sika® Release Oil Ready to Use Formwork Release Agent

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 513849 | 5LTR | - | 4 | 5055047200604 |

A ready to use, formwork release agent that is suitable for mould and shuttering. Sika® Release Oil is suitable for use prior to casting concrete in order to achieve a clean release after removal of formwork.





SikaMix® Plus Mortar Plasticiser

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|---------|-------|--------|-----|---------------|
| 445021 | 5LTR | - | 4 | 5055492700483 |
| 1/15917 | 251TD | | 1 | 5055492700544 |

A general purpose, liquid mortar plasticiser for brick and blockwork mortars. SikaMix® Plus Increases the workability and improves the quality of mortars, renders and plasters. Also, improves the frost resistance of hardened mortar.

SikaCem® -125 Accelerator

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 749929 | 5LTR | CLEAR | 4 | 5055047200550 |

Cold weather and rapid hardening admixture for mortars, screeds and renders. Provides frost protection in the wet mortar during the settling period even in sub-zero temperatures, as well as allowing faster finishing times in the cold weather.









BUILDING PRODUCTS

Building Admixtures

Opti-Mix Mortar Plasticiser

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 486210 | 1LTR | - | 12 | 5029347609870 |

The world's first 1:25 plasticiser is just Pure Admix, smells and works like the best traditional Admix. Controlled dosage, consistent mix design, easy to use, no waste. 1 litre is equivalent to 25 litres of standard product. **Tested to EN934 (2009) +A1 (2012).**

202 Integral Liquid Waterproofer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 488850 | 5L | - | 4 | 5029347002251 |


A liquid additive that provides long term water protection to mortar, concrete and rendering. Reduces water permeability and is suitable for all applications where resistance to water absorption is necessary. **Tested to EN934-3** (2009)+A1(2012).











Self Levelling Compounds and Floor Products

Sikafloor-200 Self Levelling Compound

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 496772 | 25KG | GREY | 1 | 7612895230870 |

Very low emission cement based self levelling compound suitable for interior and exterior areas. Sikafloor®-200 Level is noted for its extremely low shrinkage. It is suitable for filling, smoothing and levelling of suitable substrates before applying parquet, ceramic tiles, textile and elastic floor coverings.



Sikafloor-03 Primer Dispersion Based Primer

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|---------|-----|---------------|
| 498434 | 10KG | MAGENTA | 1 | 7612895239224 |

Ready to use, dispersion based primer prior to applying cementitious levelling compounds and tile adhesives.

For interior and exterior use.



Sikafloor®-122 Level Universal Self Levelling Compound

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 813560 | 20KG | CREV | 1 | 7612655050076 |

A one-part, multi-purpose, cement based self-leveller for smoothing and levelling uneven internal rigid floors prior to applying a final wearing covering. Suitable for underfloor heating applications beneath heating systems. This product is highly fluid and easy to apply.

SikaScreed HardTop-60 Cementitious, Rapid Hardening, High Strength, Floor Levelling Screed

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 497282 | 25KG | GREV | 1 | 7612895233383 |

A cementitious, one-part, rapid hardening, high strength, floor levelling screed and repair mortar for industrial floors. Provides a low maintenance, high mechanical and abrasion resistant smooth screed, suitable as a finished surface or a base layer for resin based coatings.







Self Levelling Compounds and Floor Products

Sikadur-32+

2-Part Structural Epoxy Adhesive for Bonding, Fixing And Anchoring

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 674401 | 4.5KG | GREY | 1 | 7612895707785 |

Two-part structural epoxy adhesive for bonding, fixing and anchoring with sustainable benefits.











SikaScreed-20 EBB

Epoxy Bonding Bridge for Sikascreed ® Floor Screeding Systems

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 499494 | 15KG | GREY | 1 | 7612895598383 |

A two-part, epoxy based, moisture tolerant bonding bridge for SikaScreed® floor screeding systems.



Floor Paints and Line Markers

Floor PaintHeavy Duty, Polyurethane Based Floor Paint

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 538684 | 5L | GREY | 4 | 5029347602826 |

A solvent-based polyurethane formula designed to provide a clean hard wearing finish to concrete, stone and wooden floors subject to light to medium traffic. Ideal for use on garage floors, workshops, storerooms, walkways etc, Floor Paint gives enhanced durability, abrasion resistance and a good resistance to dilute acids/alkalis and oils.





Sikafloor®-2510 WWater-based epoxy coating with low VOC emissions

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 779208 | 13.6KG | MANY | 1 | 7612895957005 |
| 756526 | 6.4KG | MANY | 1 | 7612895920979 |

A two-part, water-based, coloured epoxy resin floor coating with low emissions and low maintenance requirements.



Surveyline Marking Paint

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 490207 | 700ML | BLUE | 12 | 5029347601560 |
| 490213 | 700ML | RED | 12 | 5029347601577 |
| 490214 | 700ML | WHITE | 12 | 5029347000943 |
| 490215 | 700ML | YELLOW | 12 | 5029347601553 |

Colour coded for electric, gas, and water use. Semi permanent formula lasts at least 3 months after application. Survey Line is available in: White (General Marker), Red (Electricity), Yellow (General Marker, Gas), Blue (Water).



BUILDING SUPPLIES Wall Finishing

Sikafloor® ProSeal W

Water Dispersed Curing and Sealing Compound for Concrete Floors

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|-------|------|--------|-----|---------------|
| 83637 | 25L | CLEAR | 1 | 8428868075428 |

Used as an anti-dust treatment and improvement of the abrasion resistance of existing concrete surfaces. Suitable for exterior and interior application. Easy application by spray or roller.





Protect your flooring with Roll & Stroll

See the full range on pages 58-59



Concrete and Brick Repair

Sika MonoTop-1010

Bonding Primer and Reinforcement Corrosion Protection Cement Based Slurry

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 626202 | 25KG | GREY | 1 | 7612895585383 |

A one-part, cementitious, polymer modified coating material used as bonding primer and reinforcement corrosion protection. It contains recycled waste materials which leads to a reduced carbon footprint compared to an equivalent performing mortar.



Sika MonoTop-4012

Cementitious R4 Concrete Repair Mortar Containing Recycled Waste Materials

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 626200 | 25KG | GREY | 1 | 7612895585369 |

A one-part, cementitious, fibre reinforced, low shrinkage repair mortar. It contains recycled waste materials and can reduce the carbon footprint application activity calculations.











Sika MonoTop-3020

Cementitious, R3 Pore filler and Levelling Mortar Containing Recycled Waste Materials

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 626201 | 25KG | GREY | 1 | 7612895585376 |

A one-part, cementitious, polymer modified, low shrinkage surfacing and finishing mortar. It contains recycled waste materials and can reduce the carbon footprint application activity calculations.





| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 570345 | 25KG | GREY | _1_ | 7612895485065 |

A one-component fast setting cementitious repair mortar, meeting the requirements of Class R4 of EN 1504-3.







Concrete and Brick Repair

Sika MonoTop-108 Water Plug Rapid Setting Mortar

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 533495 | 5KG | GREY | 4 | 7612895364322 |

A rapid-setting cement mortar for plugging water leaks in concrete and masonry walls. Instant plugging of negative pressure water inlet through cracks, gravel niches and casting joints.Instant plugging of drained water outlets, during waterproofing treatments.

SikaMonoTop-109 Waterproofing

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 533581 | 5KG | GREY | 4 | 7612895364148 |

A ready to use (just add water), high quality, thin waterproof slurry coating, based on special cements and admixtures to provide a water resistant and damp-proof finish.



Sika MonoTop-110Quick Setting Ready-to-Use Mortar

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 533446 | 5KG | GREY | 4 | 7612895363660 |

A ready to use (just add water), quick setting mortar, based on special cements. It contains selected aggregates and admixtures for improved properties.



Sika MonoTop-112Concrete Repair Mortar

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 533449 | 5KG | GREY | 4 | 7612895363707 |

A ready to use (just add water), top quality, general purpose mortar, based on special cements and selected aggregates. It contains silica fume, synthetic microfibres and admixtures for improved properties.





Concrete and Brick Repair

SikaGrout®-111 GP Cementitious General Purpose Grout

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 527763 | 25KG | GREY | 1 | 5055492702098 |

A one-part, general purpose, high precision, shrinkage compensated cementitious grout. SikaGrout® 111 GP is easy to mix and apply; it is perfect for a multitude of jobs, such as filling voids, machine and base plates.



SikaGrout®-340® Cementitious High Strength Engineering

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 582465 | 25KG | GREY | 1 | 7612895506951 |

A one-part, ready to mix, shrinkage compensated, low shrinkage, high performance, free flowing, pumpable engineering grout. Suitable for machine bases, bedding joints, void filling and anchoring.



Sika Armorex L2 High Flow Grout High Flow Rapid Strength Grout

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 102321 | 25KG | GREY | 1 | 5055492704009 |

A one-part, high flow, rapid strength cementitious grout for precision, high performance, grouting underneath machine bases, structural steelwork, etc.



2-part Low VOC Epoxy Adhesive for Structural Bonding and Concrete Repair

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-----------|--------|-----|---------------|
| 644950 | 8 x 1.2KG | GREY | 1 | 7612895650944 |
| 647994 | 6KG | GREY | 1 | 7612895652474 |
| 662201 | 6KG RAPID | GREY | 1 | 7612895674056 |

A two-part, low-VOC, moisture-tolerant epoxy structural adhesive which bonds to many construction materials. It is also used for structural concrete repairs, joint filling, and crack sealing. It can be used in both do-it-yourself (DIY) and professional applications.





Concrete and Brick Repair

Sikadur-31 DW **Epoxy Adhesive for Drinking** Water Contact

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-----------|--------|-----|---------------|
| 743550 | 6KG RAPID | GREY | 1 | 7612894276206 |
| 465341 | 6KG | GREY | 1 | 7612895085814 |

A two-part adhesive and repair mortar, based on epoxy resins and special fillers which has been specially formulated to meet the requirements for use in contact with drinking water. Suitable for use in hot and tropical climatic conditions.



Sikadur®-41+ Concrete Repair and Structural` Strengthening Mortar

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 649424 | 11KG | GREY | _1_ | 7612895655802 |

A thixotropic, three-part patching and repair mortar, based on a combination of epoxy resins and special fillers, designed for use at temperatures between +10 °C and





Sikadur® Crack Repair Kit Concrete Crack Repair System

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 630233 | 1.1L | GREY | 1 | 7612895594255 |

For repairing and sealing of small / minor cracks in concrete and masonry. It includes a two-part polyester surface crack sealer, two-part low viscosity epoxy Injection resin and all the necessary accessories needed for the application.



Concrete and Brick Repair

Parex Thixotropic Joint Filler High Strength Structural Support Mortar

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|------------|
| 628867 | 25KG | GREY | 1 | NO BARCODE |

A pumped mortar purpose-designed for filling joints and gaps in precast concrete units without the need for formwork. The thixotropic qualities of the mortar and non-shrink additives allow it to stay in place without slumping and to provide a complete high strength bond between sections.



Parex LA Repair Concrete R4 Cementitiuos Micro Concrete

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|------------|
| 629542 | 25KG | GREY | 1 | NO BARCODE |

A cement based, low alkali, one-component micro concrete with non shrink properties. The mixed mortar produces a flowable repair mortar suitable for pouring applications meeting the requirements of Class R4 of BS EN 1504-3.



Parex Tecfast Concrete R4 Strength, Rapid Setting Repair Concrete

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|------------|
| 629545 | 25KG | GREY | 1 | NO BARCODE |

A cement based, one-component, rapid setting, shrinkage compensated repair concrete. Parex Tecfast Concrete is suitable for all concrete works where early strength development is required in order to allow early use of the placed sections. The product may be used for localised repairs plus large area placement or re-instatement of concrete pavements.



Parex Super FG

Low Temperature Repair and Ironwork Bedding Mortar

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|------------|
| 629618 | 25KG | GREY | 1 | NO BARCODE |

A ready to use (just add water), high quality, thin waterproof slurry coating, based on special cements and admixtures to provide a water resistant and damp-proof finish.



Concrete and Brick Repair

Sika® FerroGard®-903+

Independently Verified, Active Corrosion Inhibiting Impregnation Liquid

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------------------|-----|---------------|
| 563244 | 25KG | Transparent liquid | 1 | 7612895468938 |

Sika® FerroGard®-903+ is a surface applied mixed corrosion inhibitor, independently verified, designed for use as an impregnation of steel reinforced uncoated concrete, and is an improved formulation of the original Sika® FerroGard®-903.



Sikagard®-552 W Aquaprimer Water based primer for coating

| SGAN | SIZE | COLOUR | QTY | BARCODE | |
|--------|------|--------|-----|---------------|--|
| 170487 | 10L | WHITE | 1 | 7612894696288 | |

A one-component water dispersed adhesion promoting primer for water dispersed polymer paint coatings.




Sikagard® 5500Crack Bridging and Protective Coating

| SGAN | SIZE | COLOUR | OTY | BARCODE |
|--------|------|-----------|-----|---------------|
| 718673 | 15KG | RAL9010 | 1 | 7612895822075 |
| 718674 | 15KC | R Δ1 9016 | 1 | 7612895822082 |

A highly crack bridging concrete protective coating with increased sustainability benefits it is a one-part, waterbased, elastic protective coating for concrete, Increasing the service life to all types of concrete structures and elements subject to cracking / cyclic movement: buildings, bridges, car parks, silos, chimney or retaining walls.









THE ALL-IN-ONE LOW VOC EPOXY ADHESIVE

GET IN TOUCH WITH A LOCAL REPRESENTATIVE





Concrete and Brick Repair

Jetcem Rapid Repair Cement

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 620460 | 3KG | GREY | 4 | 5010618043103 |
| 620438 | 6KG | GREY | 2 | 5010618044100 |

Ideal for rapid patching or when a fast repair job is needed. Sets in approximately 30 minutes. Sets in the cold and wet.

Jetcem Deep Rapid Repair Sand and Cement

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 620326 | 2KG | GREY | 6 | 5010618047101 |
| 620439 | EKC. | CREV | 2 | 5010618048108 |

Strong and easy to use rapid setting repair compound. Internal and external repairs to gaps and cracks on walls, floors, steps and kerbstones. Repairs deep holes in concrete, stone and brick.





Jetcem Waterproof Rapid Repair Cement


| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 620436 | 3KC | CDEV | 1 | 5029347610166 |

Fast, strong and easy to use waterproof repair compound. Internal and external repairs to cracks and holes in structures subject to permanent water immersion. Ideal for patch repairs to tanking and water retaining structures including ponds. Suitable for use on concrete, stone and brick.

Jetcem Plaster Rapid Repair

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 620437 | 6KG | WHITE | 2 | 5029347610173 |

Fast, strong and easy to use repair compound for patching plaster. Internal repairs for plasterboard, brick wood and stone. With added PVA powder to increase strength and reduce cracking and shrinkage.









Concrete and Brick Repair

SikaEmaco® T 1200 PGHigh Strength Repair Mortar

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 799470 | 25KG | GREY | 1 | 4049499003808 |

A single component, fast setting and hardening pourable repair and bedding mortar that meets the requirements of class R4 according to EN 1504 part 3. SikaEmaco® T 1200 PG is a ready-to-use material that contains sulphate resistant Portland cement (HSR LA), hydraulic binders, well graded sands, specially selected polymer fibres (PAN – polyacrylonitryl) and special additives provide rapid strength build-up even at sub-zero temperatures, improved durability and unmatched low drying shrinkage.



Pro Point Gun Kit

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 489049 | _ | _ | 1 | 5029347603410 |

Mortar Pointing Gun Kit complete with nozzles for both mortar and tile grout and mixing paddle. Designed to apply mortar deep into joints for maximum protection and strength. Comes complete with two plastic nozzles, a metal ended nozzle and a mixing paddle packed in a high impact printed box.

SikaEmaco® T 1100 TIX High Strength Repair Mortar

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 799469 | 25KG | GREY | 1 | 4049499003815 |

A single component, fast setting and hardening thixotropic repair and bedding mortar that meets the requirements of class R4 according to EN 1504 part 3. SikaEmaco® T1100 TIX is a ready-to-use material that contains sulphate resistant Portland cement (HSR LA), hydraulic binders, well graded sands, specially selected polymer fibres (PAN – polyacrylonitryl) and special additives providing rapid strength build-up even at subzero temperatures, improved durability and unmatched low drying shrinkage.



SikaFiber-200 ExportBio-Based Fibers For Concrete, Screeds and Mortars

| SGAN | SIZE | COLOUR | OTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 739620 | 0.3KG | WHITE | | 7612895853758 |

A micronized cellulosic fiber for use in concrete, screeds and mortars to help distribute cracks caused by drying and plastic shrinkage, and thus reduce the risk of early cracking. This natural fiber is an alternative for light crack control reinforcement.





Concrete and Brick Repair

Sika® Antisol® E Concrete Curing Agent

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 764816 | 25KG | CLEAR | 1 | 8428868004169 |


A ready to use spray applied liquid curing agent to prevent water loss from the surface of freshly placed concrete. It forms a thin film barrier on the concrete without affecting the normal setting action.

208 Powder Mortar Tone

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 489429 | 1KG | BLACK | 6 | 5029347002817 |
| 489440 | 1KG | BROWN | 6 | 5029347002831 |
| 489441 | 1KG | BUFF | 6 | 5029347002855 |
| 489443 | 1KG | RED | 6 | 5029347002824 |

Formulated from best quality oxide pigments for colouring all types of mortars. The pigments disperse easily into the mix to give a uniform shade for each mix batch, shading can be adjusted to provide a wider variety of colour depths. **Tested to EN12878.**







SikaCem® Désactivant 4-6Surface Retarder For Concrete With Very High Curing Performance

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 538132 | 20L | WHITE | 1 | 7612895384634 |

An aqueous phase surface retarder which deactivates to a depth of 4–6 mm. SikaCem® Désactivant 4-6 provides excellent curing performance.

SikaRetarder-50Set Retarding/Stabilising Admixture

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 584777 | 18LTR | YELLOW | 1 | 7612895513478 |

A liquid admixture developed for the control of cement hydration. Sika® Retarder-50 retards/stabilises concrete mixes without negatively influencing their quality.







Concrete and Brick Repair

Febond Blue Grit Plaster Bonding Agent

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 487207 | 10LTR | BLUE | 1 | 5029347608880 |

A high performance, plasterers grip coat bonding agent specifically designed to provide an improved key to smooth surfaces. Containing a fine aggregate, it provides a mechanical key to backgrounds such as plaster, concrete, painted surfaces, textured surfaces and ceramic tiles. One coat application, coloured blue to indicate coverage.

507 Rendagrip Render Bonding Agent

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 461975 | 10L | RED | 1 | 5029347612610 |

An extra grip render bonding agent that contains a fine aggregate to provide an improved key before applying render on external surfaces e.g. concrete, lightweight blockwork, brick etc. The fine aggregates are suspended in a unique waterproof polymer to ensure easy application and an even spread of aggregate avoiding any weak spots in the key coat and preventing the aggregate particles coming loose during application.



P/S







3M





SikaBond® SBR+

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|--------|--------|-----|---------------|
| 443839 | 5LTR | WHITE | 4 | 5055492700476 |
| 445916 | 25I TR | WHITE | 1 | 5055492700537 |


A one-component, water-based, general purpose bonding agent and mortar admixture. As an admixture diluted with water, it produces a gauging solution for improving adhesion, workability and water resistance of mortars and cementitious mixes. Suitable for improving resistance to abrasion, chemicals and oils.

501 PVA Bond

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 479075 | 1L | WHITE | 12 | 5029347005115 |
| 489546 | 2.5L | WHITE | 6 | 5029347005122 |
| 482246 | 5L | WHITE | 4 | 5029347005153 |
| 489547 | 25L | WHITE | 1 | 5029347005160 |

A multi-purpose bonding agent, primer, sealer, cement and plaster admixture that adheres to most common building and DIY materials.

Fully conforms to BS 5270.









Chemical Anchors

101

Sika AnchorFix®-1 Fast Curing Anchoring Adhesive

SGAN SIZE COLOUR QTY BARCODE GREY 6 5055492700742 461476 300ML

A two-component, fast curing, solvent and styrene free, polyester based chemical anchoring adhesive. Sika® AnchorFix®-1 is recommended for standard applications with low to medium loads.

Sika AnchorFix®-2+ Fast Curing Anchoring Adhesive

SGAN SIZE COLOUR QTY BARCODE 593183 300ML GREY 12 7612895531953

Solvent and styrene free, epoxy acrylate based, two-component anchoring adhesive for medium to high loads.















Sikadur® 33 Structural Epoxy Adhesive

SGAN SIZE COLOUR QTY BARCODE 498629 250ML GREY 12 7612894403688

A two-component, solvent-free, cold cure, thixotropic epoxy resin, structural adhesive. Sikadur® 33 is supplied in a cartridge with an in-line mixer nozzle.



Anchorset Nozzle

SGAN SIZE COLOUR QTY BARCODE

Nozzle No. 4 - Standard mixer nozzle, 215MM length for use with

Sika AnchorFix®-1 and Sika AnchorFix®-2+













TILIXC

Wet Room Systen

10



Aquaseal

Wet Room System Kit

TRUSTED


| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|---------------|
| 487861 | LARGE | - | 1 | 5029347611149 |
| 487891 | STD | - | 1 | 5029347611262 |

The Aquaseal Wet Room System Kit gives you everything you need to waterproof both walls and floors prior to tiling showers, wet rooms, wet zones and other areas susceptible to water and excessive moisture. Ideal for use on Plasterboard, Plaster, MDF, Plywood, Cementitious Boards, Block work, Concrete and Specialist Wet Room Boards.

The Aquaseal Tanking Kit is available in two sizes; Standard – everything you need to waterproof 4.5m² and Large – everything you need to waterproof 7.5m².

Both kits come complete with:

- Waterproof Tanking Primer (1L)
- Waterproof Tanking Membrane (3LTR - Standard, 5LTR - Large)
- · Waterproof Tanking Tape (10MTR)
- · Waterproof Tanking Drain Mat
- Aquaseal Wet Room System instruction leaflet



COMES COMPLETE WITH ROLLER, BRUSH AND DRAIN MAT.

SUITABLE FOR USE WITH UNDERFLOOR HEATING









Aquaseal Waterproof Tanking Membrane

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|------|--------|-----|---------------|
| 487333 | 5LTR | BLUE | 1 | 5029347611163 |

Aquaseal Waterproof Tanking Membrane is the ideal product for use when waterproofing before tiling. It forms a permanently flexible watertight membrane, is non hazardous and solvent free. Aquaseal Tanking Membrane is easy to apply by brush, is quick drying and can be tiled after 12 hours.



Tanking Primer

Apply primer to
surfaces that are
to be waterproofed.



Tanking Tape and Mat

Apply self-adhesive tape across all joints, corners and pipe penetrations.

Next, apply the self-adhesive drain mat around the drain outlet.



Tanking
Membrane

The ready-to-use
membrane is applied
by brush in a 2 coat
system at right
angles to each other.



AquasealWet Room System Tape

| SGAN | SIZE | COLOUR | QTY | BARCODE |
|--------|-------|--------|-----|------------|
| CODCAE | 10MTD | | 1 | NO BARCORE |

Aquaseal Waterproof Tanking Tape is a self adhesive joint and corner tape ideal for use when waterproofing showers, wet rooms and wet zones in bathrooms before tiling. A permanently flexible butyl backed fleece with cross directional stability, Waterproof Tanking Tape can be used on all board joints, corners and pipe entries. Can be tiled directly or overcoated with Aquaseal Waterproof Tanking Membrane for full wet zones and is easy to apply with a pre-cut release liner.









TERMS AND CONDITIONS

Standard terms and conditions of sale for goods sold by Sika Limited.

1. General

The following terms are the Company's standard conditions of sale. The Company concludes Contracts or the supply of goods only subject to these terms and the Buyer seeking to be supplied with goods by the company accepts that these terms shall govern relations between himself and the Company to the exclusion of any other terms including conditions warranties and presentations written or oral express or implied even 'contained in any of the Buyer's documents which purports to provide that the Buyer's own terms shall prevail.

2. Variations

No variations of these terms or any quotation or of any contract shall be valid unless and until agreed to in writing by a Director or the Company Secretary of the company.

3. Quotations

Quotations by the Company are not offer's capable of immediate acceptance by the Buyer but are invitations of treat only. All drawings, technical details and particulars of weights and dimensions submitted with the quotations are approximate only. No property shall pass to the Buyer in the documents forming or accompanying a quotation or in any of the material contained therein. If no order based on the quotation; accepted by the Company, the Buyer shall return to the Company all documents and other materials concerned free of charge to the Company on request. All information in and relating to the quotation shall be confidential and shall not be passed without permission of the Company, to any third party, and shall be disclosed only to those employees of the Buyer to whom such disclosure is reasonably necessary. Unless and until an order based on the quotation is accepted by the Company the Buyer shall make no use in its business of the information contained therein except for purposes of determining whether to place an order. The company shall be free to accept or refuse an order for any reason whatsoever

4. Orders

Orders only become binding on the Company by its submitting to the Buyer confirmation of order or submitting an invoice. Expressions used by the Buyer much as "as previously supplied" or expressions to the similar effect shall be understood to refer only to the quality and not to the previous price.

5. Price

The price or charges specified in any quotation are related to the Company's costs of manufacturing, obtaining, and paying for goods, parts or materials prevailing at the date thereof. In the event of there being an increase in such costs caused by any reason, including increases attributable or alterations in tax or duty or in the exchange rates of any currency, the company shall be entitled to vary its prices or charges from those quoted whether such increase was or should have been foreseen by the Company at the late of the quotation. All prices quoted exclude VAT and any costs of freight and insurance for deliveries outside Ireland unless otherwise specified. The VAT rate applicable relaid by the rate prevailing on the date on invoicing.

6. Packing

Delivery is made only in the product containers held in stock at the time the order is processed. All prices quoted include packing material unless otherwise specified. Where packing is expressly stated to be in returnable containers or the cost of packaging materials is separately invoiced the Buyer shall be credited with the full value of those materials as invoiced to him provided that they are returned carriage-free or without my charges to the Company, and in the opinion of the company in a satisfactory condition to the dispatch points from which they were supplied unless otherwise specified in the Company's price list, quotation, delivery note or invoice. For packaging materials on loan, the conditions as mentioned in the Company's prevailing price list and or quotation shall apply.

7. Time of Delivery

The Company shall be entitled to deliver goods supplied pursuant to any order by the Buyer on any weekday during normal working hours after the period for delivery has commenced.

8. Period of Delivery

Where a quotation or any other document or notice issued or state by the Company indicates a specified delivery period for any goods the period shall be understood to run from the date of confirmation of the relevant order provided that any such specified periods are nevertheless estimates only and shall not be of the essence of the Contract and in the event of the Company for any reason whatsoever not being ready to make delivery within the period specified (or if none be specified within a reasonable time) it shall not be liable for any loss or damage whatsoever sustained by the Buyer as a result of such delay.

Without prejudice to the foregoing in the event of the Company not being ready to make delivery at the time specified (or if non be specified, within a reasonable time) the Buyer shall thereupon be entitled to give one month's notice in writing calling for delivery and in the event of the Company remaining unable to make delivery within such a period the Buyer may at the expiry thereof by a further notice in writing cancel the Contract in relation to all undelivered goods subject to it being a condition precedent to the Buyer's right to cancel that he shall first have paid all sums due in respect of goods already delivered under the Contract. For the avoidance of doubt and without prejudice to the Buyer's entitlement to can cel described above the Buyer shall have no other rights whatsoever in relation to any failure by the Company as foresaid

9. Storage

If the Buyer gives the Company not less than seven days' notice the Company is prepared to store goods. The Company reserves the right to make storage charges for such goods. If the Buyer has not arranged for removal of the goods after twelve months storage the Company shall be entitled to give one month's notice to the Buyer that it intends to dispose of the goods and unless within that one month the Buyer removes the goods from storage the Company shall be entitled to dispose of all or any portion of such goods privately by auction or otherwise and without prejudice to the provisions of Paragraph 18 to set off against the proceeds the above storage charges and all costs in and about affecting such as sale. The provision of this paragraph sha!! apply irrespective of whether the property in the goods shall have passed to the Buyer. Removal of goods to storage on behalf of the Buyer under this paragraph shall be deemed to be a delivery to the Buyer

10. Dispato

The method of transport of the goods shall be at the sole discretion of the Company. All necessary unloading facilities shall be provided by the Buyer at his expense at the time the Company is ready to make delivery.

11. Quantitie:

The company shall be entitled to deliver the goods in a single delivery or by instalments as it sees fit. The Buyer shall not be entitled to reject any consignment of goods supplied by the Company on the grounds that the quantity supplied is below the quantity ordered and provided that the Buyer notifies the Company and the carrier of the shortage within three working days of delivery the Company shall be responsible for supplying the balance of the goods required to bring the aggregate to the quantity ordered of for giving the Buyer credit for the goods not delivered. Each part delivery constitutes a separate contract. Alf weights or volumes are ascertained at the time of the filling of the containers used and all invoices are calculated thereon.

12. Insurance and Risk

- (i) Unless otherwise agreed in writing between the parties but subject as hereinafter provided the risk of loss or damage to the goods shall pass to the Buyer upon delivery to the Buyer and the Company will insure accordingly.
- (ii) Notwithstanding sub-paragraph (i) above in the case of goods to be collected by the Buyer or by a carrier engaged by the Buyer all risk of loss or damage howsoever caused shall pass to the Buyer on whichever of the following events occurs earlier:
- (a) collection of the goods by or on behalf of the Buyer or(b) seven days from the date of the Company's written
- notice that the goods are ready for collection: and the Buyer should insure accordingly. (iii)The Company shall be entitled to charge for storage of the goods after the expiry of the seven-day
- period referred to in sub-paragraph (ii)(b) above and the provisions of paragraph 9 above shall apply. (iv) Where for any reason the Buyer believes that the risk of loss or damage to the goods arising in transit lies with the Company the Buyer shall carefully examine
- (a) in the case of loss of the goods within three working days of receipt of a delivery note issued by the Company in respect thereof: and

the goods on receipt and shall notify the Company in

(b) in the case of damage of the goods within three working days of delivery of the same and furthermore in the case of damage the packaging material and contents of packages must be retained by the Buyer for examination by the Company or by the carrier or their agents. In the absence of receipt of such written notice within the prescribed time limit the Company shall be discharged from all liability in respect of loss or damage to the goods arising in transit.

13. Payments

- (i) All prices and charges are strictly net, and payments shall be made without any discount or other reduction and without any deferment on account of any disputes or cross claims unless otherwise agreed by the Company in writing
- (ii) Payments unless otherwise agreed shall be made by the thirtieth day following the date of the Company's invoice. The sub-clause is subject to and governed by the terms of sub-clause (iv) below.
- (iii) Cheques, money, and postal orders should be crossed and made payable to Sika Ireland Limited.
- (iv) The Company may at its discretion require at any time that all or part of the purchase price or other charge be paid in advance or on account and the sums so demanded shall be immediately payable by the Buyer, the balance remaining payable as otherwise provided hereunder and the Company may decline to make deliveries of any such goods except upon such payment or upon receipt of other security satisfactory to the Company.
- (v) Should the Buyer default in payment for whatever reason on the due date of any sum without prejudice to any other right which the Company any have the Company shall be entitled to claim interest at a maximum of 3% p.a. above the AAA rate charged by A.I.B. Bank on such sum accruine form the due date.
- (vi) All payment shall be credited towards the oldest invoice due and its ancillary charges. Prepayments by cheque or Giro shall be deemed to have been made when the amount is at the Company's disposal unconditionally, payment by bill of exchange when the bill has been cashed. Any bank charges incurred are to be paid by the Buyer. The Company reserves the right to refuse bills of exchange.

A.I.B Bank Sort Code 932353 Santry Account Sika Ireland Limited Dublin 9 Number 14359035

107

Standard terms and conditions of sale for goods sold by Sika Limited.

14. Property

- (i) Subject to Condition 14 (iii) but notwithstanding delivery and the passing of risk in the Goods or any other provision of these Conditions, the property in the Goods shall not pass to the Buyer until the Company has received in cash or cleared funds payment in full of the price of the Goods and all other goods agreed to be sold by the Company to the Buyer for which payment is then due without any deduction or deferment whether on account of any dispute or cross claim or otherwise. In the case of the company accepting tender of a cheque, bill of exchange or promissory note the sum paid thereon shall not be deemed to have been wholly paid until the said cheque, bill of exchange or promissory note has sheen bonoured.
- (ii) Until such time as the property in the Goods passes to the Buyer the Buyer shall hold the Goods as the Company's fiduciary agent and bailee, and shall keep the Goods separate from those of the buyer and third parties and properly stored, protected and insured and identified as the Company's property. Until that time the Buyer shall be entitled to resell or use the Goods in the ordinary course of its business but shall account to the Company for the proceeds of sate or otherwise of the Goods, whether tangible or intangible, including insurance proceeds, and shall keep all such proceeds separate from any monies of property of the Buyer and third parties and, in the case of tangible proceeds, properly stored protected and insured. In the event of the Buyer bone fide in the course of the business carried on by it selling, letting, hiring out or otherwise disposing of the Goods the property in the Goods shall pass to the Buyer immediately before such sale, letting, hiring out, disposal or use. Until such time as the property in the Goods passes to the Buyer and provided the Goods are still in existence and have not been resold the Company shall be entitled at any time to require the Buyer to deliver up the Goods to the Company and if the Buyer fails to do so forthwith, to enter upon any premises of the Buyer or any third party where the Goods are stored and to repossess the Goods.
- (iii) In repossessing the Goods under the previous condition, the Company may if necessary, detach or remove the Goods from any other goods. The Buyer shall not be entitled to pledge or in any way charge by way of security for any indebtedness any of the' Goods which remain the property of the Company but if the buyer does so all monies owing by the Buyer to the Company shall (without prejudice to any Other right or remedy of the Company) forthwith become due and payable.
- (iv) Until the Buyer has paid the Company for the Goods and all other Goods, which the Company has supplied to the Buyer:
- The Company may trace the proceeds of Sale that the Buyer receives into any Bank or other account which the Buyer maintains.
- If the Buyer sells the Goods the Company may, by written demand require the Buyer to assign to the Company the Buyers rights to recover the price from its purchaser.
- c. The Buyer shall not assign to any other person any other rights arising from the sale of the Goods without the Company's written consent.
- (v) In respect of goods and the _products belonging to the Company the Buyer shall inform the Company without delay of any interference by a third party with the Company's interest in the goods and in the case of distraint shall at the same time lodge a plea of opposition in the Company's name with the distraining creditor.

15. General Liability

- (i) The Buyer relies on his own skill and judgment as to the sufficiency capacity and performance of the goods and shall in addition take all reasonable steps to ensure the suitability of the goods for any purposes for which the same are required by the Buyer.
- (ii) The Buyer shall before using any goods the subject of the contract, and before parting with possession of the same take all reasonable steps to test and examine the same to satisfy himself that the goods are of the contractual quality and description and are suitable for the purpose for which they are intended to be used.

- (iii) Save as provided below, the contractual rights which the Buyer enjoys by virtue of sections 12, 13, 14 and 15 of the Sale of Goods Act, 1893 are in no way prejudiced by these conditions.
- (iv) The Company's liability for any breach of any condition warranty or term whether express or implied and whether implied by virtue of the Sale of Goods Act, 1893, the Sale of Goods and Supply of Services Act, 1980 or otherwise shall be defined and limited to, at the Company's option:
- (A) Where the breach would have become apparent had paragraph (ii) been properly complied with by the
- (a) Replacement of the goods by the Company; or (b) Acceptance of the return of the goods and crediting
- the Buyer with the price thereof; or

 (c) Making the Buyer an allowance against the price of
- the goods representing the difference between the value of the goods in their condition as delivered and the Contract Price. Provided the Buyer notifies the Company in writing of any complaint concerning the goods delivered prior to the Buyer parting with possession of the goods or
- (B) where the breach would not have become apparent had paragraph (ii) been properly complied with by the buyer to a sum not in excess of the amount of the Company's public liability insurance cover in respect of such breach as from time to time in force, provided that the buyer notifies the Company in writing within fourteen days of becoming aware of the defect or receiving any complaint concerning the goods whichever is the earlier and further provided that the goods have been used inaccordance with the instructions for use thereof.
- For the avoidance of doubt save as aforesaid:

 (a) the Company shall be under no liability what soever for any breach of contract whether by an express or implied term howsoever arising and whether amounting to a repudiation or a fundamental breach or not and whether negligent or not and shall only be liable as aforesaid provided the Buyer has taken the necessary stems within the necessary time.
- (b) the Company shall be under no liability in contract tort or otherwise for any injury loss or damage of whatsoever kind howsoever caused or for anything done or omitted in connection with the goods or work in connection therewith or any defect (inherent, latent or otherwise) which may exist or subsequently develop save that the Company shall be liable for any death or personal injury which results from its own negligence, or that of its employees, servants or acents.
- (c) the Buyer shall indemnify the Company against all actions, claims or demands by third parties in tort or otherwise arising directly or indirectly in connection with the use, functioning or state of the goods.
- (d) the Company shall not be liable to the Buyer for any sums whether by way of compensation for loss or damage or otherwise and whether direct or consequential and whether for loss or profit of the Buyer or any third party AND THE BUYER IS ADVISED TD INSURE AGAINST ALL POTENTIAL RISKS.
- (v) Any order, receipt, delivery note, invoice or Other document whether issued by the company or by the buyer and purporting to be signed on behalf of the buyer by any of its servants, employees, agents or sub-contractors
 - shall be deemed to be signed with the authority of the buyer.

16. Sub-Contracting

The Company shall be entitled to sub-contract all or any of their obligations out of any quotation or order made in consequence thereof.

17. Forced Majeure

Should the performance of the Company or any of its obligations under the Contract be prevented, hindered or delayed whether directly, indirectly or otherwise howsoever by or in consequence of an event of war, an outbreak of hostillities (whether or not involving Ireland and whether war is declared or not) rebellion, riot, acts of providence, strikes, lock outs, trade disputes or other labour difficulties, breakdown, delays in transport, accident, fire, delay in deliver or raw materials or

components or any other cause reasonably beyond control, or in the event that despite all reasonable efforts having been made the Company is unable to obtain any necessary licenses, consents or authorities for the exportation or importation of or payment for any goods, or in the event of national emergency, or if the Company's works should become either directly or indirectly so engaged on Government contracts or contracts under priority directions so as to prevent, hinder or delay work on other contracts, the Company shall be entitled at any time, on notice to the Buyer, to make partial deliveries only or to determine the contract without liability and without prejudice in any case to rights which have already accrued to the Company in respect of deliveries already accrued to the Company in respect of deliveries already accrued to

18 Lier

Without prejudice to any other right which the Company may have, the Company shall be entitled to exercise a general lien or tight of retention of all goods in the Company's possession, which are, or are intended to become, the Buyer's property in regard to all debts, damages or other sums due to the Company under any Contract whatsoever between the Company and the Buyer and/or in the event of the insolvency of the Buyer and pursuant to such lien or right, the Company shall be entitled without notice to the customer to see all or any portion of such goods privately, by auction or otherwise, and to keep the proceeds in diminution or such debts, damages or sums and of all costs and expenses incurred in and about effecting such a sale.

19. Waiver

No time or other indulgence granted by the Company to the Buyer shall operate or be deemed to operate and a waiver or suspension of the Company's rights under these Standard Conditions.

20. Customs, Duties etc.

Without prejudice to paragraph 5 above, all customs or other duties or taxes whatsoever which may be levied on the goods in any territory shall be borne by the Buyer provided always that the Company shall be entitled (but shall be under no obligation) to pass to the Buyer the benefit of any arrangements made with Authorities for the release of goods under bond in which event the Buyer shall indemnify the Company in respect of it costs and expenses thereof and in regard to all other payments which may fall due including any penalties, fines or forfeitures incurred in connection therewith

21. Industrial Property Rights

The Company does not warrant the goods supplied to any order will be free from infringement of industrial property rights including without limitation patents and registered designs, or third parties. The Company cannot give any assurance of the non-existence of any possible rights of third parties in relation to processing an, application of the Company's products, nor accept any liability for damage or costs to the Buyer or any third party if such rights exist.

22. Trade Marks

The Buyer undertakes to respect all trademarks of the Company and in particular where any such trademark is on goods supplied it undertakes:

- (i) Not to alter remove or obliterate such trademark either partly or wholly
- (ii) Not to apply any other trademark to the goods (iii) Not to apply to the goods any other matter in writing that is likely to injure the reputation of the trademark

23. Notice

Any communications or notices under the Contract between the Company and the Buyer may be made or given by sending the same by ordinary paid first class post, in the case of the Buyer to his last known address and in the case of the Company to its Dublin office and if so sent shall be deemed to have been made or given on the date when it was nosted.

24. Proper Law and Jurisdiction

Any contract between the Company and the Buyer she be governed by Irish Law and subject to the jurisdiction of the Irish Courts.

PRODUCT INDEX

| Numbers | | F | | P |
|--|-----|--|-----|---|
| 125 One Hour Caulk | 10 | Febond Blue-Grit | 100 | P16 Pipe Cement |
| 202 Integral Liquid Waterproofer | 84 | Fire Mate | 14 | P45 Medium Duty Foam Gun |
| 208 Powder Mortar Tone | 99 | Floor Paint | 87 | Parex LA Repair Concrete |
| 30 Minute PU Wood Adhesive Gel | 31 | Forever White | 6 | Parex Super FG |
| 30 Minute PU Wood Adhesive Liquid | 31 | | | Parex Tecfast Concrete |
| 406 Stabilising Solution | 43 | G | | Parex Thixotropic Joint Filler |
| 407 Mortar Stain Remover | 43 | Gaffa Tape | 66 | Patio Wizard |
| 409 Block-Guard | 41 | Griptite | 29 | Pinkgrip |
| 5 Minute PU Wood Adhesive Gel | 31 | diptite | 23 | Pinkgrip Dry Fix Applicator Gun |
| 5 Minute PU Wood Adhesive liquid | 31 | | | Pinkgrip Dry Fix FR |
| 501 PVA Bond | 100 | Н | | Pinkgrip Solvent Free |
| 502 All Purpose Weatherproof Wood Adhesive | 30 | Heat Mate | 11 | Power Pro Sealant Gun |
| 507 Rendagrip | 100 | Heavy Duty Wonder Wipes | 71 | Powerful Grip Tape |
| 565 Clean Room Silicone | 11 | | | Pro Point Gun Kit |
| 901 Black Bitumen Paint | 50 | 1 | | Professional Sealant Gun |
| 902 Bitumen Flashing and Primer | 50 | Industrial Superglue GP | 35 | |
| 903 Bitumen Trowel Mastic | 50 | maastrai supergiae ai | 33 | R |
| 904 Roof Felt Adhesive | 50 | - | | Roll and Stroll Carpet Protector |
| 905 All Weather Roof Coating | 51 | J | | Roll and Stroll Glass Protector |
| 907 Solar Reflective Paint | 51 | Jetcem Deep Rapid Repair Sand and Cement | 97 | Roll and Stroll Hard Surface Protector |
| 908 DPM | 51 | Jetcem Plaster Rapid Repair | 97 | Roll and Stroll Textured Carpet Protector |
| | | Jetcem Rapid Repair Cement | 97 | |
| A | | Jetcem Waterproof Rapid Repair Cement | 97 | S |
| All Purpose Powder Filler | 61 | | | SikaCem® -125 Accelerator |
| All Purpose Ready Mixed Filler | 61 | K | | SikaCem® Désactivant 4-6 |
| American Duct Tape | 65 | KOS Fire Cement | 74 | Sika® Aktivator-205 |
| Anchorset Nozzle | 101 | KOS Fire Cement - Cartridge | 75 | Sika AnchorFix®-1 |
| Aquaseal Waterproof Tanking Membrane | 105 | - | | Sika AnchorFix®-2+ |
| Aquaseal Wet Room Kit | 104 | L | | Sika Antisol E |
| Aquaseal Wet Room Tape | 105 | | | Sika® Armorex L2 High Flow Grout |
| Aquascal Wet Noon Tape | 103 | Lead Mate | 11 | Sika Boom®-180 Fix & Fill |
| | | Lead Mate Patination Oil | 51 | Sika Boom®-580 Fix & Fill |
| В | | Liquid Roof | 48 | Sika Brick and Patio Cleaner |
| B1 FireFoam | 55 | | | Sika® Drain-850 Geo |
| B2 FireFoam | 55 | М | | Sika Dustproofer |
| Black Jack Flashing Trade | 47 | Mammoth Aluminium Tape | 66 | SikaEmaco® T 1200 PG |
| | | Maximum Torque | 26 | SikaEmaco® T 1100 TIX |
| С | | Mega Tape | 66 | Sika FastFix All Weather |
| Caulk Once | 7 | Mitre Fast Kit | 35 | Sika® FerroGard®-903+ |
| Clear Fix | 29 | MP Wood Filler | 61 | Sika® Foil Applicator Gun |
| Constructa-Pro | 54 | Multi Stick | 25 | Sika® Igolflex®-301 |
| | - | | | Sika Igolflex P-01 IT |
| | | 0 | | Sika Igolflex P-10 |
| D | | One Strike Ready Mixed Filler | 60 | Sika MonoTop®-1010 |
| D4 Wood Adhesive | 30 | Opti-Mix Mortar Plasticiser | 84 | Sika MonoTop®-108 Water Plug |
| Damp Proofing Slurry | 79 | opti Piix Piortai Plasticisci | 07 | SikaMono Top®-109 |
| Dual Purpose Foam Cleaner | 55 | | | Sika MonoTop®-110 |
| | | | | Sika MonoTop®-112 Sika MonoTop®-3020 |
| E | | | | Sika MonoTop®-4012 |
| Euro Scrim | 67 | | | Sika MonoTop®-630 Rapid |
| Evercryl One Coat | 46 | | | Sika Mould Buster |
| • | | | | Sika Patio Seal |
| | | | | |

Sika Primer 3N

Sika Primer MB

Sika Release Oil Sika® Remover-208

Sika Setting Sand

PRODUCT INDEX

109

| Sika Silent Layer Mat | 33 | SikaSeal®- 175 | 10 |
|---------------------------------------|-----|-----------------------------------|----|
| Sika® Stone Protector | 41 | SikaSeal®- 176 | 10 |
| Sika Waterbar® D-240 FP0 | 82 | SikaSeal®- 178 | 10 |
| Sika Waterbar® FB Bracket | 82 | SikaSeal®-623 Fire+ | 14 |
| Sika Waterbar® FB-125 | 82 | SikaSeal®-627 Fire Collar+ | 15 |
| Sika Water Repel+ | 40 | SikaSeal®-629 Fire Wrap+ | 15 |
| Sika Wintermix | 83 | SikaShield® E80 HDPE SA 1,5 mm | 81 |
| Sika-1 Waterproofer | 78 | SikaShield® RoofPro Adv. T-02 E20 | 47 |
| Sika-2 Water Plug | 79 | SikaShield® RoofPro Adv. T-02 E50 | 47 |
| Sika-4A Water Stop | 79 | Sikasil®-670 Fire | 14 |
| SikaBond MS Wood Floor | 32 | SikaSwell® A | 80 |
| SikaBond Rapid DPM | 33 | SikaSwell® S-2 | 80 |
| SikaBond SBR+ | 100 | SikaTop®-107 Seal ES | 82 |
| SikaBond-52 | 32 | Sikasil®-825 | 16 |
| SikaBond-54 | 32 | Silicone Spray | 71 |
| SikaBond-5500S | 32 | Silweld | 66 |
| SikaCeram FlowFix Bonding Primer | 39 | Smart Tack Bulk | 29 |
| SikaCeram FlowFix Jointing Compound | 39 | Smart Tack Bulk Gun | 30 |
| Sikacrete®-630+ | 15 | Smart Tack Bulk Hose | 30 |
| Sikacryl®-620 Fire | 17 | Smart Tack Handy | 29 |
| Sikacryl®-621 Fire+ | 14 | Stick 2 Carpet Fix Spray Adhesive | 35 |
| Sikadur® Crack Repair Kit | 92 | Stick 2 Contact Adhesive | 34 |
| Sikadur-33 | 101 | Stick 2 Spray Contact Adhesive | 35 |
| Sikadur®-31+ | 91 | Stixall Extreme Power | 22 |
| Sikadur®-41+ | 92 | Surveyline | 87 |
| Sikadur-31 DW | 92 | | |
| Sikadur-32+ | 86 | T | |
| SikaFiber-200 Export | 98 | | 43 |
| Sikaflex®-403 Tank & Silo | 19 | Tarmac Restorer | 43 |
| Sikaflex® -406 KC | 18 | Tarpaulin | 61 |
| Sikaflex®-415 Universal | 17 | Thermofoam | 54 |
| Sikaflex®-11 FC Purform® | 12 | | |
| Sikafloor® ProSeal W | 88 | W | |
| Sikafloor®-03 Primer | 85 | Weather Mate | 11 |
| Sikafloor®-122 Level | 85 | Wonder Wipes | 70 |
| Sikafloor®-200 Level | 85 | Wonder Wipes Biodegradable | 71 |
| Sikafloor®-2510 W | 87 | , , | |
| Sikaflex PRO-3 Purform | 17 | | |
| Sikagard-112 Mortar and Brick Cleaner | 42 | | |
| Sikagard® 5500 | 94 | | |
| Sikagard®-552 W Aquaprimer | 94 | | |
| Sikagard®-700 S | 40 | | |
| Sikagard®-850 | 95 | | |
| SikaGrout-111 GP | 91 | | |
| SikaGrout®-340 | 91 | | |
| SikaHyflex®-250 | 17 | | |
| Sikalastic-1K | 80 | | |
| Sikalastic®-6100 FX | 80 | | |
| SIkaMix Plus | 83 | | |
| SikaMur InjectoCream-100 | 79 | | |
| Sikasil DW | 18 | | |
| SikaRetarder-50 | 99 | | |
| SikaScreed HardTop-60 | 85 | | |
| SikaScreed-20 EBB | 86 | | |
| SikaSeal®- 170 | 9 | | |
| SikaSeal®- 171 | 9 | | |
| SikaSeal®- 173 | 9 | | |
| SikaSeal®- 174 | 9 | | |

CUSTOMER SERVICE SIKA IRELAND:

+353 (0) 1862 0709

salesorders@ie.sika.com

Sika Ireland Limited Sika House Ballymun Industrial Estate Dublin D11 DA2V

+353 (0) 1862 0709

info@sika.ie

www.sika.ie

