EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Surfaces protection

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Ireland Ltd Sika House Ballymun Industrial Estate Dublin 11
Telephone	:	+353 1862 0709
E-mail address of person responsible for the SDS	:	EHS@UK.Sika.com

1.4 Emergency telephone number

National Poisons Information Centre (NPIC) (01) 809 2166 (available 8am - 10pm every day)

Sika Ireland (01) 862 0709 (available during office hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Flammable liquids, Category 3	H226: Flammable liquid and vapour.					
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.					
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.					
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.					



Version 2.2



EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING

Revision Date: 08.05.2025 Date of last issue: 14.03.2024

Version 2.2

Print Date 08.05.2025

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms Signal word Warning : Hazard statements H226 Flammable liquid and vapour. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects. Supplemental Hazard Repeated exposure may cause skin dryness EUH066 Statements or cracking. If medical advice is needed, have product P101 Precautionary statements : container or label at hand. Keep out of reach of children. P102 **Prevention:** P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. Response: P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. P391 Collect spillage. Disposal: P501 Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

Hydrocarbons, C9, aromatics

Additional Labelling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Revision Date: 08.05.2025 Date of last issue: 14.03.2024

WATERPROOFING

Version 2.2

Print Date 08.05.2025

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components			
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Hydrocarbons, C9, aromatics	Not Assigned 918-668-5 01-2119455851-35- XXXX [corresponding group CAS 64742-95- 6]	Flam. Liq. 3; H226 STOT SE 3; H336 (Central nervous system) STOT SE 3; H335 (Respiratory system) Asp. Tox. 1; H304 Aquatic Chronic 2; H411 EUH066	>= 25 - < 40
naphtha (petroleum), hydrotreated heavy	Not Assigned 265-150-3	Flam. Liq. 3; H226 STOT SE 3; H336 (Central nervous system) Asp. Tox. 1; H304 Aquatic Chronic 2; H411 EUH066	>= 20 - < 25

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air.



EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING

Revision Date: 08.05.2025 Date of last issue: 14.03.2024		Version 2.2	Print Date 08.05.20
		Consult a physician after significant expo	osure.
In case of skin contact		Take off contaminated clothing and shoe Wash off with soap and plenty of water. If symptoms persist, call a physician.	s immediately.
In case of eye contact		Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a special	ist.
If swallowed		Do not induce vomiting without medical a Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unco	
.2 Most important symptoms an	nd ef	fects, both acute and delayed	
Symptoms		Cough Respiratory disorder Erythema Loss of balance Vertigo See Section 11 for more detailed informa and symptoms.	ation on health effects
Risks	:	irritant effects	
		May cause respiratory irritation. May cause drowsiness or dizziness. Repeated exposure may cause skin dryr	less or cracking.
4.3 Indication of any immediate r	nedi	cal attention and special treatment ne	eded
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sure	s	
5.1 Extinguishing media			
Suitable extinguishing media		Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	:	Water	
5.2 Special hazards arising from	the	substance or mixture	
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to e courses.	nter drains or water
Country IE 10000008667			4 / 16



EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING

Revision Date: 08.05.2025 Date of last issue: 14.03.2024		Version 2.2	Print Date 08.05.2025
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	
5.3 Advice for firefighters Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing	apparatus.
Further information	:	Use water spray to cool unopened containers. Collect contaminated fire extinguishing water sep must not be discharged into drains. Fire residues and contaminated fire extinguishing be disposed of in accordance with local regulation	g water must

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Remove all sources of ignition. Deny access to unprotected persons. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
6.2 Environmental precautions		Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Avoid exceeding the given occupational exposure limits (see section 8).
	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap-

EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING



Revision Date: 08.05.2025 Date of last issue: 14.03.2024		Version 2.2	Print Date 08.05.2025
		plication area. Take precautionary measures against static Open drum carefully as content may be unde Take necessary action to avoid static electric (which might cause ignition of organic vapou Follow standard hygiene measures when ha products	er pressure. city discharge ırs).
Advice on protection against fire and explosion	:	Use explosion-proof equipment. Keep away open flames/ hot surfaces. No smoking. Tak measures against electrostatic discharges.	
Hygiene measures	:	Handle in accordance with good industrial hy practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the	nen using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and we place. Containers which are opened must be sealed and kept upright to prevent leakage. ance with local regulations.	e carefully re-
Further information on stor- age stability	:	No decomposition if stored and applied as di	irected.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data She use.	et prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap-



EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING

Revision Date: 08.05.2025 Date of last issue: 14.03.2024		Version 2.2	Print Date 08.05.2025
	cl fa S B C S V	roved standard must be worn at all tir nemical products. Reference number acturer specifications. uitable for short time use or protection utyl rubber/nitrile rubber gloves (> 0,1 ontaminated gloves should be remov uitable for permanent exposure: iton gloves (0.4 mm), reakthrough time >30 min.	EN 374. Follow manu- n against splashes: l mm)
Skin and body protection	lo a	rotective clothing (e.g. Safety shoes a ng-sleeved working clothing, long tro nd protective boots are additionaly re nd stirring work.	users). Rubber aprons
Respiratory protection	: N	o special measures required.	
Environmental exposure of	ontrols		
General advice	lf	revent product from entering drains. the product contaminates rivers and espective authorities.	lakes or drains inform

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid various
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	145 - 181 °C
Flammability (solid, gas)	:	No data available
Upper/lower flammability or (exp	losive limits
Upper explosion limit / Upper flammability limit	:	7 %(V)
Lower explosion limit / Lower flammability limit	:	0,8 %(V)



EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING

Revision Date: 08.05.2025 Date of last issue: 14.03.2024		Version 2.2	Print Date 08.05.2025
Flash point	:	> 40 °C	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	4,9996 hPa	
Density	:	1,2 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions



EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING

ate of last issue: 14.03.2024		Version 2.2	Print Date 08.05.202
Hazardous reactions	:	Stable under recommended storage conditions.	
		Vapours may form explosive mixture with air.	
10.4 Conditions to avoid			
Conditions to avoid	:	Heat, flames and sparks.	
10.5 Incompatible materials			
Materials to avoid	:	No data available	
10.6 Hazardous decompositio No decomposition if stored	-		
SECTION 11: Toxicological	infor	mation	
14.4 Information on borond alo		as defined in Demulation (FC) No 4272/2000	
Acute toxicity	15565	as defined in Regulation (EC) No 1272/2008	
Not classified based on ava	ailable	information.	
Components:			
Hydrocarbons, C9, aroma	tics:		
Hydrocarbons, C9, aroma Acute oral toxicity	itics:	LD50 Oral (Rat): > 2.000 mg/kg	
		LD50 Oral (Rat): > 2.000 mg/kg LD50 Dermal (Rabbit): > 2.000 mg/kg	
Acute oral toxicity			
Acute oral toxicity Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg	
Acute oral toxicity Acute dermal toxicity Skin corrosion/irritation	:	LD50 Dermal (Rabbit): > 2.000 mg/kg	
Acute oral toxicity Acute dermal toxicity Skin corrosion/irritation Repeated exposure may ca	: : ause s	LD50 Dermal (Rabbit): > 2.000 mg/kg	
Acute oral toxicity Acute dermal toxicity Skin corrosion/irritation Repeated exposure may ca <u>Components:</u>	: : ause s	LD50 Dermal (Rabbit): > 2.000 mg/kg	racking.
Acute oral toxicity Acute dermal toxicity Skin corrosion/irritation Repeated exposure may ca <u>Components:</u> Hydrocarbons, C9, aroma Assessment Serious eye damage/eye i	: ause s atics: : irritati	LD50 Dermal (Rabbit): > 2.000 mg/kg kin dryness or cracking. Repeated exposure may cause skin dryness or c	racking.
Acute oral toxicity Acute dermal toxicity Skin corrosion/irritation Repeated exposure may ca <u>Components:</u> Hydrocarbons, C9, aroma Assessment Serious eye damage/eye i Not classified based on ava	intics: irritati	LD50 Dermal (Rabbit): > 2.000 mg/kg kin dryness or cracking. Repeated exposure may cause skin dryness or c ion information.	racking.
Acute oral toxicity Acute dermal toxicity Skin corrosion/irritation Repeated exposure may ca <u>Components:</u> Hydrocarbons, C9, aroma Assessment Serious eye damage/eye i Not classified based on ava Respiratory or skin sensit	intics: irritati	LD50 Dermal (Rabbit): > 2.000 mg/kg kin dryness or cracking. Repeated exposure may cause skin dryness or c ion information.	racking.
Acute oral toxicity Acute dermal toxicity Skin corrosion/irritation Repeated exposure may ca <u>Components:</u> Hydrocarbons, C9, aroma Assessment Serious eye damage/eye i Not classified based on ava	itics: irritati ailable tisatio	LD50 Dermal (Rabbit): > 2.000 mg/kg kin dryness or cracking. Repeated exposure may cause skin dryness or c ion information.	racking.
Acute oral toxicityAcute dermal toxicitySkin corrosion/irritationRepeated exposure may caComponents:Hydrocarbons, C9, aromaAssessmentSerious eye damage/eye iNot classified based on avaRespiratory or skin sensitiSkin sensitisation	itics: irritati ailable tisatic	LD50 Dermal (Rabbit): > 2.000 mg/kg kin dryness or cracking. Repeated exposure may cause skin dryness or c ion information.	racking.

EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING

Revision Date: 08.05.2025 Date of last issue: 14.03.2024 Version 2.2

Print Date 08.05.2025

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Hydrocarbons, C9, aromatics:

Toxicity to algae/aquatic : (Pseudokirchneriella subcapitata (green algae)): 2,6 - 2,9 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available



EVERBUILD EVERCRYL ONE COAT INSTANT

WATERPROOFING



Revision Date: 08.05.2025 Date of last issue: 14.03.2024		Version 2.2	Print Date 08.05.2025
12.5 Results of PBT and vPvB as	sessn	nent	
Product:			
Assessment	to ve	his substance/mixture contains no compo be either persistent, bioaccumulative an ery persistent and very bioaccumulative (* 1% or higher	d toxic (PBT), or
12.6 Endocrine disrupting prope	rties		
Product:			
Assessment	er RI (E	ne substance/mixture does not contain co ed to have endocrine disrupting propertie EACH Article 57(f) or Commission Deleg U) 2017/2100 or Commission Regulation vels of 0.1% or higher.	es according to ated regulation
12.7 Other adverse effects			
Product:			
Additional ecological infor- mation	ur	n environmental hazard cannot be exclud professional handling or disposal. oxic to aquatic life with long lasting effect:	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed
	waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING



Revision Date: 08.05.2025 Date of last issue: 14.03.2024	Version 2.2	Print Date 08.05.2025
ADR	UN 1263	
IMDG	UN 1263	
ΙΑΤΑ	UN 1263	
14.2 UN proper shipping name		
ADR	PAINT (solvent naphtha, naphtha (petroleum)))
IMDG	PAINT (solvent naphtha, naphtha (petroleum)))
ΙΑΤΑ	Paint (solvent naphtha, naphtha (petroleum))
14.3 Transport hazard class(es)		
	Class Subsidiary risks	5
ADR	3	
IMDG	3	
ΙΑΤΑ	3	
14.4 Packing group		
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code Remarks	III F1 30 3 (D/E) Transport according to chapter 3.4 (LC	Q) possible
IMDG Packing group Labels EmS Code	III 3 F-E, <u>S-E</u>	
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	366 Y344 III Flammable Liquids	
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	355 Y344 III Flammable Liquids	



EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING

Revision Date: 08.05.2025 Date of last issue: 14.03.2024 Version 2.2

Print Date 08.05.2025

14.5 Environmental hazards

ADR Environmentally hazardous : yes IMDG Marine pollutant : yes IATA (Passenger) Environmentally hazardous : yes IATA (Cargo) Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:	All substances contain - registered by our up - registered by us, and - excluded from the re - exempted from the r	strea d/or egula	im suppliers, and/or tion, and/or
REACH - Restrictions on th the market and use of certa mixtures and articles (Anne	in dangerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Candidate List of Concern for Authorisation (<i>i</i>	, .	:	None of the components are listed (=> 0.1 %).
REACH - List of substances (Annex XIV)	s subject to authorisation	:	Not applicable
Regulation (EU) No 2024/59	90 on substances that de-	:	Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regula- tion (EU) 2020/878
EVERBUILD EVERCRYL ONE COAT INSTANT

WATERPROOFING



Revision Date: 08.05.2025 Date of last issue: 14.03.2024	Version 2.2	Print Date 08.05.2025
plete the ozone layer		
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu- : Not applicab	e
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		le
Seveso III: Directive 2012/18/EU jor-accident hazards involving dat P5c	of the European Parliament and of the Congerous substances. FLAMMABLE LIQUIDS	ouncil on the control of ma-
E2	ENVIRONMENTAL HAZARDS	
34	Petroleum products: (a) gasolines and n (including jet fuels), (c) gas oils (includin heating oils and gas oil blending streams alternative fuels serving the same purpo properties as regards flammability and e as the products referred to in points (a) t	g diesel fuels, home s),(d) heavy fuel oils (e) ses and with similar nvironmental hazards
Volatile organic compounds :	Law on the incentive tax for volatile orga (VOCV) Volatile organic compounds (VOC) conte	
	Directive 2010/75/EU of 24 November 2 livestock rearing emissions (integrated p and control) Volatile organic compounds (VOC) conte	ollution prevention
If other regulatory information app Sheet, then it is described in this	blies that is not already provided elsewher subsection.	e in the Safety Data
Health safety and environ-	Environmental Protection Act 1990 & Su	bsidiary Regulations

Health, safety and environ-	:	Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation		Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or		Control of Substances Hazardous to Health Regulations
mixture:		(COSHH)
		May be subject to the Control of Major Accident Hazards
		Regulations (COMAH), and amendments.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.



EVERBUILD EVERCRYL ONE COAT INSTANT WATERPROOFING

Revision Date: 08.05.2025 Date of last issue: 14.03.2024 Version 2.2

Print Date 08.05.2025

SECTION 16: Other information

Full text of H-Statements		
H226	:	Flammable liquid and vapour.
H304	:	May be fatal if swallowed and enters airways.
H335	:	May cause respiratory irritation.
H336	:	May cause drowsiness or dizziness.
H411	:	Toxic to aquatic life with long lasting effects.
Full text of other abbreviat	ions	
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Flam. Liq.	:	Flammable liquids
STOT SE	:	Specific target organ toxicity - single exposure
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	÷	Occupational Exposure Limit
PBT		Persistent, bioaccumulative and toxic
PNEC		Predicted no effect concentration
REACH		Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC		Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative
	•	very persistent and very bloaccumulative

Further information

Classification of the	e mixture:	Classification procedure:
Flam. Liq. 3	H226	Based on product data or assessment
STOT SE 3	H336	Calculation method
STOT SE 3	H335	Calculation method



Revision Date: 08.05.2025 Date of last issue: 14.03.2024		Version 2.2	Print Date 08.05.2025
Aquatic Chronic 2	H411	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

IE / EN

WATERPROOFING