

PRODUCT DATA SHEET

SikaShield® Scupper Square UK

Square scupper outlets for use with SikaShield® systems

PRODUCT DESCRIPTION

SikaShield® Scupper Square UK are stainless steel square scupper outlets incorporating an SBS bitumen flange

USES

- New build or refurbishment projects
- In conjunction with SikaShield® reinforced bitumen membranes

CHARACTERISTICS / ADVANTAGES

- Stainless steel
- Factory bonded flange
- Extended spigot lengths available

PRODUCT INFORMATION

Packaging	Cardboard box		
Shelf Life	5 years from date of production		
Storage Conditions	The Product must be stored in original, unopened and undamaged sealed packaging in dry conditions at temperatures between +5 °C and +30 °C. Always refer to packaging.		
Dimensions	Unit Dimension (mm)	Flange Dimension (mm)	Spigot Length (mm)
	215 x 70	700 x 500	600
	300 x 100	900 x 500	600
	500 x 100	900 x 500	600
	*Longer spigot lengths are available, contact Technical Services for more details		
Flow rate	Unit Dimension (mm)	Flow Rate (l/s)	(BS EN 12056:3-2000)
	215 x 70	2.02	
	300 x 100	2.76	
	500 x 100	3.27	
	*Flow rates tested with a water depth of 35mm		

VALUE BASE

All technical data stated in this Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

ECOLOGY, HEALTH AND SAFETY

REGULATION (EC) NO 1907/2006 - REACH

REGULATION (EC) NO 1907/2006 - REACH: This product is an article as defined in article 3 of regulation (EC) No 1907/2006 (REACH). It contains no substances which are intended to be released from the article under normal or reasonably foreseeable conditions of use. A safety data sheet following article 31 of the same regulation is not needed to bring the product to the market, to transport or to use it. For safe use follow the instructions given in this product data sheet. Based on our current knowledge, this product does not contain SVHC (substances of very high concern) as listed in Annex XIV of the REACH regulation or on the candidate list published by the European Chemicals Agency in concentrations above 0.1 % (w/w).

APPLICATION INSTRUCTIONS

Please refer to the SikaShield® Installation Guide.

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

SIKA IRELAND LIMITED

Ballymun Industrial Estate
Ballymun
Dublin 11, Ireland
Tel: +353 1 862 0709
Web: www.sika.ie
Twitter: @Sikalreland



Product Data Sheet
SikaShield® Scupper Square UK
June 2026, Version 01.01
020945051450245985

SikaShieldScupperSquareUK-en-IE-(06-2026)-1-1.pdf

